

2007  
WINNEBAGO  
Tour™

TOUR





40FD Sangria with Concert Cherry

WEB SMARTSPACE

## An Exceptional Choice in Diesel Motor Homes.

Built on the Freightliner® Evolution Chassis® and featuring NeWay® air suspension, a 55-degree wheel cut and a standard 350-hp Caterpillar® or available 400-hp Cummins® engine, the Tour is designed to provide impressive diesel pusher power, handling and performance. You can even bring along your favorite towable toys, thanks to a standard 10,000-pound-rated hitch.

On the inside, you'll appreciate the spaciousness that opposing flat-floor sliderooms and more than 7 feet 2 inches of headroom create. Along with that space, you'll find plenty of storage inside and out because our SmartSpace™ design makes the most of usable space with user-friendly features, and our Smart Storage™ maximizes usable storage with convenient holders and attachments for accessories.

The stand-alone entertainment center (shown on the right), standard on the 40FD, offers an available electric fireplace for at-home comfort. The 8,000-watt Onan® Quiet Diesel™ generator provides electrical power when an outside source is not available, or a 2,000-watt inverter/charger provides 110-volt power when shoreline or generator power is not available.

On the cover: 40KD with Eggplant full-body paint



## It's the Details That Make the Difference.

The 2007 Tour creates an RV experience like no other. With four innovative floorplans and a host of standard and available features, you're sure to find the Tour that's right for you. The classic front-overhead entertainment center, standard on the 36LD and 40KD, boasts a 27-inch flat-face TV and a Home Theater Sound System (there's a 30-inch TV on the 40TD) with a DVD player. You can enjoy more channels by adding the in-motion satellite system.\* A Euro Chair with ottoman is available on the 36LD, 40FD and 40TD and is the perfect place to sit back and enjoy your favorite show. For an added touch of elegance, the quality Stitchcraft furniture is also available in easy-to-care-for leather.

\*Satellite TV requires a receiver and programming subscription. See your dealer for details.

**WEB** Select a Key Feature

The **WEB** icon designates a Winnebago Industries Key Feature. For further in-depth information and photos, use the Search Window or click on the Key Features page at [winnebagoind.com](http://winnebagoind.com).



40KD Sangria with Sierra Maple

You'll enjoy precise climate control, thanks to the floor-ducted heating and ceiling-ducted TrueAir® residential central air conditioning. For added thermal efficiency, dual-glazed, flush-mounted windows come standard. Day/night pleated shades offer full control over light and privacy levels.



### Breakfast Bar.

Choose the 36LD floorplan and get an innovative breakfast bar, complete with two stools, three large drawers and a sliding countertop with leaf storage.



### Dining.

The dining table design provides elegant dining for two and easily expands to accommodate four place settings when entertaining guests.



### Rest Easy®.

This multi-position lounge converts from a sofa to recliner to a comfortable bed, with a simple touch of a button.



### Euro Lounge Chair.

Stretch your legs and relax in the available Euro Lounge Chair.

## A Chef's Dream.

The galley is filled with high-end amenities such as the luxurious solid-surface countertops with sink covers for the spacious double sink with a versatile pullout faucet. Recessed fluorescent lighting creates an upscale look and feel, while the separate faucet for the Everpure® water filtration system provides great-tasting water. The attractive cabinetry gives you storage options above and below the counter. The drawers feature full-extension drawer slides so that you can easily reach all your stored items. A unique pullout island cabinet with solid-surface countertop comes standard on the 40FD while a roll-out storage bin is featured on the 40KD. Choose the 36LD floorplan and get an innovative breakfast bar, complete with two stools, three large drawers and a sliding countertop with leaf storage.

Appliances include a standard four-door refrigerator/freezer with icemaker, a range with solid-surface cover and a 30-inch residential microwave/convection oven. All conveniently placed so you can easily prepare a quick dish or a three-course meal. Cleanup is now even easier with the available central vacuum with VacPan®.



### Dine in Comfort.

*The innovative BenchMark™ dinette offers innerspring cushions; easy-to-access, large storage areas; and readily converts into a comfortable bed.*

### Cool Look.

*The refrigerator features Titanium Touch stainless finish doors, a Winnebago Industries exclusive, which has the look of stainless steel, resists fingerprints and is warmer to the touch than traditional stainless steel. As an added benefit, you can even use your favorite kitchen magnets.*



## A Bedroom You Can Take Anywhere.

The bedroom offers luxury in the form of a Sleep Number® bed by Select Comfort™ (queen size available in the 36LD, 40FD and 40TD, king size available in the 40KD). For additional comfort, a ceiling fan is standard in the bedroom. The bedroom's rear slideout gives you plenty of elbow room to lie back and enjoy your favorite programs on the standard 20-inch LCD TV. Plus, you can add the available rear stereo system, which features an AM/FM stereo with CD/DVD player, alarm clock, headphone jack and a spot to connect your MP3 player.



40KD Sangria with Sierra Maple

## Sing in the Shower.

A Moen® Posi-Temp® valve regulates a consistent water temperature as you shower, even if water pressure fluctuates. You'll appreciate the handheld showerhead and a water heater that runs off LP or electric power. Other practical features in the bath include a vinyl tile floor and a textured glass shower door.



## Washer/Dryer.

This available combination washer/dryer features multiple wash, time and temperature cycles.



## Sleep the Night Away.

The Vantage Point™ Sleep Number bed by Select Comfort has digital hand controls that let you quickly and independently adjust each side of the bed to your ideal level of comfort and support. Your Sleep Number—The Key to a Perfect Night's Sleep.™



## The Features You're Looking For.

Behind the wheel of the Tour, everything is designed for your comfort and convenience. The SmartWheel™ steering wheel, which tilts and telescopes for your driving style, includes controls for key functions. The RV Radio® includes AM/FM stereo; CD player; weather band; and large, easy-to-use buttons and knobs. For added convenience, the RV Radio comes with two remotes—one handheld and one on the steering wheel. Upgrade your RV Radio with the available Sirius® Satellite Radio package, which comes with a complimentary six-month subscription (not available in Canada). Sirius brings you 120 channels of crystal clear programming.

### A Dash Built for You.

You'll find everything you need at your fingertips. An available side-view video camera system controlled by your turn signals can be viewed through your Audiovox® rearview monitor. A handy touch-pad control is mounted on the left-side driver's panel and controls the Allison® 3000 MH six-speed automatic transmission.



### Hydraulic Leveling Jacks.

New for 2007 is our exclusive three-position hydraulic jack controls. Activate your jacks from the driver's seat, entrance door or, if you're already outside, from the service center; leveling your motor home has never been more convenient.



### TrueLevel™

Eliminate the guesswork when it comes to tank levels, with our exclusive TrueLevel holding tank monitoring system. It incorporates detector cells that determine liquid levels from outside the tank. No probes mean no more corrosion, just accurate readings, time after time.



### PowerLine®

#### PowerLine®

This energy management system monitors electrical usage and automatically cycles appliances on and off to prevent power overloads.



### TrueAir.

The residential central air conditioning system features a Coleman®-Mach® cooling unit in the basement that cools 40 percent faster and runs 10 percent quieter than roof-pod units. A heat pump comes standard so you can take the chill out of a cool morning without starting the furnace.

## Smart Storage.

A great example of Smart Storage is the available folding ladder that fits into a sleek storage sleeve when not in use (not available on the 36LD). In addition, select storage compartments include straps and attachment points to hold key motor home tools and accessories. To help keep your items organized, a set of three large fitted containers are included as a standard feature.

The Tour places all electrical and plumbing connections in one convenient location with color-coded labels for easy hookups and quick connections. And there is even a clip for your gloves so they are always within reach when you need them. The service center also includes a filter for the full-coach water filtration system and a hookup for a portable satellite dish.

Additional enhancements include standard electric patio and entrance door awnings and an entrance screen door.



**STOREMORE** WEB

### StoreMore®

*StoreMore is another great example of Smart Storage because its large exterior storage compartments extend with the slideroom for easy access.*



### Exterior Entertainment Center.

*Your exterior entertainment center can be enhanced with a 20-inch LCD TV and DVD player.*



WEB

**SMART STORAGE**

### Aluminum Ladder.

*The available fold-out aluminum ladder with storage sleeve is easily accessible (not available on the 36LD).*



WEB

**QuickPort**  
SERVICED CONNECTION HATCH

### Service Center.

*The QuickPort® service connection hatch is fast and simple, allowing the bay door to close while your hookups are connected. The QuickConnect® coupling valve on the sewer hose makes for quick and clean hookups and has its own storage holster.*



WEB

**QuickConnect**



Autumn Fern



Sangria



Tuscan Ridge



A-Main Fabric  
B-Carpet  
C-Accent



Concert Cherry



Sierra Maple



Washed Maple

36LD




40FD



40KD



40TD - NEW



Note: Dimensions shown are for sleeping space only and may vary due to styling differences. Dashed lines denote overhead storage areas.

Full-Body Paint



Firethorn

Full-Body Paint



Eggplant

Full-Body Paint



Autumn Harvest



**EVOLUTION**  
CHASSIS

#### Experience the Evolution.

Winnebago Industries engineers worked closely with Freightliner to create the Evolution Chassis for the 2007 Tour. Designed specifically for this motor home application, Evolution represents the next generation of diesel pusher technology with one-piece, formed-steel chassis rails that are 25 percent thicker than traditional raised rails for added strength and performance without the restrictive bulk and weight of stacked rails. Formed rails also provide increased mid-section storage, better weight distribution and improved floorplan flexibility. Evolution delivers a premium driving experience with a powerful 350-hp 7.2L Caterpillar C7 turbo engine or 400-hp Cummins ISL 8.9 turbo diesel engine.

#### Get more with the Evolution Chassis

- Allison 3000 MH six-speed automatic transmission with touch-pad control
- I-beam axle with a 55-degree wheel cut
- 10,000-pound hitch with Tow Power seven-pin connector<sup>6</sup>
- Standard engine exhaust brake for longer brake life (not available with Cummins engine)
- NeWay front and rear air suspension for improved ride and handling
- Three-year/50,000-mile warranty (including towing and roadside assistance) and more than 350 North American service locations, 50 Freightliner RV Oasis locations and a 24/7 helpline

WEB



THE LEADER AT EVERY TURN™

| WEIGHTS & MEASURES   | 36LD                                     | 40FD                                     | 40KD                                     | 40TD - NEW                               |
|--|--|--|--|--|
| <b>Length</b>  | 36'6" <sup>A</sup> /36'6" <sup>B</sup>   | 39'10" <sup>C</sup> /39'10" <sup>D</sup> | 39'10" <sup>C</sup> /39'10" <sup>D</sup> | 39'10" <sup>C</sup> /39'10" <sup>D</sup> |
| <b>Exterior Height<sup>1</sup></b>                           | 12'4" <sup>A</sup> /12'4" <sup>B</sup>   | 12'4" <sup>C</sup> /12'4" <sup>D</sup>   | 12'4" <sup>C</sup> /12'4" <sup>D</sup>   | 12'4" <sup>C</sup> /12'4" <sup>D</sup>   |
| <b>Exterior Width<sup>2</sup></b>                            | 8'5.5"                                   | 8'5.5"                                   | 8'5.5"                                   | 8'5.5"                                   |
| <b>Exterior Storage<sup>3</sup></b> (cu. ft.)                | 112.0                                    | 133.5                                    | 134.1                                    | 138.8                                    |
| <b>Awning Length</b>   | 20'                                      | 20'                                      | 20'                                      | 20'                                      |
| <b>Interior Height</b>                                       | 7'2.5"                                   | 7'2.5"                                   | 7'2.5"                                   | 7'2.5"                                   |
| <b>Interior Width</b>  | 8'5"                                     | 8'5"                                     | 8'5"                                     | 8'5"                                     |
| <b>Freshwater Capacity w/Heater<sup>4</sup></b> (gal.)       | 106                                      | 106                                      | 106                                      | 107                                      |
| <b>Holding Tank Capacity – Black/Gray<sup>4</sup></b> (gal.) | 54/54                                    | 57/73                                    | 57/72                                    | 52/86                                    |
| <b>LP Capacity<sup>5</sup></b> (gal.)                        | 31                                       | 31                                       | 31                                       | 31                                       |
| <b>Fuel Capacity</b> (gal.)                                  | 100                                      | 100                                      | 100                                      | 100                                      |
| <b>GCWR<sup>6</sup></b> (lbs.)                               | 39,410 <sup>A</sup> /39,410 <sup>B</sup> | 42,000 <sup>C</sup> /42,000 <sup>D</sup> | 42,000 <sup>C</sup> /42,000 <sup>D</sup> | 42,000 <sup>C</sup> /42,000 <sup>D</sup> |
| <b>GVWR</b> (lbs.)   | 29,410 <sup>A</sup> /29,410 <sup>B</sup> | 32,000 <sup>C</sup> /32,000 <sup>D</sup> | 32,000 <sup>C</sup> /32,000 <sup>D</sup> | 32,000 <sup>C</sup> /32,000 <sup>D</sup> |
| <b>GAWR – Front</b> (lbs.)                                   | 10,410 <sup>A</sup> /10,410 <sup>B</sup> | 12,000 <sup>C</sup> /12,000 <sup>D</sup> | 12,000 <sup>C</sup> /12,000 <sup>D</sup> | 12,000 <sup>C</sup> /12,000 <sup>D</sup> |
| <b>GAWR – Rear</b> (lbs.)                                    | 19,000 <sup>A</sup> /19,000 <sup>B</sup> | 20,000 <sup>C</sup> /20,000 <sup>D</sup> | 20,000 <sup>C</sup> /20,000 <sup>D</sup> | 20,000 <sup>C</sup> /20,000 <sup>D</sup> |
| <b>Wheelbase</b>   | 228" <sup>A</sup> /228" <sup>B</sup>     | 267" <sup>C</sup> /267" <sup>D</sup>     | 267" <sup>C</sup> /267" <sup>D</sup>     | 267" <sup>C</sup> /267" <sup>D</sup>     |

| Standard - S Optional - O  | 36LD | 40FD | 40KD | 40TD |
|--|------|------|------|------|
| <b>AUTOMOTIVE/CHASSIS</b>  |      |      |      |      |
| <b>A – Evolution Chassis</b> ® – Freightliner®, Caterpillar® 7.2L turbo-charged diesel, 350-hp, rear radiator, Allison® 3000 MH 6-speed electronic transmission, NeWay® front & rear air suspension, 160-amp. alternator, 4-wheel ABS, exhaust brake   | S    |      |      |      |
| <b>B – Evolution Chassis</b> – Freightliner, Cummins® ISL 8.9L turbo-charged diesel, 400-hp, rear radiator, Allison 3000 MH 6-speed electronic transmission, NeWay front & rear air suspension, 160-amp. alternator, 4-wheel ABS, engine compression brake   | O    |      |      |      |
| <b>C – Evolution Chassis</b> – Freightliner, Caterpillar 7.2L turbo-charged diesel, 350-hp, rear radiator, Allison 3000 MH 6-speed electronic transmission, NeWay front & rear air suspension, 160-amp. alternator, 4-wheel ABS, exhaust brake   |      | S    | S    | S    |
| <b>D – Evolution Chassis</b> – Freightliner, Cummins ISL 8.9L turbo-charged diesel, 400-hp, rear radiator, Allison 3000 MH 6-speed electronic transmission, NeWay front & rear air suspension, 160-amp. alternator, 4-wheel ABS, engine compression brake  |      | O    | O    | O    |
| <b>Air Accessory Manifold</b> quick connect, air pressure indicator, manual air shut-off, <b>Battery Disconnect</b> chassis, manual, <b>Leveling Jacks</b> hydraulic, automatic controls, three-way switching system, <b>Trailer Hitch</b> ® 10,000-lb. drawbar/500 lbs. maximum vertical tongue weight & wiring, 7-pin connector, <b>Wheels</b> stylized aluminum   | S    | S    | S    | S    |
| <b>CAB AREA &amp; DRIVER CONVENIENCES</b>  |      |      |      |      |
| <b>Cab Seats (Leather w/Vinyl Surround)</b> armrests, lumbar support, multi-adjustable slide/recline & swivel, <b>Compass</b> electronic w/outdoor thermometer, <b>Console Center Cabinet</b> , <b>Cruise Control</b> , <b>Exhaust Brake Control</b> , <b>Freightliner Information Center</b> (see Freightliner's Owner's Manual), <b>Map Lights</b> (2), <b>Monitor System</b> rearview, black/white, single camera & 1-way audio, Audiovox®, <b>Power Door Lock</b> keyless entry w/remote, <b>Powerpoints</b> 12-volt DC, <b>Shades</b> cab windows, roller, <b>Steering Wheel</b> custom, black leather, SmartWheel™ w/power assist, tilt, telescope column, <b>Sunvisors</b> powered, <b>Trim Panel</b> driver & passenger sides, <b>Window (Driver)</b> full-slider w/screen, dual-glazed, <b>Window (Passenger)</b> partial, vertical slider w/screen, dual-glazed, <b>Windshield Wipers</b> intermittent | S    | S    | S    | S    |
| <b>Cab Seat</b> 6-way power assist, driver, <b>Cab Seat</b> passenger w/footrest, <b>Defroster Fans</b> (2) auxiliary 2-speed w/instrument panel switch, <b>GPS Navigation System</b> Alpine®, <b>Video Camera System</b> 2 side-mounted cameras, turn signal activated  | O    | O    | O    | O    |



| Standard - S Optional - O  | 36LD | 40FD | 40KD | 40TD |
|--|------|------|------|------|
| <b>ENTERTAINMENT</b>   |      |      |      |      |
| <b>C.B. Wire Prep</b> 12-volt DC power supply, <b>Entertainment Center (Exterior)</b> AM/FM radio, CD player w/remote, DC receptacle, AC duplex receptacle, TV jack, radio antenna, speakers (2), <b>Home Theater Sound System</b> amplifier, DVD, receiver, speakers (5), subwoofer, <b>RV Radio® (Cab)</b> AM/FM/stereo/CD, remotes, roof-mounted flexible rubber antenna, speakers (4), <b>Radio Power Switch</b> main/aux. battery, <b>Satellite System Ready</b> , <b>Telephone</b> input & interior jacks, <b>TV 20"</b> AC color, bedroom, LCD, stereo w/remote, <b>TV Enhancement Package</b> antenna (amplified), interior jacks, coax wiring, cable input (TV & portable satellite dish), exterior jack, <b>Video Selection System</b> | S    | S    | S    | S    |
| <b>Compact Multidisc Changer</b> w/remote & 10-disc changer, <b>Satellite Dish Antenna</b> RV digital, automatic, <b>Satellite Dish</b> RV digital, in-motion, King-Dome®, <b>Satellite Radio</b> Sirius®, 6-month subscription included (NA in Canada) <b>Stereo System (Bedroom)</b> AM/FM/CD/DVD player, alarm clock, headphone jack, front aux. input, <b>Entertainment Center (Exterior)</b> AM/FM radio, CD/DVD player w/remote, DC receptacle, AC duplex receptacle, TV 20" AC color, stereo w/remote, flat-face, Jensen™, speakers (2), bass speaker, TV jack, radio antenna   | O    | O    | O    | O    |
| <b>Fireplace</b> electric, front slideout entertainment center (NA w/BenchMark Dinette on 40TD)  |      | O    |      | O    |
| <b>TV 27"</b> AC color, flat-face, stereo w/remote, Sony®  | S    | S    | S    |      |
| <b>TV 30"</b> slim CRT AC color, stereo w/remote   |      |      |      | S    |
| <b>INTERIOR</b>  |      |      |      |      |
| <b>Ceiling</b> vinyl, <b>Curtain</b> front wraparound, pleated w/wands, <b>Light</b> decorative wall lamp, <b>Light</b> stepwell w/interior switch, <b>Lights</b> ceiling w/wall switches, <b>Lights</b> incandescent, private toilet room, <b>Lights</b> fluorescent, recessed, galley, dinette, lounge, bath hallway, w/2-way wall switches, <b>Lights</b> halogen, <b>Lights</b> reading, <b>Shades</b> pleated day/night, lounge, dinette, bedroom, <b>Shades</b> mini blinds, galley & bath, <b>Sliding Stepwell Cover Panel</b> powered, <b>Windows</b> dual-glazed/thermo-insulated   | S    | S    | S    | S    |
| <b>Vacuum Cleaner</b> central, Dirt Devil®   | O    | O    | O    | O    |
| <b>FURNITURE</b>   |      |      |      |      |
| <b>Banquette (Fabric)</b> w/throw pillows, access to storage below, <b>Banquette (Leather)</b> w/throw pillows, access to storage below, <b>Rest Easy® Multi-Position Lounge (Leather 75" x 60")</b> w/folding dining table, folding chairs (2)  | O    |      |      |      |

| Standard - S   | Optional - O | 36LD | 40FD | 40KD | 40TD |
|--|--------------|------|------|------|------|
| <b>BenchMark™ Full Comfort Dinette (Fabric)</b> w/access to storage below, child-seat tether anchor, storage cabinet (36LD)  |              |      |      |      |      |
|  | S            |      |      |      |      |
| <b>Breakfast Bar</b> w/stools (2), padded seats, <b>Rest Easy Multi-Position Lounge (Fabric 75" x 60")</b> w/folding dining table, folding chairs (2)  |              |      |      |      |      |
|  | S            |      |      |      |      |
| <b>Chair (Leather)</b> Euro recliner w/ottoman   |              |      |      |      |      |
|  | O            | O    |      |      | O    |
| <b>Chair (Fabric)</b> hoop based w/table, recline, footrest  |              |      |      |      |      |
|  | S            |      |      |      | S    |
| <b>J-Lounge (Leather)</b> access to storage below, throw pillows (2)   |              |      |      |      |      |
|  |              |      |      | O    |      |
| <b>Dining Table &amp; Chairs</b> freestanding (2), folding (2)   |              |      |      |      |      |
|  | O            | S    | S    | S    |      |
| <b>Entertainment Center</b> front slideout   |              |      |      |      |      |
|  |              |      | S    |      | S    |
| <b>Lounge Chair (Fabric)</b> recliner  |              |      |      |      |      |
|  |              | S    |      |      |      |
| <b>Sofa (Fabric 48" x 70")</b> access to storage below, removable armrests, throw pillows  |              |      |      |      |      |
|  |              |      |      | S    |      |
| <b>Sofa (Leather 48" x 70")</b> access to storage below, removable armrests, throw pillows   |              |      |      |      |      |
|  |              |      | O    |      |      |
| <b>Multifunction Table &amp; Chairs</b> freestanding (2), folding (2), legless table   |              |      |      |      |      |
|  |              |      | O    | O    |      |
| <b>Rest Easy Multi-Position Lounge (Fabric 75" x 60")</b> throw pillows  |              |      |      |      |      |
|  | O            | S    | S    |      |      |
| <b>Rest Easy Multi-Position Lounge (Fabric 75" x 70")</b> dual, throw pillows  |              |      |      |      |      |
|  |              |      |      |      | S    |
| <b>Rest Easy (Leather 75" x 70")</b> dual, throw pillows   |              |      |      |      |      |
|  |              |      |      |      | O    |
| <b>Rest Easy Multi-Position Lounge (Fabric or Leather 75" x 60")</b> dual  |              |      |      |      |      |
|  | O            | O    | O    | O    |      |
| <b>GALLEY</b>  |              |      |      |      |      |
| <b>Countertop</b> solid-surface w/backsplash, <b>Faucet</b> single-control w/pullout sprayer, Moen®, <b>Microwave/Convection Oven</b> w/range fan, residential 30", stainless steel, <b>Pantry</b> (NA 36LD), <b>Powerpoint</b> 12-volt DC receptacle, <b>Refrigerator/Freezer</b> 4-door w/icemaker, Titanium Touch stainless finish, Norcold®, <b>Range Cover</b> countertop material, <b>Range Top</b> 3-burner, 1 high-output w/storage below, recessed, sealed burners, Amana®, <b>Roof Vent</b> insulated, powered ventilator fan, <b>Silverware Tray</b> wooden, <b>Sink Covers</b> (countertop material), <b>Water Filtration System</b> Everpure® separate faucet, <b>Wastepaper Basket</b> |              |      |      |      |      |
|  | S            | S    | S    | S    | S    |
| <b>Countertop Extension</b> flip-up 36LD, pull-out 40TD  |              |      |      |      |      |
|  | S            |      |      |      | S    |
| <b>Island Cabinet</b> w/solid-surface countertop, roll-out   |              |      |      |      |      |
|  |              |      | S    |      |      |
| <b>Island Storage Bin</b> large, roll-out, <b>Hutch</b> decorative doors, adj. shelves   |              |      |      |      |      |
|  |              |      |      | S    |      |
| <b>BATH</b>  |              |      |      |      |      |
| <b>Cabinet</b> lavatory, <b>Cabinet</b> linen, <b>Cabinet</b> medicine, <b>Countertop</b> w/backsplash, solid-surface, <b>Light</b> shower, <b>Roof Vent</b> insulated, powered ventilator fan, private toilet room, <b>Shower Door</b> textured glass, <b>Shower Seat</b>   |              |      |      |      |      |
|  | S            | S    | S    | S    | S    |
| <b>Lights</b> makeup, <b>Robe Hook</b>   |              |      |      |      |      |
|  | S            | S    | S    |      |      |
| <b>Lights</b> halogen  |              |      |      |      |      |
|  |              |      |      |      | S    |
| <b>BEDROOM</b>   |              |      |      |      |      |
| <b>Ceiling Fan, Headboard, Lights</b> reading, <b>Powerpoint</b> 12-volt DC receptacle   |              |      |      |      |      |
|  | S            | S    | S    | S    | S    |
| <b>Bed</b> queen, Serta® innerspring w/underbed storage (40TD only), bedspread, pillows, throw pillows   |              |      |      |      |      |
|  | S            | S    |      |      | S    |
| <b>Bed</b> king, Serta innerspring w/underbed storage, bedspread, pillows, throw pillows   |              |      |      |      |      |
|  |              |      |      | S    |      |
| <b>Bed</b> Sleep Number® by Select Comfort™ queen-size mattress  |              |      |      |      |      |
|  | O            | O    |      |      | O    |
| <b>Bed</b> Sleep Number by Select Comfort king-size mattress   |              |      |      |      |      |
|  |              |      |      | O    |      |

- The height of each model is measured to the top of the tallest standard feature and is based on the curb weight of a typically equipped unit. The actual height of your vehicle may vary by several inches depending on chassis or equipment variations. Please contact your dealer for further information.
- Tour floorplans feature a wide-body design — over 96 inches. In making your purchase decision, you should be aware that some states restrict access on some or all state roads to 96 inches in body width. Before making your purchase decision, you should confirm the road usage laws in the states of interest to you.
- The load capacity of your motor home is designated by weight, not by volume, so you cannot necessarily use all available space when loading your motor home.
- Capacities are based on measurements prior to tank installation. Slight capacity variations can result due to installation applications.

| Standard - S   | Optional - O | 36LD | 40FD | 40KD | 40TD |
|--|--------------|------|------|------|------|
| <b>EXTERIOR</b>  |              |      |      |      |      |
| <b>Awning Rails</b> w/rain gutters, <b>Awning Package</b> patio w/wind sensor & remote, entrance door, electric, <b>Door</b> entrance w/separate screen door, deadbolt lock, keyless entry w/remote, <b>Entrance Door Step</b> double, electric w/doorjamb switch, <b>Ladder, Light</b> porch w/interior switch, <b>Light</b> under hood, <b>Lights</b> compartment, <b>Light</b> service, driver side, <b>Locking Fuel-Fill Doors, Mirrors</b> electric remote w/defrost, chrome head, turn signal, swing-away, <b>Mudflaps (2)</b> rear, <b>Receptacle</b> AC duplex, <b>Sidewall Skin</b> 1-piece smooth fiberglass, high-gloss, <b>Storage Compartments</b> insulated doors, trunk liner, gas cylinders, TriMark® KeyOne™ System, paddle latch, <b>Storage Containers</b>  |              |      |      |      |      |
|  | S            | S    | S    | S    | S    |
| <b>Air Horns</b> roof-mounted, chrome, dual, <b>Awning</b> windows, acrylic, <b>Mud Guard</b> full-width, <b>Front Exterior Protective Mask</b>  |              |      |      |      |      |
|  | O            | O    | O    | O    |      |
| <b>Step Ladder</b> folding   |              |      |      |      |      |
|  |              | O    | O    | O    |      |
| <b>SYSTEMS</b>   |              |      |      |      |      |
| <b>HEATING/AC - Automotive Heater/Air Conditioner, Furnace</b> 40,000 BTU, low-profile, primary, <b>TrueAir® Residential Central Air Conditioning System</b> w/heat pump   |              |      |      |      |      |
|  | S            | S    | S    | S    | S    |
| <b>Furnace</b> 25,000 BTU, low-profile, secondary  |              |      |      |      |      |
|  |              | S    | S    | S    |      |
| <b>ELECTRICAL - Auxiliary Start Circuit, Batteries (3) (Coach)</b> deep-cycle, <b>Battery (Chassis)</b> disconnect system, manual, <b>Battery (Chassis)</b> charger/maintainer, <b>Dual Battery</b> charge control (automatic), <b>Electrical Distribution System</b> AC & DC breaker panels, <b>Generator</b> 8,000-watt, Onan® Quiet Diesel™, <b>Generator/Shoreline Automatic Changeover Switch, Converter/Inverter/Charger</b> DC/AC, 2,000-watt w/remote panel, <b>OnePlace® Systems Center</b> wall-mounted, <b>PowerLine® Energy Management Display</b> , battery digital voltmeter, courtesy light, generator hourmeter gauge, generator start/stop switch, heating & AC thermostat, holding tank levels, LP tank level, solar panel/battery charger light, water heater switch, water heater on light & pilot indicator light, water pump switch, water tank level, <b>Power Cord</b> 50-amp., Superflex, <b>Service Center (Electrical)</b> cable input, power cord, QuickPort® service connection hatch, shoreline/generator automatic changeover switch, telephone input, <b>Solar Panel</b> 10-watt battery charger |              |      |      |      |      |
|  | S            | S    | S    | S    | S    |
| <b>PLUMBING/LP - Drain</b> 1½" water tank, <b>Service Center (Drainage/Water)</b> drainage valves, holding tank flushing system, black tank only, city water hookup/tank diverter fill, drain for freshwater system, exterior wash station w/pump switch, glove holder, QuickPort service connection hatch, portable satellite hookup, 10' sewer hose w/QuickConnect® coupling valve, <b>Tank</b> holding, heated compartment, <b>Tank</b> LP, permanent mount w/gauge, <b>TrueLevel™ Holding Tank Monitoring System, Washer/Dryer Prep, Water Heater</b> 10-gallon electronic ignition, LP gas/120 VAC w/motoraid, <b>Water System Winterization Package</b> water heater bypass valve & siphon tube, <b>Water Hookup</b> city, <b>Water Pump</b> demand, <b>Water System Filtration System Package</b> housing, filter, wrench   |              |      |      |      |      |
|  | S            | S    | S    | S    | S    |
| <b>Washer/Dryer Combination</b>  |              |      |      |      |      |
|  | O            | O    | O    | O    |      |
| <b>SAFETY</b>  |              |      |      |      |      |
| <b>Assist Bar(s)</b> interior, <b>Assist Handle</b> exterior, acrylic, <b>Bumpers</b> front & rear, <b>Child-Seat Tether Anchor</b> [w/optional dinette], <b>Detectors/Alarms</b> LP leak, smoke, carbon monoxide, <b>Fire Extinguisher</b> 10 BC, <b>Ground Fault Interrupter, Light(s)</b> high-mount brakelamp(s), <b>Lights</b> daytime running, docking, fog, <b>Lights</b> courtesy w/wall switches, <b>Lights</b> courtesy blink, <b>Seat Belts</b> cab, 3-point, <b>Seat Belts</b> lap (in selected areas), <b>Window</b> escape, <b>Windshield</b> laminated safety glass   |              |      |      |      |      |
|  | S            | S    | S    | S    | S    |
| <b>WARRANTY<sup>7</sup></b>  |              |      |      |      |      |
| <b>12-month/15,000-mile basic limited warranty<sup>8</sup> 36-month/36,000-mile limited warranty on structure<sup>9</sup> 10-year limited parts &amp; labor warranty on roof skin<sup>8</sup></b>  |              |      |      |      |      |
|  | S            | S    | S    | S    | S    |

- Capacities shown are tank manufacturer's listed water capacity (W.C.). Actual filled LP capacity is 80% of listing due to overfilling prevention device on tank.
- Actual towing capacity is dependent on your particular loading and towing circumstances, which includes the GWR, GAWR and GCWR, as well as adequate trailer brakes. Please refer to the chassis operator's manual of your vehicle for further towing information.
- See separate chassis warranty.
- See your dealer for complete warranty information.
- Not all items available in combination. See dealer for details. NA — Not Available.
- Winnnebago Industries' continuing program of product improvement makes specifications, equipment, model availability and prices subject to change without notice. Comparisons to other motor homes are based on the most recent information available.



**SUPERSTRUCTURE®** is the term given to Winnebago Industries' structural motor home design and construction. Rather than a single component, it is the culmination of design integration that incorporates steel and aluminum substructures; welded tubular steel floor risers; interlocking joint technology; and Thermo-Panel® floor, roof and sidewalls to form a high-strength, durable vehicle body.

Thermo-Panel manufacturing combines a durable exterior panel with welded aluminum support substructures. The substructures are embedded in a high-density, block-foam insulation core to create a strong, durable, yet lightweight sidewall. Just another Winnebago Industries invention.

- A** Interlocking joint construction utilizes advanced extruded aluminum structural components to create integrated floor-to-sidewall and sidewall-to-roof joints. This design effectively distributes the weight of the walls and roof, making a stronger and more durable body than competitor designs that rely on screws to carry the weight.
- B** The foundation substructure assembly is precision-aligned to maximize strength and cross-coach support as well as durability.
- C** Tubular steel risers feature a truss-design core for improved strength and provide a stable base for the floor structure and storage compartments.
- D** Critical steel components are treated using an advanced electrodeposition coating process that provides superior corrosion protection.



One-year-old Winnebago Industries' fiberglass roof



One-year-old competitor's rubber roof

**BUILT TO A HIGHER STANDARD.**

The 2007 Tour features a crowned, one-piece fiberglass roof skin backed with a 10-year limited parts-and-labor roof skin warranty. Fiberglass offers superior strength, attractiveness and durability compared to rubber roofs found on many competitive models. Over time, rubber roofs are susceptible to chalking, streaking and degradation, and have less puncture and tear resistance than fiberglass.



**Take a Tour** We're proud of our process, our state-of-the-art facilities and the people who make Winnebago Industries number one. We invite you to visit our factory in Forest City, Iowa, for a firsthand look at the dedication and technology behind every motor home we build.



**Recognized Quality** The Recreation Vehicle Dealer Association annually rates RV manufacturers and awards the Quality Circle award to manufacturers who provide exceptional products, service and support. Winnebago Industries is proud to be the only manufacturer to receive this award every year since its inception.



**Committed to Service** We back our motor homes with the industry's best service after the sale.

- 12-month/15,000-mile basic limited warranty
- 36-month/36,000-mile limited warranty on structure
- Standard 10-year limited parts-and-labor roof skin warranty
- Complimentary 24-hour roadside assistance program
- TripSaver Fast Track Parts. TripSaver guarantees that in-stock warranty parts ship directly to your dealer within 24 hours.
- National dealer service network



**WIT Club** Winnebago owners are like family. Joining the Winnebago-Itasca Travelers is a great way to meet and travel with other Winnebago enthusiasts. Members enjoy:

- Caravans and rallies
- Local and state group activities
- RV travel benefits



**Visit the Web** Visit us on the Web for more information on all of our motor homes and a host of Web-exclusive content. [winnebagoind.com](http://winnebagoind.com)



For Sales and Service Information Contact:

Built proudly by



NYSE listing: WGO