

# Layton<sup>®</sup> GL

2013 Travel Trailers  
& Fifth Wheels



Your local *Layton* dealer is:

**SKYLINE<sup>®</sup>**  
BRINGING AMERICA HOME. BRINGING AMERICA FUN.  
Effective July 2012

## Interior

### Cabinets

- High Pressure Laminate Countertops
- Stylish Picture Frame Flat Panel Cabinet Doors

### Decor

- Color-Coordinated Designer Interiors
- Embossed Vinyl Flooring
- Padded Dinette Seat & Back Cushions
- Mini-Blinds at All Windows Except Bunks

### Kitchen & Living Area

- 3 cu. ft. Dometic® Gas/Electric Refrigerator
- Wedgewood® 2-Burner Range Top
- 0.7 cu. ft. Microwave Oven w/ Turntable & Clock
- Acrylic Kitchen Sink w/Faucet
- 12 Volt Demand Water Pump
- Furnace (16,000 Btu)
- 5,000 Btu Air Conditioner
- 35 amp 12 Volt Power Convertor w/120 Volt Load Center
- 6 Gallon Gas Water Heater
- TV Antenna w/Living Area Jack

### Bath

- ABS Tub w/Tub Faucet, Shower Hose & Head
- Shower Curtain
- Hand Flush Thetford Toilet
- Towel Ring & Toilet Paper Holder

## Exterior

### Roof Construction

- Seamless One-Piece Aluminum Roof
- Awning Drip Rail & Down Spouts

### Wall Construction

- Welded Aluminum Sidewalls Laminated w/ Fiberglass Exterior, Block Foam Insulation & Steel Cabinet Backers
- Twist Locks on All Storage Doors
- Clamp-Ring Radius Corner / Safety Glass Windows
- Patio Convenience Light
- Radius Entry Door w/Screen
- Assist Handle at Entry Door
- Custom Styled Exterior Graphics

### Chassis Construction

- Cambered Steel Chassis w/ Steel Outriggers
- Battery Rack
- Chassis-Mounted Entry Step
- Electric Brakes at All Wheels
- Radial Tires
- Spoke Steel Wheels
- Safety Chains & Breakaway Safety Switch
- Two Stabilizer Jacks in Rear
- Sidewinder Tongue Jack w/ Foot

## Floor Construction

- 5/8" Tongue & Groove Floor Decking
- Tightly Sealed Woven Polyethylene Underbelly

## Features


- 20 lb. LP Propane Tank
- Holding Tanks w/Drain Outlet
- Rear Bumper w/Sewer Hose Carrier
- Carefree® Pioneer Lite Side Awning

## Security & Safety


- Smoke Detector
- Propane Leak Detectors
- Carbon Monoxide Alarm
- Flush Door Latch w/Integral Dead Bolt Lock
- Fire Extinguisher

## Options


- Spare Tire, Carrier & Cover
- Stabilizer Jacks in Front
- AM/FM/CD Stereo w/Outside Speakers
- Monitor Panel
- Power Vent in Bath
- 13,500 Btu Air Conditioner




Model 130B




Model 170B




Model 131B




Model 173B




Model 140B




Model 183B




Model 162B



Model 186B



Model 163B



Model 191B

<b>Model</b>	<b>130B</b>	<b>131B</b>	<b>140B</b>	<b>162B</b>	<b>163B</b>	<b>170B</b>	<b>173B</b>	<b>183B</b>	<b>186B</b>	<b>191B</b>
<b>Weights</b> Unloaded Vehicle Weight (see Note 2)	1,925	1,975	2,025	2,175	2,250	2,725	2,450	2,450	2,475	2,550
Dry Hitch Weight	350	325	300	325	325	325	400	325	325	425
Dry Axle Weight	1,575	1,650	1,725	1,850	1,925	2,400	2,050	2,125	2,150	2,125
GVWR (Total Capacity of Trailer)	2,850	2,850	2,850	3,850	3,850	3,850	3,850	3,850	3,850	3,850
Carrying Capacity (see Note 2)	850	800	750	1,575	1,500	1,000	1,300	1,300	1,275	1,200
<b>Accommodations</b> Sleeping (standard / optional)	2	4	3	4	7	3	4	3	5	7
Bed Size	N/A	54" x 74"	N/A	(2) 32" x 75"	54" x 74"	54" x 80"	54" x 80"	60" x 74"	54" x 80"	54" x 74"
Second Bed Size	N/A	N/A	N/A	N/A	54" x 74"	N/A	N/A	N/A	(2) 28" x 76"	54" x 74"
Dinette Size	52" x 80"	44" x 80"	52" x 80"	52" x 80"	52" x 80"	N/A	52" x 80"	30" x 76"	30" x 76"	52" x 80"
Sofa	N/A	N/A	22" x 59"	N/A	22" x 59"	42" x 64"	N/A	N/A	N/A	26" x 80"
<b>Measurements</b> Exterior Length (see Note 3)	13'-9"	13'-9"	15'-10"	17'-2"	17'-5"	18'-4"	20'-1"	20'-4"	20'-6"	20'-6"
Exterior Width (see Note 3)	7'-0"	7'-0"	7'-0"	7'-0"	7'-0"	7'-0"	7'-0"	7'-0"	7'-0"	7'-0"
Exterior Height (see Note 3)	8'-2"	8'-2"	8'-2"	8'-4"	8'-4"	8'-4"	8'-4"	8'-4"	8'-4"	8'-4"
Interior Height	73"	73"	73"	73"	73"	73"	73"	73"	73"	73"
<b>Capacities</b> Fresh Water System (gallons)	17	17	17	17	17	27	17	27	27	17
Gray Water Tank (gallons)	9	9	15	15	15	15	15	15	15	15
Black Water Tank (gallons)	6	6	9	9	9	9	9	9	9	9
Air Conditioner Size (Btu)	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000
Awning Size	9'	9'	10'	12'	10'	12'	10'	10'	10'	10'
Convertor Size (amps)	35	35	35	35	35	35	35	35	35	35
Furnace Rating (Btu)	16,000	16,000	16,000	16,000	16,000	16,000	16,000	16,000	16,000	16,000
Propane Gas Capacity (pounds)	20	20	20	20	20	20	20	20	20	20
Tires	ST185/ 80R13-C	ST185/ 80R13-C	ST185/ 80R13-C	ST205/ 75R14-C	ST205/ 75R14-C	ST205/ 75R14-C	ST205/ 75R14-C	ST205/ 75R14-C	ST205/ 75R14-C	ST205/ 75R14-C
Water Heater (gallons)	6	6	6	6	6	6	6	6	6	6

**Notes**

- (1) All weights, dimensions, and capacities shown are approximate values.
- (2) Unloaded vehicle weight and carrying capacity will vary depending upon optional equipment. Full propane tanks are factored into carrying capacity. Skyline weighs every unit at the factory. See trailer weight information label located inside the front entry door for specific unloaded vehicle weight and cargo carrying capacity.
- (3) Dimensions stated to industry standards. Exterior length includes approximately a four foot hitch on travel trailers. Exterior height includes air conditioner, if installed. Exterior width does not include the width of the awning, if installed.

## Interior

### Cabinets

- Hardwood Frame Cabinet Doors
- Full Extension Ball Bearing Drawer Guides
- High Pressure Laminate Counter Tops
- Maple Cabinets

### Decor

- Color-Coordinated Designer Interiors
- Embossed Vinyl Flooring
- Carpet & Pad as Shown on Floor Plans
- Extra Padded Dinette Seat Cushions w/Bolsters in Accent Fabric
- Mini Blinds at All Windows Except Bunks
- Decorative Glass Insert Cabinet Doors in Select Areas

### Kitchen & Living Area

- Double Door Refrigerator
- 3 Burner Range w/Oven & Piezo
- Radius Counter Tops
- Power Range Hood w/Light
- Large Carousel Microwave Oven w/Clock
- Acrylic Kitchen Sink w/High Rise Faucet
- Decorative Wall Border in Kitchen & Living Area
- Systems Monitor Panel
- 25,000 Btu Ducted Furnace
- 13.5 MBtu Roof Ducted Air Conditioner w/Wall Thermostat
- 120 V to 12 V Power Convertor
- TV Antenna w/Booster
- Park Cable Hookup for TV
- 12V AM/FM/DVD/MP3 Stereo w/Aux. Input, Interior & Exterior Speakers
- Six Gallon Gas/DSI Water Heater

### Bedroom & Bath

- Color-Coordinated Quilted Bedspread
- Deluxe Headboard
- Lift-Up Bed Storage w/Gas Piston Struts
- Innerspring Mattress
- ABS Tub w/ABS Wall Surround
- China Foot Flush Toilet
- Deluxe Medicine Cabinet w/Mirror
- Towel Ring & Toilet Paper Holder
- Skylight Over Tub
- Power Bath Vent

## Exterior

### Roof Construction

- Tapered Roof Construction to Promote Water Runoff
- Seamless One-Piece Roof w/Manufacturer's 12-Year Warranty
- Awning Drip Rail w/Extra Long Down Spouts

### Wall Construction

- Welded Aluminum Frame Sidewalls w/Block Foam Insulation, Steel Cabinet Backers, Luan Exterior Panel Under Fiberglass Exterior, and Luan Interior Panel All Bonded Together
- Fiberglass Exterior on Front & Rear Walls
- Twist Locks on All Storage Doors
- Clamp Ring Dark Tint Safety Glass Radius Corner Windows
- Patio Convenience Light
- Radius Entry Door w/Screen
- Assist Handle at Entry Door

### Chassis Construction

- Cambered I-Beam Steel Chassis w/Steel Outriggers
- Battery Rack
- Electric Brakes at All Wheels
- Black Rotocast Wheel Wells (Most Models)
- Safety Chains & Breakaway Safety Switch
- E-Z Lube Hubs on Axles
- Four Stabilizer Jacks
- Enclosed Underbelly

### Floor Construction

- 5/8" Tongue & Groove Floor Decking
- Tightly Sealed Woven Polyethylene Underbelly

### Features


- Two 30 lb. LP Propane Tanks w/Auto Changeover
- Holding Tanks w/Drain Outlet
- Rear Bumper w/Sewer Hose Carrier
- Water Heater Bypass

### Security & Safety


- Smoke Detector
- Propane Leak Detectors
- Carbon Monoxide Alarm
- Flush Door Latch w/Integral Dead Bolt Lock
- Fire Extinguisher

### Popular Options


- Power Side Awning
- Aluminum Wheels
- Camp Kitchen (Select Models)
- Fireplace (Select Models)
- Night Shades
- Outside Shower
- 26" LCD TV
- Gas/Electric/DSI Water Heater




Model 196




Model 249




Model 204




Model 253




Model 207




Model 260




Model 236




Model 268




Model 241




Model 272



Model 279




Model 285




Model 287







Option Wardrobe Model 287



Model 307





Option Picture Window Model 307



Opt. Rear Sofa (Model 310)











Opt. Rear Dinette (Model 310)




Model 312

Option Camp Kitchen Model 312









Model 376

18' AWNING




OPT. FRONT ENTRY  
(Model 376)




Model 377


21' AWNING  
16' AWNING W/ OPT. CAMP KITCHEN



OPT. FRONT ENTRY  
(Model 377)




Option Camp Kitchen  
Model 377




Model 383

18' AWNING



Option Front Entry  
(Model 383)



Option Front Dinette  
(Model 383)

<b>Model</b>	<b>196</b>	<b>204</b>	<b>207</b>	<b>236</b>	<b>241</b>	<b>249</b>	<b>250</b>	<b>253</b>	<b>260</b>
<b>Weights</b> Unloaded Vehicle Weight (see Note 2)	3,775	4,050	4,375	4,650	4,700	3,950	4,650	6,225	4,725
Dry Hitch Weight	425	400	500	525	575	475	525	650	600
Dry Axle Weight	3,350	3,650	3,875	4,125	4,125	3,475	4,125	5,575	4,125
GVWR (Total Capacity of Trailer)	5,600	5,600	6,200	6,200	6,200	6,200	6,200	7,750	6,200
Carrying Capacity (see Note 2)	1,650	1,350	1,625	1,350	1,300	2,050	1,350	1,275	1,275
<b>Accommodations</b> Sleeping (standard / optional)	4	4	6	4	6	6	6	6	6
Bed Size (standard)	60" x 74"	60" x 74"	60" x 74"	60" x 74"	60" x 74"	60" x 74"	60" x 74"	60" x 74"	60" x 74"
Second Bed Size	N/A	N/A	N/A	N/A	N/A	(2) 32" x 90"	(2) 32" x 90"	N/A	N/A
						(1) 28" x 76"	(1) 28" x 76"		
Dinette Size	40" x 71"	N/A	40" x 71"	44" x 92"	40" x 71"	40" x 71"	48" x 79"	40" x 71"	40" x 71"
Sofa	N/A	42" x 64"	42" x 64"	N/A	42" x 64"	N/A	N/A	42" x 64"	42" x 64"
<b>Measurements</b> Exterior Length (see Note 3)	22'-10"	23'-4"	27'-0"	27'-1"	28'-1"	26'-4"	28'-11"	27'-10"	27'-8"
Exterior Width (see Note 3)	96"	96"	96"	96"	96"	96"	96"	96"	96"
Exterior Height (see Note 3)	10'-1"	10'-1"	10'-1"	10'-2"	10'-2"	10'-1"	10'-1"	11'-0"	10'-1"
Interior Height	78"	78"	78"	78"	78"	78"	78"	78"	78"
<b>Capacities</b> Fresh Water System (gallons)	36	36	36	36	36	36	36	36	36
Gray Water Tank (gallons)	31	31	31	31	31	31	31	56	62
Black Water Tank (gallons)	31	31	31	31	40	32	31	31	31
Air Conditioner Size	13,500	13,500	13,500	13,500	13,500	13,500	13,500	13,500	13,500
Awning Size	12'	12'	14'	14'	14'	14'	14'	14'	14'
Convertor Size (amps)	55	55	55	55	55	55	55	55	55
Furnace Rating (Btu)	25,000	25,000	25,000	25,000	25,000	25,000	25,000	25,000	25,000
Propane Gas Capacity (pounds)	60	60	60	60	60	60	60	60	60
Tires	ST205/ 75R14-C	ST205/ 75R14-C	ST205/ 75R14-C	ST205/ 75R14-C	ST205/ 75R14-C	ST205/ 75R14-C	ST205/ 75R14-C	ST205/ 75R15-C	ST205/ 75R14-C
Water Heater (gallons)	6	6	6	6	6	6	6	6	6

**Notes**

- (1) All weights, dimensions, and capacities shown are approximate values.
- (2) Unloaded vehicle weight and carrying capacity will vary depending upon optional equipment. Full propane tanks are factored into carrying capacity. Skyline weighs every unit at the factory. See trailer weight information label located inside the front entry door for specific unloaded vehicle weight and cargo carrying capacity.
- (3) Dimensions stated to industry standards. Exterior length includes approximately a four foot hitch on travel trailers. Exterior height includes air conditioner, if installed. Exterior width does not include the width of the awning, if installed.

<b>Model</b>	<b>268</b>	<b>272</b>	<b>279</b>	<b>285</b>	<b>287</b>	<b>307</b>	<b>309</b>	<b>310</b>	<b>312</b>
<b>Weights</b> Unloaded Vehicle Weight (see Note 2)	4,625	6,300	5,625	6,050	6,500	7,250	8,125	8,175	7,250
Dry Hitch Weight	500	700	750	700	725	725	900	850	800
Dry Axle Weight	4,125	5,600	4,875	5,350	5,775	6,525	7,225	7,325	6,450
GVWR (Total Capacity of Trailer)	6,200	7,750	7,750	7,750	7,750	11,200	11,200	11,200	11,200
Carrying Capacity (see Note 2)	1,375	1,200	1,900	1,450	1,000	3,675	2,775	2,725	3,675
<b>Accommodations</b> Sleeping (standard / optional)	8	6	8	9	6	6	7	9 / 10	9 / 10
Bed Size (standard)	60" x 74"	60" x 74"	60" x 74"	60" x 74"	60" x 74"	60" x 74"	60" x 74"	60" x 74"	60" x 74"
Second Bed Size	48" x 74" 28" x 76"	N/A	48" x 74" 28" x 76"	48" x 74" 28" x 76"	N/A	N/A	N/A	(2) 28" x 76" (2) 38" x 74"	(2) 28" x 76" (2) 38" x 74"
Dinette Size	40" x 71"	48" x 79"	40" x 71"	48" x 79"	48" x 79"	48" x 79"	48" x 79"	48" x 79"	48" x 79"
Sofa	42" x 64"	44" x 74"	42" x 64"	44" x 74"	44" x 74"	44" x 74"	(1) 42" x 64" (1) 42" x 74"	44" x 74"	44" x 74"
<b>Measurements</b> Exterior Length (see Note 3)	29'-7"	30'-10"	33'-2"	32'-0"	30'-9"	34'-2"	35'-6"	35'-11"	36'-7"
Exterior Width (see Note 3)	96"	96"	96"	96"	96"	96"	96"	96"	96"
Exterior Height (see Note 3)	10'-1"	11'-0"	10'-3"	11'-0"	11'-0"	11'-0"	11'-4"	11'-4"	11'-2"
Interior Height	78"	78"	78"	78"	78"	78"	78"	78"	78"
<b>Capacities</b> Fresh Water System (gallons)	36	36	36	36	36	36	36	36	36
Gray Water Tank (gallons)	31	40	50	40	62	40	40	40	40
Black Water Tank (gallons)	31	40	40	40	40	40	40	40	40
Air Conditioner Size	13,500	13,500	13,500	13,500	13,500	13,500	13,500	13,500	13,500
Awning Size	14'	14'	18'	14'	12'	14'	10'	16'	18'
Convertor Size (amps)	55	55	55	55	55	55	55	55	55
Furnace Rating (Btu)	25,000	25,000	25,000	25,000	25,000	25,000	25,000	25,000	25,000
Propane Gas Capacity (pounds)	60	60	60	60	60	60	60	60	60
Tires	ST205/ 75R14-C	ST205/ 75R15-C	ST205/ 75R15-C	ST205/ 75R15-C	ST205/ 75R15-C	ST225/ 75R15-D	ST225/ 75R15-D	ST225/ 75R15-D	ST225/ 75R15-D
Water Heater (gallons)	6	6	6	6	6	6	6	6	6

**Notes**

(1) All weights, dimensions, and capacities shown are approximate values.


(2) Unloaded vehicle weight and carrying capacity will vary depending upon optional equipment. Full propane tanks are factored into carrying capacity. Skyline weighs every unit at the factory. See trailer weight information label located inside the front entry door for specific unloaded vehicle weight and cargo carrying capacity.

(3) Dimensions stated to industry standards. Exterior length includes approximately a four foot hitch on travel trailers. Exterior height includes air conditioner, if installed. Exterior width does not include the width of the awning, if installed.


<b>Model</b>	<b>327</b>	<b>340</b>	<b>373</b>	<b>376</b>	<b>377</b>	<b>383</b>
<b>Weights</b>						
Unloaded Vehicle Weight (see Note 2)	7,875	7,600	7,600	7,600	8,425	8,875
Dry Hitch Weight	1,025	1,000	1,000	1,150	1,000	1,075
Dry Axle Weight	6,850	6,600	6,600	6,450	7,425	7,800
GVWR (Total Capacity of Trailer)	11,200	11,200	11,200	11,200	11,200	11,200
Carrying Capacity (see Note 2)	3,050	3,300	3,300	3,300	2,450	2,000
<b>Accommodations</b>						
Sleeping (standard / optional)	6	10	8 / 12	10	8	8
Bed Size (standard)	74" x 74"	60" x 74"	60" x 74"	60" x 74"	60" x 74"	74" x 74"
Second Bed Size	N/A	(3) 28" x 76"	60" x 74"	(2) 28" x 76"	(2) 28" x 76" (2) 38" x 74"	(2) 28" x 76" (2) 32" x 76"
Dinette Size	48" x 79"	48" x 79" 30" x 72"	48" x 79"	48" x 79" 40" x 71"	48" x 79"	48" x 79"
Sofa	44" x 74"	44" x 74"	44" x 74"	44" x 74"	44" x 74"	44" x 74"
<b>Measurements</b>						
Exterior Length (see Note 3)	36'-0"	38'-6"	39'-7"	40'-4"	40'-9"	40'-9"
Exterior Width (see Note 3)	96"	96"	96"	96"	96"	96"
Exterior Height (see Note 3)	11'-2"	11'-2"	11'-2"	11'-2"	11'-4"	11'-4"
Interior Height	78"	78"	78"	78"	78"	78"
<b>Capacities</b>						
Fresh Water System (gallons)	46	36	46	36	36	36
Gray Water Tank (gallons)	50	50	40	40	40	40
Black Water Tank (gallons)	40	40	40	40	40	40
Air Conditioner Size	13,500	13,500	13,500	13,500	13,500	13,500
Awning Size	21'	18'	18'	18'	21'	18'
Convertor Size (amps)	55	55	55	55	55	55
Furnace Rating (Btu)	25,000	25,000	25,000	25,000	25,000	25,000
Propane Gas Capacity (pounds)	60	60	60	60	60	60
Tires	ST225/ 75R15-D	ST225/ 75R15-D	ST225/ 75R15-D	ST225/ 75R15-D	ST225/ 75R15-D	ST225/ 75R15-D
Water Heater (gallons)	6	6	6	6	6	6

**Notes**


- (1) All weights, dimensions, and capacities shown are approximate values.
- (2) Unloaded vehicle weight and carrying capacity will vary depending upon optional equipment. Full propane tanks are factored into carrying capacity. Skyline weighs every unit at the factory. See trailer weight information label located inside the front entry door for specific unloaded vehicle weight and cargo carrying capacity.
- (3) Dimensions stated to industry standards. Exterior length includes approximately a four foot hitch on travel trailers. Exterior height includes air conditioner, if installed. Exterior width does not include the width of the awning, if installed.



Model 271



Model 276



Model 286

<b>Model</b>	<b>271</b>	<b>276</b>	<b>286</b>
<b>Weights</b> Unloaded Vehicle Weight (see Note 2)	6,900	6,675	7,350
Dry Hitch Weight	1,500	1,450	1,575
Dry Axle Weight	5,400	5,225	5,775
GVWR (Total Capacity of Trailer)	9,600	9,600	9,600
Carrying Capacity (see Note 2)	2,425	2,675	1,975
<b>Accommodations</b> Sleeping (standard / optional)	8	6	6
Bed Size (standard)	60" x 74"	60" x 74"	60" x 74"
Second Bed Size	(2) 28" x 76"	N/A	N/A
Dinette Size	40" x 71"	40" x 71"	40" x 71"
Sofa	48" x 74"	48" x 74"	48" x 74"
<b>Measurements</b> Exterior Length (see Note 3)	29'-3"	29'-3"	30'-11"
Exterior Width (see Note 3)	96"	96"	96"
Exterior Height (see Note 3)	12'-1"	12'-1"	12'-1"
Interior Height	84"	84"	84"
<b>Capacities</b> Fresh Water System (gallons)	46	46	46
Gray Water Tank (gallons)	71	71	71
Black Water Tank (gallons)	40	40	40
Air Conditioner Size	13,500	13,500	13,500
Awning Size	18'	16'	21'
Convertor Size (amps)	55	55	55
Furnace Rating (Btu)	25,000	25,000	25,000
Propane Gas Capacity (pounds)	60	60	60
Tires	225/ 75R15-D	225/ 75R15-D	225/ 75R15-D
Water Heater (gallons)	6	6	6

**Notes**

- (1) All weights, dimensions, and capacities shown are approximate values.
- (2) Unloaded vehicle weight and carrying capacity will vary depending upon optional equipment. Full propane tanks are factored into carrying capacity. Skyline weighs every unit at the factory. See trailer weight information label located inside the front entry door for specific unloaded vehicle weight and cargo carrying capacity.
- (3) Dimensions stated to industry standards. Exterior length includes approximately a four foot hitch on travel trailers. Exterior height includes air conditioner, if installed. Exterior width does not include the width of the fenders and tires, which may extend up to 5" on each side of the body.



Model 183



To discover more about the innovative and impressive Nomad by Skyline, scan this code with the QR Reader on your smart phone for instant access to our web site.

Member  
**RVIA**  
RECREATION VEHICLE  
INDUSTRY ASSOCIATION

Go RVing.



Model 163



Like us on Facebook

([www.facebook.com/skylinervindiana](http://www.facebook.com/skylinervindiana))

**SKYLINE**  
BRINGING AMERICA HOME. BRINGING AMERICA FUN.

For the name of your nearest Skyline-built RV dealer, call:  
Bristol, Indiana 1-800-735-7621

Visit us at our Web Site at [www.skylinecorp.com](http://www.skylinecorp.com) or [www.bobcatrv.com](http://www.bobcatrv.com)



Model 173



Model 183

## NO-NONSENSE WARRANTY

Manufacturing defects reported to Skyline within one year after original retail delivery of your new Travel Trailer by an authorized dealer will be corrected without charge and within reasonable times. Excluded are misuse (including lack of reasonable maintenance), minor imperfections, alterations, and dealer or owner improper transportation, installation, or hookup.

This warranty gives you specific legal rights. You may have other rights which vary from state to state.

Skyline's suppliers often provide additional warranties on their components beyond the Skyline factory bumper-to-bumper warranty. For example — the range, water heater, furnace, converter, air conditioner, refrigerator, microwave and awning carry two-year warranties. Ask your dealer for full details.

**Manufacturer's Notice:** All specifications, equipment, and prices are subject to change without prior notice. Production of all models subject to seasonal scheduling. Skyline Corporation reserves the right to improve a model without incorporating these changes in similar models produced at an earlier date.

Consult your automobile dealer and your recreational vehicle dealer to assure the proper match between tow vehicle and trailer. Tow vehicle and recreational unit must be properly equalized for efficient product performance and safety. Before you purchase your recreational vehicle, carefully consider the number of people it will accommodate and its end use. Manufacturer's load capacity restrictions and recommendations must be followed for safe and efficient product performance.

Your Retailer, an independent contractor, who is not an agent of Skyline Corporation, is the party responsible for your purchase contract and any additions, deletions, alterations, or attachments made to or in your recreational vehicle.