


CONQUEST RVing is in



Even though nature surrounds you, your breath of fresh air will come from Conquest's main living

space upon entry. Expand the slide-outs and you have a true home on wheels that will take you on adventure after adventure.

Whether relaxing alone or sharing quality travel time with family and friends, the Conquest offers functional floor plans that don't forget stylish design, comfort and warmth.

Hardwood cabinet doors finished richly by Gulf Stream's craftsmen offer more than enough storage space surrounding the focal fireplace and entertainment center flanked by vertical windows that bring outdoors in.

E-Z store sofa does just that. Gain access to linens and supplies easily behind and underneath the cushions. There is storage everywhere in a Conquest!



comfortably seat up to eight hungry campers.

CONQUEST Stay in



Settle in







Leave the tents in the backyard. Enjoy the comfort and privacy of the bunk house.

More than kid-friendly, young boys and girls and teens are thrilled with their casual sleeping quarters that can include a single bunk over a double bed with storage and more sleeping room across the way. Siblings, cousins, or just good friends will remember what dreams are made of when they vacation in the Conquest.

From bed to bath, a smart glass corner shower and compact high performance sink know their duties.

Details



3 in 1 feature • from sofa to sleeper to extra hidden storage



AM/FM/CD/DVD
Touch Plex stereo theatre



Lined drawers with roller bearing guides for ease and cleanliness



Crank out windows keep you dry while circulating fresh air

Quality Construction

① Gulf Stream constructs each coach using only the finest quality materials. The 5/8" floor decking is both glued and screwed to the sturdy 2x3 floor joists which are 13" on center and fully insulated. Then the floor assembly is bolted to the steel frame, providing one of the strongest floor systems on the market!

2 At Gulf Stream, we go through several rigid inspections that include water, gas, electrical, structural, and of course, cosmetic aspects of your new RV.

3 Micro-lam (laminated wood headers) are used in slide-room openings. These eliminate the warping that many other manufacturers experience.

4 A secondary "cap seal" is applied over all exterior corner joints. The "cap seal" is a non-silicone base sealant that will not blacken or yellow with time.

5 Our roofs are 4 ½" solid wood bow truss rafters. They are designed for good drainage and maximum strength. Features include • Double trusses are used at the air conditioner ducts. • Optional central air conditioner uses ¼" insulated foam duct work (a coffee cup is only 1/8") and radius joints for maximum air flow and comfort.

• Backers are installed where all interior equipment is screwed in from below (not shown). • Wood decking is glued, screwed and topped with a one-piece seamless roof (not shown).

6 Gulf Stream uses the best slide room system construction techniques, many that we have pioneered to become the industry leader.


4 ¼" tall by ¼" thick steel support beam is a unique feature used on all "Super-Slide" models. This gives Gulf Stream a true "Clear Span" slide room.
















CONQUEST Standard Features

- Hard-wired Slide Rooms
- Contemporary White Doors and Windows
- Large Double Door Refrigerator w/Thermostat
- · Gas Water heater w/ Auto Ignition
- Pass-Thru Storage on Most Models
- 13,500 BTU Air Conditioner
- Decorator Mini-Blinds Standard!
- Color Coordinated Awning
- 30" Wide Radius Entry Door w/ Window
- Hardwood Mortise & Tenon Cabinet Doors
- Carousel Microwave Oven
- E-Z Store Sofa Easiest Access Around!
- Large Storage Chest Behind Sofa Slides
- Queen Bed w/ Innerspring Mattress (most models)
- Wall Mounted Light Switches incl. Bathroom
- Designer Bedspreads
- LP Leak Detector & CO2 Detector
- Smoke Detector
- Roller Bearing Drawer Guides
- Space Saver Under Floor Water Tank
 54 gal.
- Power Roof Vent in Bath
- Deluxe Wallpaper Border in Living Room
- Cable TV Hook-Up
- Bed-Lift Pistons (where applicable)
- Rain Guard Gutter Rail w/ Down Spouts
- Insulated Exterior Storage Compartments
- TV Antenna w/ Booster
- EZ Access Gas Bottle Cover
- Patio and Hitch Lights
- Step Light
- Pass Through Storage Light
- Sewer Termination Lights
- Large Residential Style Kitchen Sink
- Double or Triple Easy-Open Entry Steps
- AM/FM/CD/DVD Touch Plex Stereo Theatre
- Water Heater Bypass
- Extra TV Jack in Bedroom
- Systems Monitor Panel
- In-Floor Insulated Ducted Heat (frees up more cabinet space)
- Power Range Hood w/ Light and Fan
- All Walls Mounted ON Floors (not next to them)
- Decked One-Piece Roof Featuring a 12-Year Warranty

- 2 x 4 ½" Residential Style Bow Truss Roof System (strongest construction available) w/ Ducted Air Conditioner Option
- Sidewalls are Screwed to Ceiling and Floor and Strapped w/ Strong Galvanized Steel Straps
- Dadoed Belt-Rail Wall Construction Combined w/ Galvanized Steel Straps & Screws for Unmatched UNI-BODY Strength
- 5/8" Floor Decking Glued & Screwed
- Hand-cut & Glued Fiberglass Insulation
- Clear Span Power Slide-Out Rooms w/ Steel Header
- Solid Box & I-Beam Heavy Duty Steel Frames


Supreme Package includes:

- Pleated Shades
- Residential Door Casing
- Scare Light
- Residential Medicine Cabinet
- Glass in Slide Room Overhead Doors
- Outside Speakers
- Swing Away Grab Handle
- Pots-n-Pans Drawer

Popular Options

- 4 Door Slide-Out Overhead Cabinet
- Tub ipo Shower Pan
- Fiberglass "Slick Side" Exterior
- Roof Rack and Ladder
- Hide-a-Bed Sofa (select Slide-Outs)
- Spare Tire, Carrier and Cover
- Bright Trim Package:
 - Wheel Trim & Polished Bumper Cover, Swing Away Assist Handle
- Outside Shower
- Sunroom Option
 (w/ Table, 4 Chairs, 4 Vista Windows)
- 2 or 4 DR Slide-Out Overhead Cabinets
- Crank Down Stabilizer Jacks
- Electric Hitch Jacks (5th Wheels)
- Self Cleaning Shower Door
- Ceiling Paddle Fan (Lodge Series & 5th Wheels)
- Fantastic Attic Fan





CONQUEST Lite Series



Travel Trailers

All weights shown are in dry condition, without options or fluids. Please add additional options and features. Consult the weight tag inside kitchen cabinet and your tow vehicle owners manual for more information.



MODEL 20 BHL

Length 23'9" Height w/AC 9'11" Carrying Capacity 3,350 Hitch Weight 480 Dry Weight 4,130 Fresh Water 54 Waste Water Tank 74 Dual LP Bottles 20 lbs Furnace BTU's 25,000



MODEL 22 MBL

Length 23'9" Height w/AC 9'11" Carrying Capacity 2,290 Hitch Weight 440 Dry Weight 4,450 Fresh Water 54 Waste Water Tank 74 Dual LP Bottles 20 lbs Furnace BTU's 25,000



MODEL 23 BWL

Length 26'10" Height w/AC 9'11" Carrying Capacity 2,970 Hitch Weight 720 Dry Weight 4,750 Fresh Water 54 Waste Water Tank 74 Dual LP Bottles 20 lbs Furnace BTU's 25,000



MODEL 24 BHL

Length 26'1" Height w/AC 9'11" Carrying Capacity 3,328 Hitch Weight 560 Dry Weight 4,232 Fresh Water 54 Waste Water Tank 74 Dual LP Bottles 20 lbs Furnace BTU's 25,000



MODEL 24 RBL

Length 26'1" Height w/AC 9'11" Carrying Capacity 3,312 Hitch Weight 410 Dry Weight 4,098 Fresh Water 54 Waste Water Tank 74 Dual LP Bottles 20 lbs Furnace BTU's 25,000



MODEL 24 RKL Length 27'11" Height w/AC 10'9" Carrying Capacity 1,890 Hitch Weight 890 27'11"

Dry Weight Fresh Water 5,683 54 Waste Water Tank 74
Dual LP Bottles 20
Furnace BTU's 25, 20 lbs 25,000



MODEL 259 BHL

Length 28′11″ Height w/AC 10′9″ Carrying Capacity 1,820 Hitch Weight 730 28'11" Dry Weight Fresh Water 5,910 54 Waste Water Tank 74 Dual LP Bottles 20 lbs 25,000 Furnace BTU's



MODEL 269 BHL

30'8" Length Height w/AC 10'9" Carrying Capacity 1,710 Hitch Weight 820 Dry Weight Fresh Water 6,110 54 Waste Water Tank 74 Dual LP Bottles 20 lbs Furnace BTU's 25,000



MODEL 27 DSL

Length 31'5" Height w/AC 10'9" Carrying Capacity 1,810 Hitch Weight 990


Dry Weight 6,180 Fresh Water 54 Waste Water Tank 74 Dual LP Bottles 20 lbs Furnace BTU's 25,000



MODEL 275 FSL

Length Height w/AC 29'10" 10'1" Carrying Capacity 2,060 Hitch Weight 710


Dry Weight Fresh Water 5,650 54 Waste Water Tank 74 Dual LP Bottles 20 20 lbs Furnace BTU's 25,000





MODEL 291 SBW

Length Height w/AC 34'4" 10'9" Carrying Capacity 3,670 Hitch Weight 1,060 Dry Weight Fresh Water 7,430 Waste Water Tank 111 **Dual LP Bottles** 30 lbs Furnace BTU's 30,000





MODEL 295 BHS

Length Height w/AC 10'9" Carrying Capacity 4,266 Hitch Weight 720

Dry Weight Fresh Water 6,614 Waste Water Tank 78
Dual LP Bottles 30 lbs
Furnace BTU's 30,000 30,000





* Outside kitchen available

MODEL 297 DBS Length 3277 Height w/AC 1079 32'7" 10'9" Carrying Capacity 3,260 Hitch Weight 720

Dry Weight Fresh Water 6,691 Fresh Water 51 Waste Water Tank 74 Dual LP Bottles 30 lbs Furnace BTU's 30,000

Incre-TABLE



* Outside kitchen available

MODEL 32 TBR

35′8″ 10′9″ Length Height w/AC Carrying Capacity 3,140 Hitch Weight 990 Dry Weight 7,890 Fresh Water 51 Waste Water Tank 74 Dual LP Bottles 30 lbs Furnace BTU's 30,000

CONQUEST Lodge Series

Travel Trailers

Features:

• 16 CF Residential Refrigerators • 10 Gal DSI 110 Volt, Water Heaters • Detachable Hitch • Patio Door



MODEL 34 FLS


34'4" 10'9" Height w/AC Carrying Capacity 3,314 Hitch Weight 1,340

8,066 Dry Weight Fresh Water NΑ Waste Water Tank 74 Dual LP Bottles 30 lbs Furnace BTU's 30,000



MODEL 35 FKS 35′2″ Length Height w/AC 10'9" Carrying Capacity 2,350 Hitch Weight 1,020


8,710 Dry Weight Fresh Water ŃΑ Waste Water Tank 74 **Dual LP Bottles** 30 lbs Furnace BTU's 30,000



MODEL 398 DLS

35′7″ 11′11″ Length Height w/AC 90" Interior Height Carrying Capacity 2,310 Hitch Weight 1,300


Dry Weight 9.030 Fresh Water NA Waste Water Tank 111 **Dual LP Bottles** 30 lbs Furnace BTU's 30,000



MODEL 398 FRS

35′7″ Length 11'11" 90" Height w/AC Interior Height Carrying Capacity 2,310 Hitch Weight 1,300

Dry Weight 9,030 Fresh Water ŃΑ Waste Water Tank 111 **Dual LP Bottles** 30 lbs Furnace BTU's 30,000



MODEL 408 TBS

36'2" Length 11'11" Height w/AC 90" Interior Height Carrying Capacity 1,830 Hitch Weight 1,360

Dry Weight 9,570 Fresh Water NA Waste Water Tank 148 Dual LP Bottles 30 lbs Furnace BTU's 30,000



CONQUEST Select Series


Fifth Wheels



MODEL 24 FTBS

Length 27'5" Height w/AC 11'3" Carrying Capacity 1,840 Hitch Weight 1,150

Dry Weight 6,310 Fresh Water 55 Waste Water Tank 78 **Dual LP Bottles** 30 lbs Furnace BTU's 25,000




MODEL 245 FBW Length 28'3 28'3" Height w/AC 11'3" Carrying Capacity 1,961 Hitch Weight 1,390 Dry Weight Fresh Water 6,429 Waste Water Tank 78 **Dual LP Bottles** 30 lbs Furnace BTU's 25,000



MODEL 27 FRLR


Length 30'11" Height w/AC 12 Carrying Capacity 3,260 Hitch Weight 1,480

Dry Weight Fresh Water 8,260 55 Waste Water Tank 78 Dual LP Bottles 30 30 lbs Furnace BTU's 25,000




MODEL 28 FWBH

Length Height w/AC 31'4" 12' Carrying Capacity 4,160 Hitch Weight 1,930 Dry Weight 7,810 Fresh Water 55 Waste Water Tank 117 Dual LP Bottles 30 lb 7,810 55 30 lbs Furnace BTU's 30,000



- 1. One-piece, seamless roof with 12-year warranty
- 2. Strong wood roof decking, glued and screwed 3. Thick blanket of fiberglass insulation
- 4. 4 1/2" residential style bowed roof truss system (not particle board)
- 5. Insulated air conditioning duct system with radius corners for improved air flow (optional)
- 6. Interior ceiling board
- 7. Galvanized steel straps used to increase the roof-to-sidewall transition strength and solidify our uni-body construction
- 8. Sturdy 2 x 2 wood sidewall construction, 16" on centers (walls are always set on the floor, not next to it, for maximum strength, and screwed into place)
- 9. Dadoed belt rail construction through the middle of the side and end walls provides additional uni-body strength
- 10. Thick blanket of fiberglass insulation, hand cut and fit
- 10. Inick blanket of fiberglass insulation, hand cut and fit for long lasting energy efficiency
 11. Glue used to bond hand cut insulation to interior wall board to eliminate possible slipping or movement
 12. Exterior aluminum siding with baked enamel finish
 13. Butyl caulking for superior seal and less black streaks
 14. Drip rail/awning rail, screwed to roof framing helps keep unit clean
 15. Galyanized steel strans used to increase the sidewall to flee.

- 15. Galvanized steel straps used to increase the sidewall-to-floor transition strength and solidify our uni-body construction16. Tough poly max underbelly wrapped up sides and ends,
- protects against moisture and road debris
- . Plush, durable residential-style carpeting (Supreme)
- 18. Thick foam carpet padding (Supreme)
- 19. 5/8" floor decking screwed and glued 20. Floor decking glued and screwed to floor joists
- 21. Thick blanket of fiberglass insulation
- 22. Sturdy 2 x 3 wood floor joist system, 13" or less O.C. 23. 2 x 6 tubular steel frame (up to 30') 8" I-Beam frame
- 24. Full width steel outriggers superior strength and support
- Steel bolts secure floor to steel outriggers
- 26. Exterior metal is screwed into floor framing from side, not stapled from the bottom, preventing leaks



RV dealers and consumers look to Gulf Stream for high-value products offering quality construction, innovative features, contemporary design, unmatched service, and continual support.

Gulf Stream offers the largest product line in the industry. From entry level travel trailers to luxury motorhomes - all use the most advanced manufacturing techniques.

www.GulfStreamcoach.com



24 Month Warranty on Structural Components*

In addition to our standard one year warranty, Gulf Stream Coach, Inc. offers an exclusive 24 month warranty on structural components. In addition, major component manufacturers are providing 24 month warranties on their products installed in Gulf Stream units such as refrigerator, antenna, furnace, water heater, air conditioner, awning, range, microwave and more. See official written Gulf Stream warranty for complete details and restrictions.

Post Office Box 1005 Nappanee, IN 46550 • Your Gulf Stream Coach Dealer •

For more information and available options, contact your local Gulf Stream Dealer, www.GulfStreamcoach.com, or Gulf Stream Coach, Inc. Gulf Stream: Reserves the right to make changes in prices, colors, materials, components, and specifications and to discontinue models at any time without notice or obligation. Assumes no responsibility for any error in type or print reproduction of specifications or floor plans in this brochure. Photos may show equipment or items that are optional and are not included in the price of the trailer. Experience and review a current model at your nearest dealer. ©2010 Gulf Stream Coach, Inc. Nappanee, Indiana U.S.A.