Floor Plans Specifications & Features



America's Number One Selling Brand!

1999



Prowler Ultralite

Page 3-5

Prowler Lite

Page 6-8

Prowler Page 9-14

Prowler LS Page 15-20

Prowler LSI Page 21-23


> Prowler SUT Page 24-25

Prowler Park Trailer Page 26-27

HE PROWLER couldn't have become the world's most popular travel trailer without being number one with families like yours. Families that want to satisfy their hunger for adventure in comfort and style. And with seven Prowler styles featuring 50 unique floor plans, there's never been a better time to get the Prowler that's right for you. Your choices include the new Prowler Ultralite, Prowler LSI and Prowler Sport Utility Trailer, as well as the classic Prowler Lite, Prowler, Prowler LS and Prowler Park. Every one of them promises years of affordable vacations perfectly matched to your lifestyle. Which is what you'd expect from a Fleetwood RV brand like Prowler. Aerodynamically designed for ease of towing and maneuverability, Prowlers are built rugged from the ground up for the long haul and the short hop. The spacious interiors offer you nothing less than a home away from home with residential comforts and elegant appointments throughout. Not a detail has been overlooked from the clean, bold look of the super-smooth exterior to the new interior color scheme. It all adds up to Prowler giving you the right floor plans, the right features and the right options. All within your budget. That's what makes Prowler number one with families like yours.

1999 PROWLER ULTRALITE FLOOR PLANS Prowler ULTRALITE

ALL NEW MODELS!



▲ = Exterior Storage Some models may not be available from all manufacturing plants. Floor plans are subject to change during the model year. Contact your dealer for complete details.

1999 PROWLER ULTRALITE SPECIFICATIONS

Travel Trailers & Fifth Wheels

ULTRALITE MODELS	721E	721G	725R	725T
GVWR (Gross Vehicle Weight Rating)	4,400	4,400	4,900	4,900
Gross Dry Weight ¹	2,990	3,030	3,380	3,440
Carrying Capacity ²	1,410	1,370	1,520	I,460
Hitch Dry Weight ¹	370	370	330	410
Dry Axle Weight ¹	2,620	2,660	3,050	3,030
Length	21'6"3	21'6" ³	25'6" ³	25'II" ³
Width	7'2"	7'2"	7'2"	7'2"
Height ⁴	8'3"	8'3"	8'3"	8'3"
Interior Height	76"	76"	76"	76"
Interior Width	84"	84"	84"	84"
Tires – Size	ST175/	ST175/	ST175/	ST175/
	80R I3(B)	80R I3(B)	80 I3(C)	80 I3(C)
Fresh Water Tank⁵ – gal.	30	30	30	30
Gray Water Holding Tank⁵ – gal.	30	30	30	30
Black Water Holding Tank⁵ – gal.	30	30	30	30
Bed/Bunk Size – Standard	27"x74" (2) Bunk	48"x74" Dbl.	27"x74" (2) Bunk	60"x75" Queen
	58"x84" Dinette	58"x84" Dinette	58"x84" Dinette	

¹ All dry weights are based on standard model features and do not include optional features or equipment.

² Carrying capacity is determined by subtracting Gross Dry Weight from GVWR. Carrying capacity includes all fluids, optional equipment and personal cargo.

³ Includes 3'6" for hitch.

⁴ Add 12" if equipped with optional roof air conditioner.

⁵ Approximate gallons.



1999 PROWLER ULTRALITE STANDARD FEATURES Travel Trailers

EXTERIOR


Aerodynamic Front Profile w/ High Impact ABS Cap Independent Torsion Suspension System Corrosion Resistant A-Frame and Automotive Style Bumper Laminated, Welded Aluminum Framed Walls, Floor and Ceiling Smooth Fiberglass Exterior Box Channel, Steel Cambered Chassis 10" Electric Brakes Durable Molded Wheel Well Skirts 13" Radial Ply Tires w/ White Spoke Wheels Retractable Non-Skid Entry Step Locking, Insulated Radius Luggage Doors Flush Mount Radius Rockguard Awning One-Piece Seamless Rubber Roof Beadboard Insulation 26" Wide Main Radius Entry Door w/ Window & Screen Reinforced Screen Door w/ Lock Shield & Kick Panel Flush Combo Entry Latch/Dead Bolt Lock Radius White Framed Windows Enclosed LPG Tank Compartment Large, Through-Storage Front Compartment Skylight Roof Vents Wall-Switched Doorside Patio Light w/ Amber Lens Battery Compartment Fully Enclosed Chassis Enclosed Below Floor Water & Waste Tanks w/ Remote Valve Lower Radius Skirting w/ABS Corner Caps Sonic Welded Automotive Style Clearance Lights G.F.I. Protected I20V Duplex Receptacle INTERIOR 2 Color-Coordinated Designer Interiors

Oak Mortise and Tenon Cabinet Doors Vinyl Rollgoods Throughout Residential Window Coverings Color-Coordinated Miniblinds Throughout Decor-Coordinated Bedspread (Double or Queen) Front Combo Overhead Bunk (Most Models) Quality Furniture by Flexsteel® Wall-Switched I2V Lights Fabric-Trimmed Dinettes & Entry Door Header GALLEY Panoramic Galley Window Double Bowl Porcelain Sink Large Swing Spout Faucet Galley Storage Pantry Cabinet w/ Fixed Shelves (Most Models) I20V Appliance Receptacle at Countertop High Pressure Laminated Countertop Decor Wall Border BATH Oval Lavy Bowl Overhead Medicine Cabinet w/ Mirror Thetford[®] Toilet ABS Tub/Shower 12V Power Roof Exhaust Vent Shower Curtain w/ Valance and Tie Back G.F.I. Protected I20V Duplex Receptacle Wall-Switched Ceiling Light Skylight in Tub/ Shower APPLIANCES/EQUIPMENT Dometic[®] LP/ Electric Refrigerator Atwood® 3-Burner Cook Top

Range Hood w/I2V Light and Exhaust Fan Wall-Mounted Systems Monitor Panel LP Fast Recovery Water Heater, 6 Gal. 30 Gallon Water and Waste Tanks hydroflame[®] Furnace w/ Thermostat Microwave w/ Turntable A&E Patio Awning Enclosed Dual 5 Gallon LPG Tanks w/ Regulator & Auto-Changeover Smoke Detector Fire Extinguisher Freeze Resistant Water Lines LPG Leak Detector Water Heater Bypass ELECTRICAL Electronic Converter w/ Built-in Battery Charger **I20V** Central Electrical Panel 120V Duplex Receptacles Throughout 120V Ground Fault Circuit Protection Wall Switched Interior Lights Prewired for TV Antenna Prewired for Air Conditioner Prewired for Stereo and Speaker **ULTRALITE POPULAR OPTIONS** Coleman® 13.5M BTU Roof Air AM/FM Cassette Stereo AM/FM CD Player Stabilizing Jacks/2 Pr. Spare Tire - 13" Chair TV Antenna Not all models include all features. See your dealer for complete details.

FLEETWOOD, RV

1999 PROWLER LITE FLOOR PLANS 7 Prowler



1999 PROWLER LITE SPECIFICATIONS

Travel Trailers & Fifth Wheels

PROWLER LITE MODELS	822W	824Z	825B	825Y	821 5B	824 5C	825 5X
GVWR (Gross Vehicle Weight Rating)	5,400	5,600	5,800	6,000	5,800	6,300	6,700
Gross Dry Weight ¹	3,710	3,810	3,970	4,280	4,250	4,630	4,920
Carrying Capacity ²	1,690	1,790	1,830	1,720	1,550	1,670	I,780
Hitch Dry Weight ¹	480	450	420	440	770	630	1,020
Dry Axle Weight ¹	3,230	3,360	3,550	3,840	3,480	4,000	3,800
Length	24'2"3	25'9"3	25'II" ³	25'II" ³	23'11"	25'4"	27'II"
Width	8'0"	8'0"	8'0"	8'0"	8'0''	8'0''	8'0"
Height ⁴	8'11"	8'11"	8'11"	9'3"	9'6"	9'I0"	9'I0"
Interior Height	76"	76"	76"	76"	76"	76"	76"
Tires – Size	ST205/	ST205/	ST205/	ST205/	ST205/	ST205/	ST205/
	75R I4(B)	75R I4 (B)	75R I4 (B)	75R I4 (B)	75R 14 (B)	75R I4 (B)	75R I4 (B)
Fresh Water Tank⁵ – gal.	40	40	40	40	40	40	40
Gray Water Holding Tank⁵ – gal.	40	40	40	30/30	40	30/30	30/30
Black Water Holding Tank⁵ – gal.	30	30	30	30	30	30	30
Bed Size – Standard	48"x75" Dbl.	54"x75" Dbl.	60"x75" Queen	60"x75" Queen	60"x75" Queen	60"x75" Queen	60"x75" Queen
		30"x75" Bunk					30"x75" Bunk
Bed Size – Option	30"x75" Bunk	60"x75" Queen	N/A	N/A	32"x75" Twin	N/A	N/A

¹ All dry weights are based on standard model features and do not include optional features or equipment.

² Carrying capacity is determined by subtracting Gross Dry Weight from GVWR. Carrying capacity includes all fluids, optional equipment and personal cargo.

³ Includes 3'6" for hitch.

⁴ Add 12" if equipped with optional roof air conditioner.

⁵ Approximate gallons.

N/A = Not available at time of printing



1999 PROWLER LITE STANDARD FEATURES

Travel Trailers & Fifth Wheels

EXTERIOR

Designer Valances

Front Radius Rockguard Awning (Travel Trailers) One-Piece Seamless Rubber Roof High Gloss Arctic White Exterior Finish Entry Door w/ Window & Screen Door One-Piece Flush Latch/Dead Bolt Lock Awning I4" Spoke Wheels 4 Wheel Electric Brakes Powder Coated Bumper - Sewer Hose Carrier Locking, Insulated Luggage Doors w/ Finger Pulls Potable Water Fill Exterior Shower Dual Safety Chains Dual Battery Rack Double Entry Step INTERIOR Overhead Bunk Cabinet (Select Models) Large Radiused Torque & Slider Windows Miniblinds Throughout (Except Bunk Areas)

Oak Raised Panel Doors Bedspread Bed-Lift Struts Folding Room Divider (Most Models) Indoor/Outdoor Dinette Table Full-Length Vinyl Flooring Range Cover Sink Lid **BATH** ABS Tub/Shower Pan w/ Walls

Bath Medicine Cabinet w/ Mirrored Door Towel Bars Large Dome Skylight Power Roof Vent Thetford® Freshwater Toilet **APPLIANCES/EQUIPMENT** Dometic® Double Door LP/Electric Refrigerator Magic Chef® 3-Burner, High-Output Range w/ Oven Electric Touch Microwave w/ Turntable 6 Gal. LP Water Heater

Water Heater Bypass


Large Porcelain Sink Fire Extinguisher Smoke Detector LPG Leak Detector 7 Gal. Dual LP Bottles w/ Regulator & Auto-Changeover ELECTRICAL Electric Cable Hatch/Storage Compartment 120V G.F.I. Protected Circuits Prewired for Optional A/C Wall-Switched Patio Light Hitch Light AM/FM Cassette Stereo TV Antenna/Park Cable **PROWLER POPULAR OPTIONS** 13.5M BTU A/C Tinted Safety Glass Windows Spare Radial Tire w/ Carrier Carpeting in Living Area & Bedroom Decor Mirror Doors

Not all models include all features. See your dealer for complete details.


FLEETWOOD, RV

1999 PROWLER FLOOR PLANS










24J $\bigcirc \bigcirc \bigcirc$ REFER SOFA BED \Box NEW! QUEEN BED DINETTE WAR WAR




Some models may not be available from all manufacturing plants. Floor plans are subject to change during the model year. Contact your dealer for complete details.

▲ = Exterior Storage

1999 PROWLER FLOOR PLANS






Some models may not be available from all manufacturing plants. Floor plans are subject to change during the model year. Contact your dealer for complete details.

 $\blacktriangle = Exterior Storage$

1999 PROWLER FLOOR PLANS



▲ = Exterior Storage

Some models may not be available from all manufacturing plants. Floor plans are subject to change during the model year. Contact your dealer for complete details.

1999 PROWLER SPECIFICATIONS

Travel Trailers & Fifth Wheels

PROWLER MODELS	19N	24C	24J	26H	26T	27X	29S	31G
GVWR (Gross Vehicle Weight Rating)	5,400	6,300	6,100	7,700	6,800	6,700	7,300	8,600
Gross Dry Weight ¹	3,740	4,440	4,270	5,770	4,790	4,830	5,250	6,420
Carrying Capacity ²	1,660	1,860	1,830	1,930	2,010	1,870	2,050	2,180
Hitch Dry Weight ¹	400	530	560	610	610	540	590	840
Dry Axle Weight	3,340	3,910	3,710	5,160	4,180	4,290	4,660	5,580
Length ³	20'6"	25'9"	25'11"	27'7"	28'3"	28'0"	31'0"	31'10"
Width ⁶	8'0"	8'0"	8'0"	8'0''	8'0''	8'0''	8'0''	8'0''
Height ⁴	8'11"	8'11"	8'11"	9'6"	9'0''	9'0''	9'0''	9'6"
Tires – Size (Radials)	ST205/	ST205/	ST205/	ST205/	ST205/	ST205/	ST205/	ST225/
	75R 15 (B)	75R 15(C)	75R I5 (B)	75R I5(C)	75R 15(C)	75R 15(C)	75R 15(C)	75R 15(C)
Fresh Water Tank ^s – gal.	40	40	40	40	40	40	40	40
Gray Water Holding Tank⁵ – gal.	40	40	40	40	40	40	40	40
Black Water Holding Tank⁵ – gal.	40	40	40	40	40	40	40	40
LPG Capacity – gal.	Ι4	Ι4	14	Ι4	Ι4	I4	14	Ι4
Bed Size – Standard	53"x75" Dbl.	53"x75" Dbl.	53"x75" Dbl.	60"x75" Queen				
						29"x76" Bunks	29"x76" Bunks	29"x76" Bunks
Bed Size – Option	29"x76" Bunk	29"x76" Bunk	N/A	N/A	32"x75" Twin	N/A	32"x75" Twin	N/A

37E	37W	24 5P	25 5B	27 5K	28 5S
9,900	9,900	7,900	7,900	8,400	9,100
7,480	7,480	6,160	6,110	6,520	7,150
2,420	2,420	I,740	1,790	1,880	1,950
1,080	1,080	1,030	I,I40	1,350	1,300
6,400	6,400	5,130	4,970	5,170	5,850
38'4"	38'4"	25'3"	26'6"	28'7"	29'11"
8'0"	8'0"	8'0"	8'0"	8'0''	8'0"
9'6"	9'6"	II'7"	II'7"	I I'7"	I I'7"
ST225/	ST225/	ST205/	ST205/	ST205/	ST225/
75R 15(D)	75R I5 (D)	75R 15(C)	75R 15(C)	75R 15(C)	75R 15(C)
N/A	40	40	40	40	40
40	40	40/21	40	40	40
40	40	40	40	40	40
I4	Ι4	Ι4	Ι4	I4	Ι4
60"x80" Queen	60"x80" Queen	60"x75" Queen	60"x75" Queen	60"x75" Queen	60"x75" Queen
29"x76" Bunks	29"x76" Bunks				29"x72" Bunks
32"x75" Twin	32"x75" Twin			32"x75" Twin	



- ¹ All dry weights are based on standard model features and do not include optional features or equipment.
- ² Carrying Capacity is determined by subtracting Gross Dry Weight from GVWR. Carrying Capacity includes all fluids, optional equipment and personal cargo.
- ³ Trailer length includes 3'6'' for hitch, 5th wheel includes pin box.
- ⁴ Add 12" if equipped with optional roof air conditioner.
- ⁵ Approximate gallons.
- ⁶ Add 3" for awning.
- N/A = Not available at time of printing.



1999 PROWLER STANDARD FEATURES

Travel Trailers & Fifth Wheels

EXTERIOR

Gloss Exterior Metal Finish Construction Steel Channel or Paco I-Beam, Cambered Chassis Tandem Axle w/4 Wheel Electric Brakes Radial Ply Tires w/White Spoke Wheels Rear Bumper w/Sewer Hose Carrier Retractable Non-Skid Entry Step Locking, Insulated Luggage Doors w/Finger Pulls Front Radiused Rockguard Awning (Travel Trailers) One-Piece Seamless Roof Radius Roof Truss Rafters Blanket Fiberglass Insulation 30" Wide Main Entry Door w/ Window Flush Combo Entry Latch/Dead Bolt Lock Reinforced Screen Door w/Lock Shield & Kick Panel Radiused Slider and Torque Windows LPG Tank Cover (Travel Trailers) Skylight Roof Vents Hitch Light Wall-Switched Doorside Patio Light Welded Dual Battery Rack (Travel Trailers) Waste Tank Single Point Termination Valve Sonic-Welded, Automotive-Style Clearance Lights G.F.I. Protected I20V Duplex Receptacle A&E Patio Awning INTERIOR Quality Furniture by Flexsteel®

Color-Coordinated Designer Interiors Oak Raised Panel Cabinet Doors Face Frame Cabinet Construction

Overhead Dinette Storage Cabinet (Select Models) Box-Wrapped Valance Window Treatment Comfortable Innerspring Mattresses Decor-Coordinated Bedspread Miniblinds Throughout (Except Bunks) GALLEY Double Bowl Stainless Steel Sink High Pressure Laminate Countertop Overhead Cabinet Microwave Oven Overhead Storage Cabinet Above Sink Pantry Cabinet (Most Models) I20V Appliance Receptacle at Countertop BATH Large Lavy Bowl Medicine Cabinet w/Mirrored Oak Door Fresh Water Flush Toilet One-Piece ABS Tub Walls 12V Power Roof Exhaust Vent Shower Curtain G.F.I. Protected I20V Duplex Receptacle Wall-Switched Ceiling Light APPLIANCES/EQUIPMENT Dometic[®] Double Door LP/Electric Refrigerator Magic Chef[®] 3-Burner, High-Output Range w/Oven Range Hood w/I2V Light and Exhaust Fan Wall-Mounted Systems Monitor Panel Water Heater Bypass hydroflame® Forced Air, D.S.I. Furnace w/ Thermostat

In-Ceiling Rigid Air Conditioning Ducting

In-Floor Rigid Heat Ducting

Dual 7 Gallon LPG Tanks w/Regulator & Auto-Changeover Smoke Detector Fire Extinguisher Freeze-Resistant Water Lines LPG Leak Detector ELECTRICAL Electronic Converter w/Built-in Battery Charger 120V Central Electrical Panel 120V Duplex Receptacles Throughout 120V Ground Fault Circuit Protection **I20V** Patio Receptacle Wall-Switched Interior Lights TV Antenna Prewired for Roof Air Conditioner AM/FM Cassette Stereo Cable TV Hook-Up **PROWLER POPULAR OPTIONS** Living Room/Bedroom Carpet Coleman® Ducted Central Air Conditioning Exterior Shower Safety Glass Windows Foot Pedal Toilet Free-Standing Swivel Rocker 120V/LP Fast Recovery Water Heater Spare Tire


Radius Luggage Doors

Radius Entry Door

Not all models include all features. See your dealer for complete details.




1999 PROWLER LS FLOOR PLANS 7



Some models may not be available from all manufacturing plants. Floor plans are subject to change during the model year. Contact your dealer for complete details.






Some models may not be available from all manufacturing plants. Floor plans are subject to change during the model year. Contact your dealer for complete details.


▲ = Exterior Storage


1999 PROWLER LS FLOOR PLANS 7





A = *Exterior* Storage





Some models may not be available from all manufacturing plants. Floor plans are subject to change during the model year. Contact your dealer for complete details.

1999 PROWLER LS SPECIFICATIONS

Travel Trailers & Fifth Wheels

PROWLER LS MODELS	26H	26T	27F	29B	29S	31G	33P	37W
GVWR (Gross Vehicle Weight Rating)	8,300	7,300	8,600	8,800	8,000	9,200	9,700	10,700
Gross Dry Weight ¹	6,180	5,200	6,430	6,610	5,830	6,780	7,200	7,810
Carrying Capacity ²	2,120	2,100	2,170	2,190	2,170	2,420	2,500	2,890
Hitch Dry Weight ¹	670	660	885	940	630	890	940	1,110
Dry Axle Weight	5,570	4,540	5,543	5,670	5,200	5,890	6,260	6,700
Length	27'8"3	28'2"3	28'11"	30'2"	31'0"3	31'10"3	34'3"3	38'4"3
Width	8'0"	8'0''	8'0"	8'0"	8'0"	8'0''	8'0"	8'0"
Height ⁴	9'6"	9'0''	9'6"	9'6"	9'0''	9'6"	9'6"	9'6"
Tires – Size (Radials)	ST225/	ST205/	ST225/	ST225/	ST225/	ST225/	ST225/	ST205/
	75R 15(C)	75R 15(C)	75R 15(C)	75R I5(C)	75R 15(C)	75R 15(C)	75R I5 (D)	75R 15 (D)
Fresh Water Tank⁵ – gal.	40	40	40	40	40	40	40	40
Gray Water Holding Tank ⁵ – gal.	40	40	40	40/21	40	40	40/21	40
Black Water Holding Tank⁵ – gal.	40	40	40	40	40	40	40	40
LPG Capacity – gal.	14	14	14	Ι4	14	14	14	I4
Bed Size – Standard	60"x75" Queen	60"x80" Queen						
					29"x76" Bunks	29"x76" Bunks		29"x76" Bunks
Bed Size – Option	32"x75" Twin	32"x75" Twin			32"x75" Twin			32"x75" Twin

26 5E	27 5J	30 5G	30 5X	31 5R	32 5Z	34 5B
9,000	9,000	10,900	10,800	II,400	12,400	13,500
6,730 ⁶	6,850	7,945	7,8606	8,5506	8,8006	9,6506
2,270	2,150	2,955	2,940	2,850	3,600	3,850
1,200	1,130	1,550	1,550	I,860	1,700	1,930
5,530	5,720	6,395	6,310	6,690	7,100	7,720
27'I"	27'10"	31'1"	31'4"	33'0"	32'7"	35'5"
8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"
11'0''	II'7"	11'5"	11'5"	11'8"	II'7"	II'9"
ST225/	ST225/	ST225/	ST225/	ST225/	ST225/	ST235/
75R 15(C)	75R 15(C)	75R 15(D)	75R 15(C)	75R 15(D)	75R 15(D)	85R I6 (E)
40	40	50	50	40	50	50
40/21	40/21	40	40/21	40	40/30	40/21
40	40	40	40	40	40	40
Ι4	14	14	I4	I4	I4	Ι4
60"x80" Queen	60"x75" Queen	60"x80" Queen	60"x80" Queen	60"x75" Queen	60"x80" Queen	60"x75" Queen
32"x75" Twin	32"x75" Twin	32"x75" Twin	32"x75" Twin	60"x80" Queen	32"x75" Twin	32"x75" Twin



¹ All dry weights are based on standard model features and do not include optional features or equipment.

- ² Carrying Capacity is determined by subtracting Gross Dry Weight from GVWR. Carrying Capacity includes all fluids, optional equipment and personal cargo.
- ³ Includes 3'6'' for hitch.
- ⁴ Add 12" if equipped with optional roof air conditioner.
- ⁵ Approximate gallons.
- ⁶ Add 400 lbs. for optional bedroom slide-out.



1999 PROWLER LS STANDARD FEATURES

Travel Trailers & Fifth Wheels

EXTERIOR

Smooth Fiberglass Sidewalls Construction Steel Channel, or I-Beam Cambered Chassis Prewired for DSS Satellite Tandem Axle w/4 Wheel Electric Brakes Radial Ply Tires w/ White Spoke Wheels Powder Coated Rear Bumper w/ Sewer Hose Carrier Retractable Non-Skid Double or Triple Entry Step Radius Locking, Insulated Luggage Doors w/ Finger Pulls Front Radiused Rockguard Awning (Travel Trailers) One-Piece Seamless Rubber Roof Engineered Radius Roof Truss Rafters R-7 Blanket Fiberglass Insulation 30" Wide Main Entry Door w/ Window Flush Combo Entry Latch/Dead Bolt Lock Reinforced Screen Door w/ Lock Shield & Kick Panel Smoke Tint White Framed Compression Style Windows LPG Tank Cover (Travel Trailers) Skylight Roof Vents A&E Patio Awning Convenience Lighting - Hitch and Roadside Utility Wall-Switched, Doorside Patio Light Welded, Dual Battery Rack (Travel Trailers) Waste Tank Single Point Termination Valve Sonic-Welded, Automotive-Style Clearance Lights G.F.I. Protected I20V Duplex Receptacle INTERIOR

Quality Furniture by Flexsteel® Color-Coordinated Designer Interiors Oak Frame Cabinet Doors w/ Oak Raised Inserts Face Frame Cabinet Construction Overhead Dinette Storage Cabinet (Select Models) Box-Wrapped Valance Window Treatment w/ Privacy Lambrequins Living Area & Bedroom Carpet w/ Foam Padding Comfortable Innerspring Mattresses Decor-Coordinated Bedspread w/ Reversible Sham Wall-Mounted 120V Decor Lights Wainscot Molding Miniblinds Throughout Curtains in Bunk Areas GALLEY

Double Bowl Porcelain Sink Single Lever Residential Faucet High Pressure Laminate Countertop Overhead Storage Cabinet Above Sink Pantry Cabinet w/ Removable Shelves (Most Models) I20V Appliance Receptacle at Countertop Spice Shelf Large Pot/Pan Drawer (Most Models) Knife Block

BATH

Large Lavy Bowl Medicine Cabinet w/ Mirrored Oak Door Foot Operated Fresh Water Flush Toilet One-Piece ABS Tub Walls 12V Power Roof Exhaust Vent Shower Curtain w/ Tie Back G.F.I. Protected I20V Duplex Receptacle Wall-Switched Ceiling Light Skylight in Tub/Shower **APPLIANCES/EQUIPMENT**


Electronic Microwave Oven w/ Turntable Dometic[®] Double Door LP/Electric Refrigerator Magic Chef® 3-Burner, High-Output Range w/ Oven Range Hood w/I2V Light and Exhaust Fan Wall-Mounted Systems Monitor Panel LP/D.S.I. Fast Recovery Water Heater, 6 Gal. Water Heater Bypass hydroflame® Forced Air, D.S.I. Furnace w/ Thermostat In-Floor Rigid Heat Ducting In-Ceiling Rigid Air Conditioning Ducting Dual 7 Gallon LPG Tanks w/ Regulator & Auto-Changeover Smoke Detector Fire Extinguisher TV Antenna Freeze-Resistant Water Lines LPG Leak Detector ELECTRICAL Electronic Converter w/ Built-in Battery Charger 120V Central Electrical Panel I20V Duplex Receptacles Throughout 120V Ground Fault Circuit Protection 120V Patio Receptacle Wall-Switched Interior Lights Prewired for Roof Air Conditioner AM/FM Cassette Stereo Cable TV Hook-Up I2V Power Jack (Fifth Wheels Only) **PROWLER POPULAR OPTIONS** Coleman[®] Central Air Conditioning (Duct is Standard) Free-Standing Swivel Rocker Plank Flooring 120V/LP/D.S.I. Fast Recovery Water Heater Spare Tire AM/FM CD Player Not all models include all features. See your dealer for complete details.

FLEETWOOD. RV

1999 PROWLER LSI FLOOR PLANS


ALL NEW MODELS!








 $\blacktriangle = E_{xterior}$ Storage





1999 PROWLER LSI SPECIFICATIONS

Travel Trailers & Fifth Wheels

PROWLER LSI MODELS	34 5B	34 5L	35 5Y	
GVWR (Gross Vehicle Weight Rating)	13,400	13,600	13,500	
Gross Dry Weight ¹	10,350	10,550	10,430	
Carrying Capacity ²	3,050	3,050	3,070	
Hitch Dry Weight ¹	2,190	2,030	2,160	
Dry Axle Weight	8,160	8,520	8,270	
Length	35'11"	35'10"	36'2"	
Width	8'0"	8'0"	8'0"	
Height ³	12'6"	12'6"	12'6"	
Tires – Size (Radials)	LT235/85R 16 (E)	LT235/85R 16 (E)	LT235/85R 16 (E)	
Fresh Water Tank ⁴ – gal.	60	60	60	
Gray Water Holding Tank⁴ – gal.	40/21	40	40	
Black Water Holding Tank ⁴ – gal.	40	40	40	
LPG Capacity – gal.	14	14	I4	
Bed Size – Standard	60"x80" Queen	60"x80" Queen	60"x80" Queen	

¹ All dry weights are based on standard model features and do not include optional features or equipment.

² To determine carrying capacity, subtract Gross Dry Weight from GVWR. Carrying capacity includes all fluid, optional equipment and personal cargo.

³ Add 12" if equipped with optional air conditioner.

⁴ All liquid capacities are approximate.

N/A = Not available at time of printing.



1999 PROWLER LSI STANDARD FEATURES

Travel Trailers & Fifth Wheels

EXTERIOR

Smooth Fiberglass Exterior Sidewalls Fiberglass Front Cap Aluminum Frame Construction Tufcap® Fiberglass Rear Dual Battery Compartment (Enclosed) Integrated Tail Lights One-Piece Rubber Roof Blanket Fiberglass Insulation 30" Wide Radiused Main Entry Door Flush Mount, Combo Entry Latch/Dead Bolt Lock Potable Water Fill Convenience Lighting - Hitch/LP Tanks/Roadside High Strength Welded Paco I-Beam, Cambered Chassis Exterior Shower Radial Ply Tires w/ White Spoke Wheels Polyethylene Wheel Well Skirts Non-Skid, Retractable, Triple Entry Steps Locking, Insulated, Radiused Luggage Doors w/ Finger Pulls Tandem Axle w/4 Wheel Electric Brakes Large, Solar-Reflective White Framed Radiused Windows (Torque & Slider) 12V Power Jack (Fifth Wheels Only) Roof Rack and Ladder Shock Absorbers In-Chassis Spare Tire Carrier Pass Through Exterior Storage Large Super Slide-Out Living Area Bedroom Slide-Out w/ Vanity (Some Models) Fully Enclosed, Heated Holding Tanks w/ Remote Valve Power Landing Gear A&E Patio Awning INTERIOR 2 Color-Coordinated Decors Full Face Frame Cabinetry

Oak Framed Cabinet Doors w/ Oak Raised Inserts

Deluxe Carpet w/ Foam Pad in Living Room and Bedroom Upgraded Innerspring Mattress Bed Top Lift Mechanism to Storage Area (Queen & Double Beds) Oak Dinette Table w/4 Chairs Quality Flexsteel® Sleeper Sofa Free-Standing Lounge Recliner (2) Decor Wall Border w/ Wainscot Molding Color-Coordinated Bedspread w/ Pillow Shams 120V Wall Mount Decor Lights in Living Area 120V Ceiling Light at Dinette Designer Window Treatments Color-Coordinated Miniblinds Adjustable Reading Lights Over Beds Magazine Rack Knife Rack Plank Wood Flooring in Entry **APPLIANCES/EQUIPMENT** Large Dometic® Double Door LP/Elect. Refrigerator Raised Panel Refrigerator Insert Deluxe Sealed 3-Burner, High-Output Range w/ Oven Range Hood w/ Light and Exhaust Fan Wall-Mounted Systems Monitor Panel LP/I20V D.S.I. Water Heater - I0 Gal. hydroflame[®] D.S.I. Furnace w/ Thermostat In-Floor Rigid Heat Ducting In-Ceiling Rigid Air Conditioning Ducting Deluxe Residential AM/FM Stereo CD Player w/ 4 Speakers Park Cable TV Hook-Up Connection Dual 7 Gal. LPG Tanks w/ Sight Gauge & Auto-Changeover Electronic Microwave Oven w/ Turntable Smoke Detector Fire Extinguisher TV Antenna Satellite Dish Ready Phone Jack Washer/Dryer Ready (Most Models)



GALLEY


Upgrade High Rise Dual Handle Faucet High Pressure Laminate Countertop Spice Tray Plank Wood Flooring Knife Block BATH Large Medicine Cabinet w/ Mirrored Door One-Piece ABS Tub/Shower Walls Glass Tub Enclosure Bath Skylight 12V Power Roof Exhaust Vent Fresh Water, Foot-Operated Flush Toilet Wall-Switched Ceiling Light 3-Bulb Vanity Light **ELECTRICAL** 40 Amp, I2V All Electronic Converter w/ Battery Charger 120V Central Electrical Panel 120V Receptacles Throughout 120V Ground Fault Circuit Protection **I20V** Patio Receptacle Wall-Switched Interior Lights Reading Lights Fluorescent Lights (Galley & Bedroom) **Electric Slide-Outs POPULAR OPTIONS** Coleman[®] Central Air Conditioning (Duct is Standard) Generator Ready Slide-Out Topper Awning Double Insulation In-Ceiling and Floor Full Entertainment Center w/ TV, VCR & CD Player w/ Changer Day/Night Shades Throughout Smooth High Gloss Gel Coat Fiberglass Exterior Sidewalls

Double Bowl White Porcelain Sink w/ Cutting Board Cover


Not all models include all features. See your dealer for complete details.

1999 SPORT UTILITY TRAILER FLOOR PLANS & SPECIFICATIONS









```
\Rightarrow = Fold Down Rear Door.
```

Some models may not be available from all manufacturing plants. Floor plans are subject to change during the model year. Contact your dealer for complete details.

PROWLER SUT MODELS	24B	26A	33 5G
GVWR (Gross Vehicle Weight Ratin	ng) 9,500	9,600	11,600
Gross Dry Weight ¹	6,010	6,150	7,480
Carrying Capacity (Dry)	3,490	3,450	4,120
Hitch Dry Weight ¹	820	920	1,850
Dry Axle Weight	5,190	5,230	5,630
Overall Length ²	27'11"	29'7"	33'7"
Body Length	24'6"	26'2"	33'7"
Width	8'5"	8'5"	8'5"
Height	10'9"	10'9"	11'1"
Frame Clearance	18"	18"	18"
Tires – Size (Radials)	ST225/75R 15 (C)	ST225/75R 15(C)	ST225/75R 15 (D)
Fresh Water Tank – gal.	50	50	50
Gray Water Holding Tank – gal.	40	40	40
Black Water Holding Tank – gal.	40	40	40
Appliance LPG Capacity – gal.	14	14	14
Bed Size – Standard	76"x38" Dinette/Sleeper	78"x49" Dbl.	80"x60" Queen
		76"x38" Dinette/Sleeper	76"x38" Dinette/Sleeper
	93"x60" Queen Loft	93"x60" Queen Loft	93"x60" Queen Loft

¹ All dry weights are based on standard model features and do not include optional features or equipment.
² Includes 2'6" for hitch. Includes 2'6" for hitch.

1999 PROWLER SPORT UTILITY TRAILER STANDARD FEATURES

Oak Frame Cabinet Doors

EXTERIOR

Gloss Exterior Metal Finish Construction Steel Channel, Cambered Chassis Tandem Axle w/4 Wheel Electric Brakes Radial Ply Tires w/ White Spoke Wheels Retractable Non-Skid Entry Step Locking, Insulated Luggage Doors w/ Finger Pulls One-Piece Seamless Roof Blanket Fiberglass Insulation 24" Wide Entry Door w/ Window Flush Combo Entry Latch / Dead Bolt Lock Reinforced Screen Door w/ Lock Shield & Kick Panel Radiused Slider and Torque Windows Skylight Roof Vents Hitch and Roadside Utility Lights Wall-Switched Doorside and Rear Patio Lights Welded Dual Battery Rack (A&B Models Only) Waste Tank Single Point Termination Jack Sonic-Welded, Automotive-Style Clearance Lights G.F.I. Protected I20V Duplex Receptacle Exterior Shower Large Ramp Door Roof Rack & Ladder INTERIOR

INTERIOR

Cargo Bay (8) Load Tie Downs Color-Coordinated Designer Interiors Face Frame Cabinet Construction Overhead Dinette Storage Cabinets Sock Valances w/ Curtain End Panel Pullshades and /or Miniblinds Throughout Comfortable Innerspring Mattress Separate Sleeping Areas Oueen Size Bed Loft **ELECTRICAL** 4.8 KW Generator Ready w/25 Gal. Gas Tank (A&B Models Only) Electronic Converter w/ Built-In Battery Charger 120V Central Electric Panel **I20V** Duplex Receptacles Throughout 120V Ground Fault Circuit Protection 120V Patio Receptacle Wall-Switched Interior Lights **APPLIANCES/EQUIPMENT** Dometic® Double Door LP/Electric Refrigerator Magic Chef[®] 3-Burner High Output Range w/ Oven Range Hood w/I2V Light and Exhaust Fan Wall-Mounted Systems Monitor Panel hydroflame® Forced Air, D.S.I. Furnace w/ Thermostat Safety Package: Smoke, LPG Gas, & CO Detectors Dual 7 Gal. LPG Tanks w/ Regulator & Auto-Changeover Fire Extinguisher – I0 BC 50 Gallon Fresh Water Tank Stereo - AM/FM Cassette I2V w/ Speakers

GALLEY Double Bowl Stainless Steel Sink High Pressure Laminate Countertop Overhead Cabinet Microwave Oven Overhead Storage Cabinet Above Sink I20V Appliance Receptacle at Countertop BATH Fresh Water Flush Toilet I2V Power Roof Exhaust Vent Shower Curtain G.F.I. Protected I20V Duplex Receptacle SUT POPULAR OPTIONS


TV Antenna w/ Park Antenna Receptacle

12V Power Jack (A&B Models Only) Stereo – AM/FM CD I2V w/ Speakers I5 ft. Awning A/C I3M BTU 4.8 KW Generac® Generator Exterior Flood Lights (Fifth Wheel Only) 50 Gallon Additional Fresh Water Tank Spare Radial Tire Shock Absorbers (Fifth Wheel Only) Ramp Door w/ Diamond Plate Ramp Door w/ Non Skid Surface Screen Partition for Rear Door Opening Ceiling Fan (Fifth Wheel Only) Not all models include all features. See your dealer for complete details.



1999 PARK TRAILER FLOOR PLANS & SPECIFICATIONS





PROWLER PARK TRAILER MODELS	5 39F	39T	39W
GVWR (Gross Vehicle Weight Rating)	11,000	11,000	10,800
Gross Dry Weight ¹	8,380	8,760	8,440
Hitch Dry Weight ¹	840	970	960
Overall Length ²	39'10"	39'10"	39'10"
Body Length	37'3"	37'3"	37'3"
Width	8'6"	8'6"	8'6"
Height ³	10'2"	10'2"	10'2"
Tires – Size (Radials)	ST225/75R 15	ST225/75R 15	ST225/75R 15
Tire Load Range	D	D	D
Appliance LPG Capacity – gal.	20 (opt.)	20 (opt.)	20 (opt.)
Bed Size – Standard	60"x80" Queen	60"x75" Queen	60"x80" Queen
Bed Size – Option	N/A	N/A	54"x75" Dbl.

¹ All dry weights are based on standard model features and do not include optional features or equipment.

² Includes 2'6" for hitch.

³Add 12" if equipped with optional roof air conditioner.

1999 PROWLER PARK TRAILER STANDARD FEATURES

EXTERIOR	Skylight – Bath	Pre-wired for Dig
Gloss Exterior Metal Finish	Ceiling Fan Ready	Dinette Hanging
One-Piece Seamless Roof	Sleeper Sofa	PARK TRAII
Skylight Roof Vents	Free Standing Chair (I)	Stabilizing Jacks
Power Bath Vent	Standard Oak Cabinet Doors	Awning
Flush Floor Slide-Out Rooms	APPLIANCES/EQUIPMENT	Exterior Shower
Square Verticle Slider Windows	15 cu. ft. Residential Magic Chef® Refrigerator	Marine Toilet w/
Bay Front Windows	Magic Chef [®] 4-Burner, Free-Standing Range	Dual I0 Gallon L
Flush Latch/Dead Bolt on Second or Hinged Entry Door	Range Hood with Light & Fan	Platform or Retra
60"x76" Sliding Glass Patio Door	0.9 cu. ft. Electronic Touch Samsung® Microwave w/ Turntable	Ice Maker
INTERIOR	120V LP Furnace with Thermostat	Washer/Dryer (F
Washer/Dryer Ready (F&T Models Only)	10 Gal. LP/120V Water Heater	19 Gallon Electri
Double Bowl Porcelain Galley Sink	Fire Extinguisher	30-Amp Electrica
Residential Toilet	Smoke Detector	Safety Glass Wind
Miniblinds Throughout	LPG Leak Detector	Storm Windows
Built-in Spice Shelf	Phone Jacks	Thermopane Pati
Brass Towel Bar	TV Antenna w/ Booster	Plank Flooring
Glass Shower Doors	AM/FM Stereo Cassette w/4 Speakers	Ceiling Fan(s)
ABS Tub Walls	ELECTRICAL	Air Conditioner –
Patio Door Vertical Blind	50-Amp Electrical Service	Lounge Recliner
Sliding, Mirrored Wardrobe Doors	120V G.F.I. Receptacles in Galley and Bath	Coffee Table
Carpet w/ Foam Pad (Living Room & Bedroom)	Slide-Out w/ Wall-Switched Ceiling Lights and Decor Lights	AM/FM CD Ste
Heavy Duty Vinyl Flooring	Cable TV Hook-Up	Crank Out Slide-
In-Floor Ducted Heating	TV Antenna	Raised Floor Slid
A/C Ready w/ In-Ceiling Ducting	Patio Light & Exterior G.F.I. Receptacle	Not all models includ

igital Satellite System ig Lamp LER POPULAR OPTIONS / Holding Tanks LP Tanks tractable Entry Step (F&T Models Only) ric Water Heater cal Service ndows tio Door – 15M BTU tereo w/4 Speakers e-Out ide-Outs ude all features. See your dealer for complete details.





Genuine Customer Support

Fleetwood is committed in every way to making your Prowler the best RV you've ever owned, starting with a quality RV, then treating you as a valued customer. Prowler owners look forward to:

New 2 Year Full Warranty

Fleetwood's comprehensive 2 year full warranty and service program, OwnerCare, means Fleetwood is committed to total customer satisfaction. It's one of the most comprehensive warranty and service programs in the industry. It provides total coverage on the construction, systems and appliances in your RV, with no deductible and no service charge. *Park trailer bas full one year warranty. See dealer for details.*

Excellent Customer Satisfaction

According to an ongoing independent survey by a nationally known research firm, more than nine out of 10 Fleetwood RV owners would recommend Fleetwood to their friends and relatives. We are dedicated to the most comprehensive Quality Control Program in the industry. We will even contact you after you've purchased to make sure you're completely satisfied.

24-hours-a-day Roadside Assistance

When you purchase a new 1999 Prowler Travel Trailer or Fifth Wheel, you'll receive free RV Emergency Road Service for one year. You can call any time, 24-hours-a-day, and receive free towing, lockout assistance or help changing a flat tire. Complimentary roadside assistance is just one more reason why you can be sure your vacation is filled with more fun and less hassles, whether you're traveling through the US or Canada. Ask your Fleetwood dealer for all the details.



The Fleetwood RV Racing Story

Fleetwood RV is a proud sponsor of Winston Cup driver Dale Jarrett and Robert Yates Racing. It's a winning combination that makes it easier than ever to capture all the excitement of racing. As the Official Recreational Vehicle of California Speedway, Daytona

International Speedway, Phoenix International Raceway and Talladega Superspeedway, look for Fleetwood RV at these tracks to enhance your RV experience on race day.

IMPORTANT - PLEASE READ:

Product information included in this brochure was as accurate as possible at the time of publication. Subsequent refinements may be evident in the actual product. Prices and specifications are subject to change without notice. All liquid capacities are approximate and dimensions are nominal. Some models may not be available from all manufacturing plants. Floor plans are subject to change during the model year. Contact your dealer for complete details.

© 1998 Fleetwood Enterprises, Inc. Litho in USA 12/98 Second Edition Inventory Control No. 289902

Fleetwood Enterprises, Inc. P.O. Box 2875 Van Nuys, CA 91404-2875

Dear Friend,



Here at Fleetwood RV, we have more than 200 people working on research and development. But we get our best ideas when we hit the road in our recreational vehicles. Talking to people like you and noticing for ourselves little ways to make RVing more comfortable, more convenient and more fun.

If I had two pieces of free advice to give a friend in the market for a recreational vehicle, the first would be to get a Fleetwood RV. Not

because we need to sell one more. Heck, we sell more than anyone else. But because I know we build the best product out there for the money.

Second, really think about your dealer. He has to be someone you trust for advice, service and accessories. Only the best get to be Fleetwood dealers in the first place. Then we work with them to continually improve customer satisfaction. That's why nine out of 10 owners would recommend their Fleetwood RV to a friend, and nine out of 10 would also recommend their Fleetwood RV dealer.

I hope that helps. And I also hope I see you out there, somewhere in this beautiful world, enjoying your new Fleetwood RV while I'm out there doing the same.

Sincerely,

John C. Crean John & bream

Chairman Emeritus and Founder Fleetwood Enterprises, Inc.

Your local Prowler dealer is:

If your local dealer is not indicated, write to the address below, call us toll-free 24-hours-a-day at

> I-800-444-4905 or visit our website at www.fleetwood.com



America's Favorite Recreational Vehicles