

Floor Plans

Specifications
& Features



**G e n e r a t i o n s
o f F u n
i n t h e
G r e a t
O u t d o o r s**

1 9 9 9


FLEETWOOD RV

GREAT GOING FOR GENERATIONS. When you want to get away from it all, Wilderness is the best value for the great escape. For generations of fun in the great outdoors, it's been the perfect way to get some fresh air and some well-deserved time off. With seven model styles, more than 50 unique floor plans and the best warranty in its class, Wilderness gives you comfort, dependability and affordability. In fact, no other trailer or fifth wheel in the category is built with greater care, quality or craftsmanship. As a Fleetwood RV, we start each Wilderness with solid engineering and work up to the cozy interior comforts that pamper you with all the conveniences of residential living. Wilderness has what it takes whether you've just got the weekend off or the whole summer. On the outside you'll find its bold, clean lines give it a smooth, aerodynamic profile. Inside, its efficient floor plans maximize luxurious livability. Spacious optional slide-outs create even more room in dining, living and sleeping areas. Fresh new color choices in appealing fabrics make for an elegant lifestyle that's as rugged as it is rich. With so many floor plan combinations to choose from, there's bound to be a Wilderness that's perfect for your lifestyle and budget. It's the way generations have been having great fun in the outdoors for years.



Wilderness Ultralite <i>Page 3-5</i>	Wilderness Lite <i>Page 6-8</i>	Wilderness <i>Page 9-14</i>	Wilderness GL <i>Page 15-20</i>	Wilderness GLX <i>Page 21-23</i>	Wilderness SUT <i>Page 24-25</i>	Wilderness Park Trailer <i>Page 26-27</i>
----------------------------------------------------	-----------------------------------------------	---------------------------------------	-------------------------------------------	------------------------------------------------	------------------------------------------------	---------------------------------------------------------

ALL NEW MODELS!


721E




725R



OPT. #845




OPT. #846




OPT. #846

721G



725T



▲ = Exterior Storage

Some models may not be available from all manufacturing plants. Floor plans are subject to change during the model year. Contact your dealer for complete details.

1999 WILDERNESS ULTRALITE SPECIFICATIONS

Travel Trailers & Fifth Wheels

ULTRALITE MODELS	721E	721G	725R	725T
GVWR (Gross Vehicle Weight Rating)	4,400	4,400	4,900	4,900
Gross Dry Weight ¹	2,990	3,030	3,380	3,440
Carrying Capacity ²	1,410	1,370	1,520	1,460
Hitch Dry Weight ¹	370	370	330	410
Dry Axle Weight ¹	2,620	2,660	3,050	3,030
Length	21'6" ³	21'6" ³	25'6" ³	25'11" ³
Width	7'2"	7'2"	7'2"	7'2"
Height ⁴	8'3"	8'3"	8'3"	8'3"
Interior Height	76"	76"	76"	76"
Interior Width	84"	84"	84"	84"
Tires – Size	ST175/ 80R I3(B)	ST175/ 80R I3(B)	ST175/ 80R I3(C)	ST175/ 80R I3(C)
Fresh Water Tank ⁵ – gal.	30	30	30	30
Gray Water Holding Tank ⁵ – gal.	30	30	30	30
Black Water Holding Tank ⁵ – gal.	30	30	30	30
Bed/Bunk Size – Standard	27"x74" (2) Bunk 58"x84" Dinette	48"x74" Dbl. 58"x84" Dinette	27"x74" (2) Bunk 58"x84" Dinette	60"x75" Queen

¹ All dry weights are based on standard model features and do not include optional features or equipment.

² Carrying capacity is determined by subtracting Gross Dry Weight from GVWR. Carrying capacity includes all fluids, optional equipment and personal cargo.

³ Includes 3'6" for hitch.

⁴ Add 12" if equipped with optional roof air conditioner.

⁵ Approximate gallons.

1999 WILDERNESS ULTRALITE STANDARD FEATURES

Travel Trailers

Exterior

Aerodynamic Front Profile w/ High Impact ABS Cap
Independent Torsion Suspension System
Corrosion Resistant A-Frame and Automotive Style Bumper
Laminated, Welded Aluminum Framed Walls, Floor and Ceiling
Smooth Fiberglass Exterior
Box Channel, Steel Cambered Chassis
10" Electric Brakes
Durable Molded Wheel Well Skirts
13" Radial Ply Tires w/ White Spoke Wheels
Retractable Non-Skid Entry Step
Locking, Insulated Radius Luggage Doors
Flush Mount Radius Rockguard Awning
One-Piece Seamless Rubber Roof
Beadboard Insulation
26" Wide Main Radius Entry Door w/ Window & Screen
Reinforced Screen Door w/ Lock Shield & Kick Panel
Flush Combo Entry Latch/Dead Bolt Lock
Radius White Framed Windows
Enclosed LPG Tank Compartment
Large, Through-Storage Front Compartment
Skylight Roof Vents
Wall-Switched Doorside Patio Light w/ Amber Lens
Battery Compartment
Fully Enclosed Chassis
Enclosed Below Floor Water & Waste Tanks w/ Remote Valve
Lower Radius Skirting w/ABS Corner Caps
Sonic Welded Automotive Style Clearance Lights
G.F.I. Protected 120V Duplex Receptacle

Interior

2 Color-Coordinated Designer Interiors

Oak Mortise and Tenon Cabinet Doors
Vinyl Rollgoods Throughout
Residential Window Coverings
Color-Coordinated Miniblinds Throughout
Decor-Coordinated Bedspread (Double or Queen)
Front Combo Overhead Bunk (Most Models)
Quality Furniture by Flexsteel®
Wall-Switched 12V Lights
Fabric-Trimmed Dinettes & Entry Door Header

Galley

Panoramic Galley Window
Double Bowl Porcelain Sink
Large Swing Spout Faucet
Galley Storage
Pantry Cabinet w/ Fixed Shelves (Most Models)
120V Appliance Receptacle at Countertop
High Pressure Laminated Countertop
Decor Wall Border

Bath

Oval Lavy Bowl
Overhead Medicine Cabinet w/ Mirror
Thetford® Toilet
ABS Tub/Shower
12V Power Roof Exhaust Vent
Shower Curtain w/ Valance and Tie Back
G.F.I. Protected 120V Duplex Receptacle
Wall-Switched Ceiling Light
Skylight in Tub/ Shower

Appliances/Equipment

Dometic® LP/ Electric Refrigerator
Atwood® 3-Burner Cook Top

Range Hood w/12V Light and Exhaust Fan
Wall-Mounted Systems Monitor Panel
LP Fast Recovery Water Heater, 6 Gal.
30 Gallon Water and Waste Tanks
hydroflame® Furnace w/ Thermostat
Microwave w/ Turntable
A&E Patio Awning
Enclosed Dual 5 Gallon LPG Tanks w/ Regulator & Auto-Changeover
Smoke Detector
Fire Extinguisher
Freeze Resistant Water Lines
LPG Leak Detector
Water Heater Bypass

Electrical

Electronic Converter w/ Built-in Battery Charger
120V Central Electrical Panel
120V Duplex Receptacles Throughout
120V Ground Fault Circuit Protection
Wall-Switched Interior Lights
Prewired for TV Antenna
Prewired for Air Conditioner
Prewired for Stereo and Speaker

Ultralite Popular Options


Coleman® 13.5M BTU Roof Air
AM/FM Cassette Stereo
AM/FM CD Player
Stabilizing Jacks/2 Pr.
Spare Tire - 13"
Chair
TV Antenna

Not all models include all features. See your dealer for complete details.


1999 WILDERNESS LITE FLOOR PLANS





822W




824Z




825B




825Y





821 5B
fifth wheel



824 5C
fifth wheel



825 5X
fifth wheel



Some models may not be available from all manufacturing plants. Floor plans are subject to change during the model year. Contact your dealer for complete details.

▲ = Exterior Storage

1999 WILDERNESS LITE SPECIFICATIONS

Travel Trailers & Fifth Wheels

WILDERNESS LITE MODELS	822W	824Z	825B	825Y	821 5B	824 5C	825 5X
GVWR (Gross Vehicle Weight Rating)	5,400	5,600	5,800	6,000	5,800	6,300	6,700
Gross Dry Weight ¹	3,710	3,810	3,970	4,280	4,250	4,630	4,920
Carrying Capacity ²	1,690	1,790	1,830	1,720	1,550	1,670	1,780
Hitch Dry Weight ¹	480	450	420	440	770	630	1,020
Dry Axle Weight ¹	3,230	3,360	3,550	3,840	3,480	4,000	3,800
Length	24'2" ³	25'9" ³	25'11" ³	25'11" ³	23'11"	25'4"	27'11"
Width	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"
Height ⁴	8'11"	8'11"	8'11"	9'3"	9'6"	9'10"	9'10"
Interior Height	76"	76"	76"	76"	76"	76"	76"
Tires – Size	ST205/ 75R 14(B)	ST205/ 75R 14(B)	ST205/ 75R 14(B)	ST205/ 75R 14(B)	ST205/ 75R 14(B)	ST205/ 75R 14(B)	ST205/ 75R 14(B)
Fresh Water Tank ⁵ – gal.	40	40	40	40	40	40	40
Gray Water Holding Tank ⁵ – gal.	40	40	40	30/30	40	30/30	30/30
Black Water Holding Tank ⁵ – gal.	30	30	30	30	30	30	30
Bed Size – Standard	48"x75" Dbl.	54"x75" Dbl. 30"x75" Bunk	60"x75" Queen	60"x75" Queen	60"x75" Queen	60"x75" Queen	60"x75" Queen 30"x75" Bunk
Bed Size – Option	30"x75" Bunk	60"x75" Queen	N/A	N/A	32"x75" Twin	N/A	N/A

¹ All dry weights are based on standard model features and do not include optional features or equipment.

² Carrying capacity is determined by subtracting Gross Dry Weight from GVWR. Carrying capacity includes all fluids, optional equipment and personal cargo.

³ Includes 3'6" for hitch.

⁴ Add 12" if equipped with optional roof air conditioner.

⁵ Approximate gallons.

1999 WILDERNESS LITE STANDARD FEATURES

T r a v e l T r a i l e r s & F i f t h W h e e l s

Exterior

Front Radius Rockguard Awning (Travel Trailers)
One-Piece Seamless Rubber Roof
High Gloss Arctic White Exterior Finish
Entry Door w/ Window & Screen Door
One-Piece Flush Latch/Dead Bolt Lock
Awning
14" Spoke Wheels
4 Wheel Electric Brakes
Powder Coated Bumper – Sewer Hose Carrier
Locking, Insulated Luggage Doors w/ Finger Pulls
Potable Water Fill
Exterior Shower
Dual Safety Chains
Dual Battery Rack
Double Entry Step

Interior

Overhead Bunk Cabinet (Select Models)
Large Radiused Torque & Slider Windows
Miniblinds Throughout (Except Bunk Areas)
Designer Valances

Oak Raised Panel Doors
Bedspread
Bed-Lift Struts
Folding Room Divider (Most Models)
Indoor/Outdoor Dinette Table
Full Length Vinyl Flooring
Range Cover
Sink Lid

Bath

ABS Tub/Shower Pan w/ Walls
Bath Medicine Cabinet w/ Mirrored Door
Towel Bars
Large Dome Skylight
Power Roof Vent
Thetford® Freshwater Toilet

Appliances/Equipment

Dometic® Double Door LP/Electric Refrigerator
Magic Chef® 3-Burner, High-Output Range w/Oven
Electric Touch Microwave w/ Turntable
6 Gal. LP Water Heater
Water Heater Bypass

Large Stainless Steel Sink
Fire Extinguisher
Smoke Detector
LPG Leak Detector
7 Gal. Dual LP Bottles w/ Regulator & Auto-Changeover

Electrical

Electric Cable Hatch/Storage Compartment
120V G.F.I. Protected Circuits
Prewired for Optional A/C
Wall-Switched Patio Light
Hitch Light
AM/FM Cassette Stereo
TV Antenna/Park Cable

Wilderness Popular Options



13.5M BTU A/C
Tinted Safety Glass Windows
Spare Radial Tire w/ Carrier
Carpeting in Living Area & Bedroom
Decor Mirror Doors

Not all models include all features. See your dealer for complete details.

1999 WILDERNESS FLOOR PLANS




**19N
NEW!**





OPT. 846

26H



OPT. 642



24C



OPT. 846


OPT. 197

26T



OPT. 836

**24J
NEW!**




▲ = Exterior Storage


Some models may not be available from all manufacturing plants. Floor plans are subject to change during the model year. Contact your dealer for complete details.




**27X
NEW!**



31G





OPT. 174




OPT. 642

29S




OPT. 836


**37E
NEW!**
with Park Model Features



OPT. 833



OPT. 854




OPT. 862


▲ = Exterior Storage

Some models may not be available from all manufacturing plants. Floor plans are subject to change during the model year. Contact your dealer for complete details.


1999 WILDERNESS FLOOR PLANS




25 5B
fifth wheel




27 5K
fifth wheel
NEW!



24 5P
fifth wheel
NEW!



28 5S
fifth wheel
NEW!



▲ = Exterior Storage

Some models may not be available from all manufacturing plants. Floor plans are subject to change during the model year. Contact your dealer for complete details.

1999 WILDERNESS SPECIFICATIONS

Travel Trailers & Fifth Wheels

WILDERNESS MODELS	19N	24C	24J	26H	26T	27X	29S	31G
GVWR (Gross Vehicle Weight Rating)	5,400	6,300	6,100	7,700	6,800	6,700	7,300	8,600
Gross Dry Weight ¹	3,740	4,440	4,270	5,770	4,790	4,830	5,250	6,420
Carrying Capacity ²	1,660	1,860	1,830	1,930	2,010	1,870	2,050	2,180
Hitch Dry Weight ¹	400	530	560	610	610	540	590	840
Dry Axle Weight	3,340	3,910	3,710	5,160	4,180	4,290	4,660	5,580
Length ³	20'6"	25'9"	25'11"	27'7"	28'3"	28'0"	31'0"	31'10"
Width ⁶	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"
Height ⁴	8'11"	8'11"	8'11"	9'6"	9'0"	9'0"	9'0"	9'6"
Tires – Size (Radials)	ST205/ 75R 15(B)	ST205/ 75R 15(C)	ST205/ 75R 15(B)	ST205/ 75R 15(C)	ST205/ 75R 15(C)	ST205/ 75R 15(C)	ST205/ 75R 15(C)	ST225/ 75R 15(C)
Fresh Water Tank ⁵ – gal.	40	40	40	40	40	40	40	40
Gray Water Holding Tank ⁵ – gal.	40	40	40	40	40	40	40	40
Black Water Holding Tank ⁵ – gal.	40	40	40	40	40	40	40	40
LPG Capacity – gal.	14	14	14	14	14	14	14	14
Bed Size – Standard	53"x75" Dbl.	53"x75" Dbl.	53"x75" Dbl.	60"x75" Queen	60"x75" Queen	60"x75" Queen	60"x75" Queen	60"x75" Queen
						29"x76" Bunks	29"x76" Bunks	29"x76" Bunks
Bed Size – Option	29"x76" Bunk	29"x76" Bunk	N/A	N/A	32"x75" Twin	N/A	32"x75" Twin	N/A

37E	37W	24 5P	25 5B	27 5K	28 5S
9,900	9,900	7,900	7,900	8,400	9,100
7,480	7,480	6,160	6,110	6,520	7,150
2,420	2,420	1,740	1,790	1,880	1,950
1,080	1,080	1,030	1,140	1,350	1,300
6,400	6,400	5,130	4,970	5,170	5,850
38'4"	38'4"	25'3"	26'6"	28'7"	29'11"
8'0"	8'0"	8'0"	8'0"	8'0"	8'0"
9'6"	9'6"	11'7"	11'7"	11'7"	11'7"
ST225/	ST225/	ST205/	ST205/	ST205/	ST225/
75R 15(D)	75R 15(D)	75R 15(C)	75R 15(C)	75R 15(C)	75R 15(C)
N/A	40	40	40	40	40
40	40	40/2I	40	40	40
40	40	40	40	40	40
I4	I4	I4	I4	I4	I4
60"x80" Queen	60"x80" Queen	60"x75" Queen	60"x75" Queen	60"x75" Queen	60"x75" Queen
29"x76" Bunks	29"x76" Bunks				29"x72" Bunks
32"x75" Twin	32"x75" Twin			32"x75" Twin	



- ¹ All dry weights are based on standard model features and do not include optional features or equipment.
 - ² Carrying Capacity is determined by subtracting Gross Dry Weight from GVWR. Carrying Capacity includes all fluids, optional equipment and personal cargo.
 - ³ Trailer length includes 3'6" for hitch, 5th wheel includes pin box.
 - ⁴ Add 12" if equipped with optional roof air conditioner.
 - ⁵ Approximate gallons.
 - ⁶ Add 3" for awning.
- N/A = Not available at time of printing.

1999 WILDERNESS STANDARD FEATURES

Travel Trailers & Fifth Wheels

Exterior

Gloss Exterior Metal Finish
Construction Steel Channel or Paco I-Beam, Cambered Chassis
Tandem Axle w/4 Wheel Electric Brakes
Radial Ply Tires w/White Spoke Wheels
Rear Bumper w/Sewer Hose Carrier
Retractable Non-Skid Entry Step
Locking, Insulated Luggage Doors w/Finger Pulls
Front Radiused Rockguard Awning (Travel Trailers)
One-Piece Seamless Roof
Radius Roof Truss Rafters
Blanket Fiberglass Insulation
30" Wide Main Entry Door w/Window
Flush Combo Entry Latch/Dead Bolt Lock
Reinforced Screen Door w/Lock Shield & Kick Panel
Radiused Slider and Torque Windows
LPG Tank Cover (Travel Trailers)
Skylight Roof Vents
Hitch Light
Wall-Switched Doorside Patio Light
Welded Dual Battery Rack (Travel Trailers)
Waste Tank Single Point Termination Valve
Sonic-Welded, Automotive-Style Clearance Lights
G.F.I. Protected 120V Duplex Receptacle
A&E Patio Awning

Interior

Quality Furniture by Flexsteel®
Color-Coordinated Designer Interiors
Oak Raised Panel Cabinet Doors
Face Frame Cabinet Construction

Overhead Dinette Storage Cabinet (Select Models)
Box-Wrapped Valance Window Treatment
Comfortable Innerspring Mattresses
Decor-Coordinated Bedspread
Miniblinds Throughout (Except Bunks)

Galley

Double Bowl Stainless Steel Sink
High Pressure Laminate Countertop
Overhead Cabinet Microwave Oven
Overhead Storage Cabinet Above Sink
Pantry Cabinet (Most Models)
120V Appliance Receptacle at Countertop

Bath

Large Lavy Bowl
Medicine Cabinet w/Mirrored Oak Door
Fresh Water Flush Toilet
One-Piece ABS Tub Walls
12V Power Roof Exhaust Vent
Shower Curtain
G.F.I. Protected 120V Duplex Receptacle
Wall-Switched Ceiling Light

Appliances/Equipment

Dometic® Double Door LP/Electric Refrigerator
Magic Chef® 3-Burner, High-Output Range w/Oven
Range Hood w/12V Light and Exhaust Fan
Wall-Mounted Systems Monitor Panel
Water Heater Bypass
hydroflame® Forced Air, D.S.I. Furnace w/Thermostat
In-Floor Rigid Heat Ducting
In-Ceiling Rigid Air Conditioning Ducting

Dual 7 Gallon LPG Tanks w/Regulator & Auto-Changeover
Smoke Detector
Fire Extinguisher
Freeze-Resistant Water Lines
LPG Leak Detector

Electrical

Electronic Converter w/Built-in Battery Charger
120V Central Electrical Panel
120V Duplex Receptacles Throughout
120V Ground Fault Circuit Protection
120V Patio Receptacle
Wall-Switched Interior Lights

TV Antenna

Prewired for Roof Air Conditioner

AM/FM Cassette Stereo

Cable TV Hook-Up

Wilderness Popular Options


Living Room/Bedroom Carpet
Coleman® Ducted Central Air Conditioning
Exterior Shower
Safety Glass Windows
Foot Pedal Toilet
Free-Standing Swivel Rocker
120V/LP Fast Recovery Water Heater
Spare Tire
Radius Luggage Doors
Radius Entry Door

Not all models include all features. See your dealer for complete details.


1999 WILDERNESS GL FLOOR PLANS



26H




27F
NEW!




29S




26T



29B



31G




▲ = Exterior Storage

Some models may not be available from all manufacturing plants. Floor plans are subject to change during the model year. Contact your dealer for complete details.


1999 WILDERNESS GL FLOOR PLANS



33P




27 5J
fifth wheel



26 5E
fifth wheel



37W



30 5G
fifth wheel



1999 WILDERNESS GL FLOOR PLANS




30 5X
fifth wheel




32 5Z
fifth wheel



31 5R
fifth wheel



34 5B
fifth wheel



▲ = Exterior Storage

Some models may not be available from all manufacturing plants. Floor plans are subject to change during the model year. Contact your dealer for complete details.

1999 WILDERNESS GL SPECIFICATIONS

Travel Trailers & Fifth Wheels

WILDERNESS GL MODELS	26H	26T	27F	29B	29S	31G	33P	37W
GVWR (Gross Vehicle Weight Rating)	8,300	7,300	8,600	8,800	8,000	9,200	9,700	10,700
Gross Dry Weight ¹	6,180	5,200	6,430	6,610	5,830	6,780	7,200	7,810
Carrying Capacity ²	2,120	2,100	2,170	2,190	2,170	2,420	2,500	2,890
Hitch Dry Weight ¹	670	660	885	940	630	890	940	1,110
Dry Axle Weight	5,570	4,540	5,543	5,670	5,200	5,890	6,260	6,700
Length	27'8" ³	28'2" ³	28'11"	30'2"	31'0" ³	31'10" ³	34'3" ³	38'4" ³
Width	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"
Height ⁴	9'6"	9'0"	9'6"	9'6"	9'0"	9'6"	9'6"	9'6"
Tires – Size (Radials)	ST225/ 75R 15(C)	ST205/ 75R 15(C)	ST225/ 75R 15(C)	ST225/ 75R 15(C)	ST225/ 75R 15(C)	ST225/ 75R 15(C)	ST225/ 75R 15(D)	ST205/ 75R 15(D)
Fresh Water Tank ⁵ – gal.	40	40	40	40	40	40	40	40
Gray Water Holding Tank ⁵ – gal.	40	40	40	40/21	40	40	40/21	40
Black Water Holding Tank ⁵ – gal.	40	40	40	40	40	40	40	40
LPG Capacity – gal.	14	14	14	14	14	14	14	14
Bed Size – Standard	60"x75" Queen	60"x75" Queen	60"x75" Queen	60"x75" Queen	60"x75" Queen	60"x75" Queen	60"x75" Queen	60"x80" Queen
					29"x76" Bunks	29"x76" Bunks		29"x76" Bunks
Bed Size – Option	32"x75" Twin	32"x75" Twin			32"x75" Twin			32"x75" Twin

26 5E	27 5J	30 5G	30 5X	31 5R	32 5Z	34 5B
9,000	9,000	10,900	10,800	11,400	12,400	13,500
6,730 ⁶	6,850	7,945	7,860 ⁶	8,550 ⁶	8,800 ⁶	9,650 ⁶
2,270	2,150	2,955	2,940	2,850	3,600	3,580
1,200	1,130	1,550	1,550	1,860	1,700	1,930
5,530	5,720	6,395	6,310	6,690	7,100	7,720
27'1"	27'10"	31'1"	31'4"	33'0"	32'7"	35'5"
8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"
11'0"	11'7"	11'5"	11'5"	11'8"	11'7"	11'9"
ST225/ 75R 15(C)	ST225/ 75R 15(C)	ST225/ 75R 15(D)	ST225/ 75R 15(C)	ST225/ 75R 15(D)	ST225/ 75R 15(D)	ST235/ 85R 16(E)
50	40	50	50	40	50	50
40/2I	40/2I	40	40/2I	40	40/30	40/2I
40	40	40	40	40	40	40
I4	I4	I4	I4	I4	I4	I4
60"x80" Queen	60"x75" Queen	60"x80" Queen	60"x80" Queen	60"x75" Queen	60"x80" Queen	60"x75" Queen
32"x75" Twin	32"x75" Twin	32"x75" Twin	32"x75" Twin	60"x80" Queen	32"x75" Twin	32"x75" Twin



- ¹ All dry weights are based on standard model features and do not include optional features or equipment.
- ² Carrying Capacity is determined by subtracting Gross Dry Weight from GVWR. Carrying Capacity includes all fluids, optional equipment and personal cargo.
- ³ Includes 3'6" for hitch.
- ⁴ Add 12" if equipped with optional roof air conditioner.
- ⁵ Approximate gallons.
- ⁶ Add 400 lbs. for optional bedroom slide-out.

1999 WILDERNESS GL STANDARD FEATURES

Travel Trailers & Fifth Wheels

Exterior

Smooth Fiberglass Sidewalls
Prewired for DSS Satellite
Construction Steel Channel, or I-Beam Cambered Chassis
Tandem Axle w/4 Wheel Electric Brakes
Radial Ply Tires w/ White Spoke Wheels
Powder Coated Rear Bumper w/ Sewer Hose Carrier
Retractable Non-Skid Double or Triple Entry Step
Radius Locking, Insulated Luggage Doors w/ Finger Pulls
Front Radiused Rockguard Awning (Travel Trailers)
One-Piece Seamless Rubber Roof
Engineered Radius Roof Truss Rafters
R-7 Blanket Fiberglass Insulation
30" Wide Main Entry Door w/ Window
Flush Combo Entry Latch/Dead Bolt Lock
Reinforced Screen Door w/ Lock Shield & Kick Panel
Smoke Tint White Framed Compression Style Windows
LPG Tank Cover (Travel Trailers)
Skylight Roof Vents
A&E Patio Awning
Convenience Lighting - Hitch and Roadside Utility
Wall-Switched, Doorside Patio Light
Welded, Dual Battery Rack (Travel Trailers)
Waste Tank Single Point Termination Valve
Sonic-Welded, Automotive-Style Clearance Lights
G.F.I. Protected 120V Duplex Receptacle

Interior

Quality Furniture by Flexsteel®
Color-Coordinated Designer Interiors
Oak Frame Cabinet Doors w/ Oak Raised Inserts
Face Frame Cabinet Construction
Overhead Dinette Storage Cabinet (Select Models)

Box-Wrapped Valance Window Treatment w/ Curtain End Panels
Living Area & Bedroom Carpet w/ Foam Padding
Comfortable Innerspring Mattresses
Decor-Coordinated Bedspread w/ Reversible Sham
Wall-Mounted 120V Decor Lights
Wainscot Molding
Miniblinds Throughout
Curtains in Bunk Areas

Galley

Double Bowl Porcelain Sink
Single Lever Residential Faucet
High Pressure Laminate Countertop
Overhead Storage Cabinet Above Sink
Pantry Cabinet w/ Removable Shelves (Most Models)
120V Appliance Receptacle at Countertop
Spice Shelf
Large Pot/Pan Drawer (Most Models)
Knife Block

Bath

Large Lavy Bowl
Medicine Cabinet w/ Mirrored Oak Door
Foot Operated Fresh Water Flush Toilet
One-Piece ABS Tub Walls
12V Power Roof Exhaust Vent
Shower Curtain w/ Tie Back
G.F.I. Protected 120V Duplex Receptacle
Wall-Switched Ceiling Light
Skylight in Tub/Shower

Appliances/Equipment

Electronic Microwave Oven w/ Turntable
Dometic® Double Door LP/Electric Refrigerator
Magic Chef® 3-Burner, High-Output Range w/ Oven

Range Hood w/12V Light and Exhaust Fan
Wall-Mounted Systems Monitor Panel
LP/D.S.I. Fast Recovery Water Heater, 6 Gal.
Water Heater Bypass
hydroflame® Forced Air, D.S.I. Furnace w/ Thermostat
In-Floor Rigid Heat Ducting
In-Ceiling Rigid Air Conditioning Ducting
Dual 7 Gallon LPG Tanks w/ Regulator & Auto-Changeover
Smoke Detector
Fire Extinguisher
TV Antenna
Freeze-Resistant Water Lines
LPG Leak Detector

Electrical


Electronic Converter w/ Built-in Battery Charger
120V Central Electrical Panel
120V Duplex Receptacles Throughout
120V Ground Fault Circuit Protection
120V Patio Receptacle
Wall-Switched Interior Lights
Prewired for Roof Air Conditioner
AM/FM Cassette Stereo
Cable TV Hook-Up
12V Power Jack (Fifth Wheels Only)

Wilderness Popular Options


Coleman® Central Air Conditioning (Duct is Standard)
Free-Standing Swivel Rocker
Plank Flooring
120V/LP/D.S.I. Fast Recovery Water Heater
Spare Tire
AM/FM CD Player
Not all models include all features. See your dealer for complete details.

ALL NEW MODELS!


34 5B
fifth wheel



35 5Y
fifth wheel



34 5L
fifth wheel



▲ = Exterior Storage

Some models may not be available from all manufacturing plants. Floor plans are subject to change during the model year. Contact your dealer for complete details.

1999 WILDERNESS GLX SPECIFICATIONS

Travel Trailers & Fifth Wheels

WILDERNESS GLX MODELS	34 5B	34 5L	35 5Y
GVWR (Gross Vehicle Weight Rating)	13,400	13,600	13,500
Gross Dry Weight ¹	10,350	10,550	10,430
Carrying Capacity ²	3,050	3,050	3,070
Hitch Dry Weight ¹	2,190	2,030	2,160
Dry Axle Weight	8,160	8,520	8,270
Length	35'11"	35'10"	36'2"
Width	8'0"	8'0"	8'0"
Height ³	12'6"	12'6"	12'6"
Tires – Size (Radials)	LT235/85R 16(E)	LT235/85R 16(E)	LT235/85R 16(E)
Fresh Water Tank ⁴ – gal.	60	60	60
Gray Water Holding Tank ⁴ – gal.	40/21	40	40
Black Water Holding Tank ⁴ – gal.	40	40	40
LPG Capacity – gal.	14	14	14
Bed Size – Standard	60"x80" Queen	60"x80" Queen	60"x80" Queen

¹ All dry weights are based on standard model features and do not include optional features or equipment.

² To determine carrying capacity, subtract Gross Dry Weight from GVWR. Carrying capacity includes all fluid, optional equipment and personal cargo.

³ Add 12" if equipped with optional air conditioner.

⁴ All liquid capacities are approximate.

⁵ Includes 3'6" for hitch.

N/A = Not available at time of printing.

1999 WILDERNESS GLX STANDARD FEATURES

Travel Trailers & Fifth Wheels

Exterior

Smooth Fiberglass Exterior Sidewalls
Fiberglass Front Cap
Aluminum Frame Construction
Tufcap® Fiberglass Rear
Dual Battery Compartment (Enclosed)
Integrated Tail Lights
One-Piece Rubber Roof
Blanket Fiberglass Insulation
30" Wide RADIUS Main Entry Door
Flush Mount, Combo Entry Latch/Dead Bolt Lock
Potable Water Fill
Convenience Lighting – Hitch/LP Tanks/Roadside
High-Strength Welded Paco I-Beam, Cambered Chassis
Exterior Shower
Radial Ply Tires w/ White Spoke Wheels
Polyethylene Wheel Well Skirts
Non-Skid, Retractable, Triple Entry Steps
Locking, Insulated, Radiused Luggage Doors w/ Finger Pulls
Tandem Axle w/4 Wheel Electric Brakes
Large, Solar-Reflective White Framed Radiused Windows
(Torque & Slider)
12V Power Jack (Fifth Wheels Only)
Roof Rack and Ladder
Shock Absorbers
In-Chassis Spare Tire Carrier
Pass Through Exterior Storage
Large Super Slide-Out Living Area
Bedroom Slide-Out w/ Vanity (Some Models)
Fully Enclosed, Heated Holding Tanks w/ Remote Valve
Power Landing Gear
A&E Patio Awning

Interior

2 Color-Coordinated Decors
Full Face Frame Cabinetry
Oak Framed Cabinet Doors w/ Oak Raised Inserts

Deluxe Carpet w/ Foam Pad in Living Room and Bedroom
Upgraded Innerspring Mattress
Bed Top Lift Mechanism to Storage Area (Queen & Double Beds)
Oak Dinette Table w/4 Chairs
Quality Flexsteel® Sleeper Sofa
Free-Standing Lounge Recliner (2)
Decor Wall Border w/ Wainscot Molding
Color-Coordinated Bedspread w/ Pillow Shams
120V Wall Mount Decor Lights in Living Area
120V Ceiling Light at Dinette
Designer Window Treatments
Color-Coordinated Miniblinds
Adjustable Reading Lights Over Beds
Magazine Rack
Knife Rack
Plank Wood Flooring in Entry

Appliances/Equipment

Large Dometic® Double Door LP/Elect. Refrigerator
Raised Panel Refer Insert
Deluxe Sealed 3-Burner, High-Output Range w/ Oven
Range Hood w/ Light and Exhaust Fan
Wall-Mounted Systems Monitor Panel
LP/120V D.S.I. Water Heater – 10 Gal.
hydroflame® D.S.I. Furnace w/ Thermostat
In-Floor Rigid Heat Ducting
In-Ceiling Rigid Air Conditioning Ducting
Deluxe Residential AM/FM Stereo CD Player w/ 4 Speakers
Park Cable TV Hook-Up Connection
Dual 7 Gal. LPG Tanks w/ Sight Gauge & Auto-Changeover
Electronic Microwave Oven w/ Turntable
Smoke Detector
Fire Extinguisher
TV Antenna
Satellite Dish Ready
Phone Jack
Washer/Dryer Ready (Most Models)

Galley

Double Bowl White Porcelain Sink w/ Cutting Board Cover
Upgrade High Rise Dual Handle Faucet
High Pressure Laminate Countertop
Spice Tray
Plank Wood Flooring
Knife Block

Bath

Large Medicine Cabinet w/ Mirrored Door
One-Piece ABS Tub/Shower Walls
Glass Tub Enclosure
Bath Skylight
12V Power Roof Exhaust Vent
Fresh Water, Foot-Operated Flush Toilet
Wall-Switched Ceiling Light
3-Bulb Vanity Light

Electrical

40 Amp, 12V All Electronic Converter w/ Battery Charger
120V Central Electrical Panel
120V Receptacles Throughout
120V Ground Fault Circuit Protection
120V Patio Receptacle
Wall-Switched Interior Lights
Reading Lights
Fluorescent Lights (Galley & Bedroom)
Electric Slide-Outs

Popular Options



Coleman® Central Air Conditioning (Duct is Standard)
Generator Ready
Slide-Out Topper Awning
Double Insulation In-Ceiling and Floor
Full Entertainment Center w/ TV, VCR & CD Player w/ Changer
Day/Night Shades Throughout
Smooth High Gloss Gel Coat Fiberglass Exterior Sidewalls

Not all models include all features. See your dealer for complete details.


FLEETWOOD RV



1999 SPORT UTILITY TRAILER FLOOR PLANS & SPECIFICATIONS



33 5G
fifth wheel



⇒ = Fold Down Rear Door.

Some models may not be available from all manufacturing plants. Floor plans are subject to change during the model year. Contact your dealer for complete details.

WILDERNESS SUT MODELS

	24B	26A	33 5G
GVWR (Gross Vehicle Weight Rating)	9,500	9,600	11,600
Gross Dry Weight ¹	6,010	6,150	7,480
Carrying Capacity (Dry)	3,490	3,450	4,120
Hitch Dry Weight ¹	820	920	1,850
Dry Axle Weight	5,190	5,230	5,630
Overall Length ²	27'11"	29'7"	33'7"
Body Length	24'6"	26'2"	33'7"
Width	8'5"	8'5"	8'5"
Height	10'9"	10'9"	11'1"
Frame Clearance	18"	18"	18"
Tires – Size (Radials)	ST225/75R 15(C)	ST225/75R 15(C)	ST225/75R 15(D)
Fresh Water Tank – gal.	50	50	50
Gray Water Holding Tank – gal.	40	40	40
Black Water Holding Tank – gal.	40	40	40
Appliance LPG Capacity – gal.	14	14	14
Bed Size – Standard	76"x38" Dinette/Sleeper	78"x49" Dbl.	80"x60" Queen
		76"x38" Dinette/Sleeper	76"x38" Dinette/Sleeper
	93"x60" Queen Loft	93"x60" Queen Loft	93"x60" Queen Loft

¹ All dry weights are based on standard model features and do not include optional features or equipment.

² Includes 2'6" for hitch.² Includes 2'6" for hitch.

1999 WILDERNESS SPORT UTILITY TRAILER STANDARD FEATURES

EXTERIOR

Gloss Exterior Metal Finish
Construction Steel Channel, Cambered Chassis
Tandem Axle w/4 Wheel Electric Brakes
Radial Ply Tires w/ White Spoke Wheels
Retractable Non-Skid Entry Step
Locking, Insulated Luggage Doors w/ Finger Pulls
One-Piece Seamless Roof
Blanket Fiberglass Insulation
24" Wide Entry Door w/ Window
Flush Combo Entry Latch / Dead Bolt Lock
Reinforced Screen Door w/ Lock Shield & Kick Panel
Radiused Slider and Torque Windows
Skylight Roof Vents
Hitch and Roadside Utility Lights
Wall-Switched Doorside and Rear Patio Lights
Welded Dual Battery Rack (AFB Models Only)
Waste Tank Single Point Termination Jack
Sonic-Welded, Automotive-Style Clearance Lights
G.F.I. Protected 120V Duplex Receptacle
Exterior Shower
Large Ramp Door
Roof Rack & Ladder

INTERIOR

Cargo Bay
(8) Load Tie Downs
Color-Coordinated Designer Interiors

Oak Frame Cabinet Doors
Face Frame Cabinet Construction
Overhead Dinette Storage Cabinets
Sock Valances w/ Curtain End Panel
Pullshades and /or Miniblinds Throughout
Comfortable Innerspring Mattress
Separate Sleeping Areas
Queen Size Bed Loft

ELECTRICAL

4.8 KW Generator Ready w/25 Gal. Gas Tank (AFB Models Only)
Electronic Converter w/ Built-In Battery Charger
120V Central Electric Panel
120V Duplex Receptacles Throughout
120V Ground Fault Circuit Protection
120V Patio Receptacle
Wall-Switched Interior Lights

APPLIANCES/EQUIPMENT

Dometic® Double Door LP/Electric Refrigerator
Magic Chef® 3-Burner High Output Range w/ Oven
Range Hood w/12V Light and Exhaust Fan
Wall-Mounted Systems Monitor Panel
hydroflame® Forced Air, D.S.I. Furnace w/ Thermostat
Safety Package: Smoke, LPG Gas, & CO Detectors
Dual 7 Gal. LPG Tanks w/ Regulator & Auto-Changeover
Fire Extinguisher – 10 BC
50 Gallon Fresh Water Tank
Stereo - AM/FM Cassette 12V w/ Speakers

TV Antenna w/ Park Antenna Receptacle

GALLEY

Double Bowl Stainless Steel Sink
High Pressure Laminate Countertop
Overhead Cabinet Microwave Oven
Overhead Storage Cabinet Above Sink
120V Appliance Receptacle at Countertop

BATH

Fresh Water Flush Toilet
12V Power Roof Exhaust Vent
Shower Curtain
G.F.I. Protected 120V Duplex Receptacle


SUT POPULAR OPTIONS

12V Power Jack (AFB Models Only)
Stereo – AM/FM CD 12V w/ Speakers
15 ft. Awning
4.8 KW Generac® Generator
Exterior Flood Lights (Fifth Wheel Only)
A/C 13M BTU
50 Gallon Additional Fresh Water Tank
Spare Radial Tire
Shock Absorbers (Fifth Wheel Only)
Ramp Door w/ Diamond Plate
Ramp Door w/ Non Skid Surface
Screen Partition for Rear Door Opening
Ceiling Fan (Fifth Wheel Only)

Not all models include all features. See your dealer for complete details.



1999 PARK TRAILER FLOOR PLANS & SPECIFICATIONS



Some models may not be available from all manufacturing plants. Floor plans are subject to change during the model year. Contact your dealer for complete details

WILDERNESS PARK TRAILER MODELS	39F	39T	39W
GVWR (Gross Vehicle Weight Rating)	11,000	11,000	10,800
Gross Dry Weight ¹	8,380	8,760	8,440
Hitch Dry Weight ¹	840	970	960
Overall Length ²	39'10"	39'10"	39'10"
Body Length	37'3"	37'3"	37'3"
Width	8'6"	8'6"	8'6"
Height ³	10'2"	10'2"	10'2"
Tires – Size (Radials)	ST225/75R 15	ST225/75R 15	ST225/75R 15
Tire Load Range	D	D	D
Appliance LPG Capacity – gal.	20 (opt.)	20 (opt.)	20 (opt.)
Bed Size – Standard	60"x80" Queen	60"x75" Queen	60"x80" Queen
Bed Size – Option	N/A	N/A	54"x75" Dbl.

¹ All dry weights are based on standard model features and do not include optional features or equipment.

² Includes 2'6" for hitch.

³ Add 12" if equipped with optional roof air conditioner.

1999 WILDERNESS PARK TRAILER STANDARD FEATURES

EXTERIOR

Gloss Exterior Metal Finish
One-Piece Seamless Roof
Skylight Roof Vents
Power Bath Vent
Flush Floor Slide-Out Rooms
Square Verticle Slider Windows
Bay Front Windows
Flush Latch/Dead Bolt on Second or Hinged Entry Door
60"x76" Sliding Glass Patio Door

INTERIOR

Washer/Dryer Ready (F&T Models Only)
Double Bowl Porcelain Galley Sink
Residential Toilet
Miniblinds Throughout
Built-in Spice Shelf
Brass Towel Bar
Glass Shower Doors
ABS Tub Walls
Patio Door Vertical Blind
Sliding, Mirrored Wardrobe Doors
Carpet w/ Foam Pad (Living Room & Bedroom)
Heavy Duty Vinyl Flooring
In-Floor Ducted Heating
A/C Ready w/ In-Ceiling Ducting

Skylight – Bath
Ceiling Fan Ready
Sleeper Sofa
Free Standing Chair (1)
Standard Oak Cabinet Doors

APPLIANCES/EQUIPMENT

15 cu. ft. Residential Magic Chef® Refrigerator
Magic Chef® 4-Burner, Free-Standing Range
Range Hood with Light & Fan
0.9 cu. ft. Electronic Touch Samsung® Microwave w/ Turntable
120V LP Furnace with Thermostat
10 Gal. LP/120V Water Heater
Fire Extinguisher
Smoke Detector
LPG Leak Detector
Phone Jacks
TV Antenna w/ Booster
AM/FM Stereo Cassette w/4 Speakers

ELECTRICAL

50-Amp Electrical Service
120V G.F.I. Receptacles in Galley and Bath
Slide-Out w/ Wall Switched Ceiling Lights and Decor Lights
Cable TV Hook-Up
TV Antenna
Patio Light & Exterior G.F.I. Receptacle

Dinette Hanging Lamp
Pre-wired for Digital Satellite System

PARK TRAILER POPULAR OPTIONS

Stabilizing Jacks
Awning
Exterior Shower
Marine Toilet w/ Holding Tanks
Dual 10 Gallon LP Tanks
Platform or Retractable Entry Step
Ice Maker
Washer/Dryer (F&T Models Only)
19 Gallon Electric Water Heater
30-Amp Electrical Service
Safety Glass Windows
Storm Windows
Thermopane Patio Door
Plank Flooring
Ceiling Fan(s)
Air Conditioner – 15M BTU
Lounge Recliner
Coffee Table
AM/FM CD Stereo w/4 Speakers
Crank Out Slide-Out
Raised Floor Slide-Outs

Not all models include all features. See your dealer for complete details.



Genuine Customer Support

Fleetwood is committed in every way to making your Wilderness the best RV you've ever owned, starting with a quality RV, then treating you as a valued customer. Wilderness owners look forward to:

New 2 Year Full Warranty

Fleetwood's comprehensive 2 year full warranty and service program, OwnerCare, means Fleetwood is committed to total customer satisfaction. It's one of the most comprehensive warranty and service programs in the industry. It provides total coverage on the construction, systems and appliances in your RV, with no deductible and no service charge.

Park trailer has full one year warranty. See dealer for details.

Excellent Customer Satisfaction

According to an ongoing independent survey by a nationally known research firm, more than nine out of 10 Fleetwood RV owners would recommend Fleetwood to their friends and relatives. We are dedicated to the most comprehensive Quality Control Program in the industry. We will even contact you after you've purchased to make sure you're completely satisfied.

24-hours-a-day Roadside Assistance

When you purchase a new 1999 Wilderness Travel Trailer or Fifth Wheel, you'll receive free RV Emergency Road Service for one year. You can call any time, 24-hours-a-day, and receive free towing, lockout assistance or help changing a flat tire. Complimentary roadside assistance is just one more reason why you can be sure your vacation is filled with more fun and less hassles, whether you're traveling through the US or Canada. Ask your Fleetwood dealer for all the details.



The Fleetwood RV Racing Story

Fleetwood RV is a proud sponsor of Winston Cup driver Dale Jarrett and Robert Yates Racing. It's a winning combination that makes it easier than ever to capture all the excitement of racing. As the Official Recreational Vehicle of California Speedway, Daytona

International Speedway, Phoenix International Raceway and Talladega Superspeedway, look for Fleetwood RV at these tracks to enhance your RV experience on race day.

IMPORTANT – PLEASE READ:

Product information included in this brochure was as accurate as possible at the time of publication. Subsequent refinements may be evident in the actual product. Prices and specifications are subject to change without notice. All liquid capacities are approximate and dimensions are nominal. Some models may not be available from all manufacturing plants. Floor plans are subject to change during the model year. Contact your dealer for complete details.

© 1998 Fleetwood Enterprises, Inc.
Litho in USA
12/98
Second Edition
Inventory Control No. 529902

Fleetwood Enterprises, Inc.
P.O. Box 2875
Van Nuys, CA 91404-2875

Dear Friend,



Here at Fleetwood RV, we have more than 200 people working on research and development. But we get our best ideas when we hit the road in our recreational vehicles. Talking to people like you and noticing for ourselves little ways to make RVing more comfortable, more convenient and more fun.

If I had two pieces of free advice to give a friend in the market for a recreational vehicle, the first would be to get a Fleetwood RV. Not because we need to sell one more. Heck, we sell more than anyone else. But because I know we build the best product out there for the money.

Second, really think about your dealer. He has to be someone you trust for advice, service and accessories. Only the best get to be Fleetwood dealers in the first place. Then we work with them to continually improve customer satisfaction. That's why nine out of 10 owners would recommend their Fleetwood RV to a friend, and nine out of 10 would also recommend their Fleetwood RV dealer.

I hope that helps. And I also hope I see you out there, somewhere in this beautiful world, enjoying your new Fleetwood RV while I'm out there doing the same.

Sincerely,

John C. Crean

Chairman Emeritus and Founder
Fleetwood Enterprises, Inc.

Your local Wilderness dealer is:

If your local dealer is not indicated, write to the address below,
call us toll-free 24-hours-a-day at

1-800-444-4905

or visit our website at www.fleetwood.com

