



THE OFFICIAL LUXURY COACH OF THE AMERICAN ROAD


2009 AMERICAN EAGLE

FLOOR PLANS


AMERICAN EAGLE














Not all available options are shown. See your American Coach dealer or visit our website at www.AmericanCoach.com to see all available options. Seatbelt configuration may vary depending on options chosen.

FEATURES - INTERIOR

GENERAL AMENITIES

- Decorative Wood Window Treatments
- Solid Wood Face Framed Cabinetry
- Decorative Ceiling and Air Plenum
- Polished Porcelain Tile Floor w/Décor Accents at Entry, Galley
- Fan-Tastic® Fan Rain Sensor Vents (3)
- Interior Multi-Plex Switches
- Mystera Solid Surface Window Shelves

DRIVER CONVENIENCE

- Navion®/R5000 Information and Entertainment Center: AM, FM, Single CD, MP3, Camera Monitor w/One Way Audio
- Dash Storage with Corian® Top
- 6-Way Power Driver Seat (Leather)
- 6-Way Power Passenger Seat (Leather)
- Sirius® Satellite Radio (6 Month Subscription)
- Smart Wheel w/Leather and Burl Wood Trim
- Top Mounted Intermittent Windshield Wiper System w/Wet Arm
- Power Driver Window

CHASSIS/ENGINE

(w/425 HP Engines)

(w/500 HP Engines)

Aluminum Wheels

- · One-Piece Windshield Bonded to Steel
- Denso® Dash Climate Control System

FEATURES - EXTERIOR

· Liberty Chassis w/E-Coated Platform

Cummins ISL 425HP (42' Models)

• Independent Front Suspension

· Chassis Filter Service Center

• Trailer Hitch Receiver 15,000 #

• Spartan® MMGT, Modular Chassis System w/

• Spartan® K2, Modular Chassis System w/

Cummins ISM 500HP (42' & 45' Models)

• Allison® 3000 MH, 6-Speed Transmission

Allison® 4000 MH, 6-Speed Transmission

• 315/80R LRH 22.5" Michelin Radial Tires

Adjustable Brake and Throttle Pedals

- Low Profile Automotive Style Dash
- Keyless Entry Door Access w/Key Fob
- "Day/Night" Double roller Power Shades

LIVING ROOM

- Electric Step Well Cover
- Centralized Command Center
- Automatic Generator Start System
- 30" Deep Living Room Slides (Select Models)

GALLEY

- Mystera Solid Surface Countertop "Non Drip" Edge Treatment
- Solid Surface Double Bowl Galley Sink
- Kohler Brand Faucet Hardware Galley
- Tile and Glass Tile Backsplash w/Decorative Inserts
- Solid Hardwood Drawer Fronts
- · Roller Bearing Drawer Guides, Full Extension

BEDROOM

- Recessed Bedroom Ceiling Fan
- 30" Deep Bedroom Slides
- Queen Innerspring Pillow Top Mattress
- Full Length Rear Wardrobe
- One-Piece Fiberglass Roof
- Tuff-PEX Plumbing System

GENERAL AMENITIES

- Diamond Shield Protective Front Mask
- 2800-Watt Pure Sine Wave Inverter/Charger
- (4) Absorbed Glass Mat 6-Volt Batteries
- Electrical System Protection
- Chrome "Bus Style" Heated Mirrors w/Integrated Side View Cameras
- Sensa Tank Level Monitoring System
- Power Cord Reel, 50 AMP
- · Full Width Rear Rock Guard
- Solar Charging Panel (63w)
- Power Luggage Door Locks w/Key Fob
- Keyless Entry Touch Pad/Entry Handle
- Power Double Entry Step "Bus Style"
- Multi-Plex Power Management Plus

APPLIANCES

 Onan® 10.0kW Ouiet Diesel Generator WINDOWS/AWNINGS/DOORS

- 30" Avionics Front Entry Door w/Air Latches
- Tinted Windows with Screens
- Power Entry Door Awning
- Roof Mounted Girard Patio Awnings, Door Side

BATHROOM

- Polished Mystera Solid Surface Lavvy Countertop w/Solid Surface Sink
- Kohler Faucet Hardware
- Tile and Glass Tile Backsplash w/Decorative
- Mystera Solid Surface Shower Base and Walls
- · Clear Glass Decorative Shower Enclosure
- · Residential China Bowl Flush Toilet
- Residential China Bowl Vacuum Flush Toilet (Rear Bath, Select Models)

FURNITURE

- Exclusive Design, Villa Furniture
- Polished Mystera Solid Surface Extending Dinette Table, 2 Decorative Chairs, 2 Folding Chairs
- Extra Deep Dinette with Base Cabinet Storage, Laptop Tray and Plug-ins

APPLIANCES

GENERAL

Vented Washer/Dryer

BEDROOM

- Sony® 26" LCD HDTV
- Bose® 3-2-1 Home Theater System

GALLEY

• Direct TV® HD, Digital Satellite Receiver

- GE Advantium® Convection Microwave Oven
- Norcold® 12 cu. ft. 4 Door Refrigerator

LIVING ROOM

- Sony® 40" LCD HDTV (42C, 45H)
- Sony® 32" LCD HDTV
- Direct TV® HD, Digital Satellite Receiver
- TracVision® R5 Series "In Motion" HD-DSS
- Bose® Lifestyle 18 Home Entertainment System

HEATING/PLUMBING

- Agua Hot Hydronic Heating System
- Three 15.0M Low Profile Roof Air Conditioners
- · Heat Pump on Rear AC Unit

SAFFTY

- Smoke Detector/Alarm
- Carbon (CO) Monoxide Detector/Alarm
- Fire Extinguisher
- Propane (LP) Leak Detector/Alarm
- Momentary Courtesy Lighting at Entry
- Lighted Exterior Grab Handle w/Logo

OPTIONS - INTERIOR

- Stacked Washer/Dryer (Select Models)
- Sony® 32" LCD HDTV (Bedroom)
- Dometic® 14 cu. ft., Side Wise Refrigerator
- Residential Refrigerator, 20 Cu. Ft w/Icemaker
- Dishwasher w/Wood Cabinet Front
- Central Vacuum System w/Accessory Kit
- Sony® 32" LCD HDTV (42P)
- Sony® 40" LCD HDTV (Standard 42C, 45H)
- Digital Video Recorder
- Sony® Passenger GPS Monitor
- Pressure Pro®, Tire Pressure Monitor
- Garmin® Navigation System
- Dinette Face to Face Leather Wrap Around Ensemble (Villa)
- · Heated Full Tile Floor
- · Premium Glaze Wood Finish
- Custom Interior Request
- King Bed with Pillow Top
- Select Comfort Queen Air Mattress
- Select Comfort King Air Mattress
- Full Tile Flooring w/Area Rugs
- Canadian Standards Build (Select Models)
- Factory V.I.P. Delivery
- Washer/Dryer Ready (Deletes Washer/Dryer)
- Recessed Electric Cooktop
- 3 Burner Range with Oven

- Leather Sofa Sleeper w/ Air Mattress (Door
- Girard Auto-Valance Shade Management System
- All Electric Coach
- In Sink-Erator Hot/Cold Water Dispenser
- Distressed Finish Accent Cabinet

OPTIONS - EXTERIOR

- Exterior Spotlight
- Exterior Entertainment Center with Easy Swing Arm
- 2000-Watt Pure Sine Inverter / Charger, (4) **AGM Batteries**
- 4 Girard Awnings Package (Select Models)
- Automatic 4-Point Dual Leveling, Air and Hvdraulic
- · Power Water Hose Reel
- Power Cord Remote (Kev FOB)
- 1st Full Bay 90" Slide Tray
- 1st Full Bay 36" and 54" Slide Tray
- 2nd Full Bay 90" Slide Tray
- 2nd Full Bay 36" and 54" Slide Tray
- 2nd Full Bay 54" Slide Tray w/Aqua Hot System
- Waste Management System (Macerator)
- Norcold 100# Capacity Freezer
- 2 Exterior Graphic Design Choices

CONSTRUCTION

• Electro-Coated Heavy Duty Steel Framing • Aluminum Framed Wall Construction

• Automatic 4-Point Hydraulic Leveling System

- Interlocking Aluminum Framing Connections Vacu-bond® Walls, Roof and Floor
- 5 Layer Flooring with 3" Insulation
- 6 Layer Roof with 5 1/4" Bead Foam Insulation (at Centerline)
- DuPont® Automotive Paint (Cut and Buff)

| WEIGHTS | 42C | 42F | 42P | 45D | 45E | 45H |
|--|-----------|-----------|-----------|-----------|-----------|-----------|
| GVWR (lbs) ¹ | 46,600 | 46,600 | 46,600 | 46,600 | 46,600 | 46,600 |
| Front GAWR (lbs) ² | 16,600 | 16,600 | 16,600 | 16,600 | 16,600 | 16,600 |
| Rear GAWR (Ibs) ² | 20,000 | 20,000 | 20,000 | 20,000 | 20,000 | 20,000 |
| Tag Axle GAWR (lbs) ² | 10,000 | 10,000 | 10,000 | 10,000 | 10,000 | 10,000 |
| GCWR (lbs) ³ | 61,600 | 61,600 | 61,600 | 61,600 | 61,600 | 61,600 |
| Hitch Rating Weight (lbs)† | 15,000 | 15,000 | 15,000 | 15,000 | 15,000 | 15,000 |
| Tongue Weight (lbs)† | 1,500 | 1,500 | 1,500 | 1,500 | 1,500 | 1,500 |
| DIMENSIONS AND CAPACITIES | | | | | | |
| Wheelbase | 302" | 302" | 302" | 304" | 304" | 304" |
| Overall Length ⁴ | 42' 11.5" | 42' 11.5" | 42' 11.5" | 44' 11.5" | 44' 11.5" | 44' 11.5" |
| Overall Height (w/ Sat Dome) | 13' 21/4" | 13' 21/4" | 13' 21/4" | 13' 21/4" | 13' 21/4" | 13' 21/4" |
| Overall Width (maximum) ^{5,6} | 102" | 102" | 102" | 102" | 102" | 102" |
| Interior Height (maximum) | 84" | 84" | 84" | 84" | 84" | 84" |
| Interior Width (maximum) | 96" | 96" | 96" | 96" | 96" | 96" |
| Fresh Water Holding Tank (gal) | 90 | 120 | 90 | 90 | 90 | 90 |
| Grey Water Holding Tank (gal) | 70 | 70 | 70 | 100 | 100 | 100 |
| Black Water Holding Tank (gal) | 40 | 40 | 40 | 60 | 60 | 60 |
| Appliance Propane Tank (gal) (WC) ⁷ | 30.6 | 38 | 30.6 | 30.6 | 30.6 | 30.6 |
| Fuel Capacity (gal) | 150 | 150 | 150 | 150 | 150 | 150 |
| Std. Girard Patio Awnings Front/Rear | 18' / 16' | 18' / 16' | 18' / 16' | 18' / 18' | 18' / 18' | 18' / 18' |
| Opt. Girard Driver Side Awnings Front/Rear | N/A | N/A | N/A | 18' / 18' | 18' / 18' | 18' / 18' |
| | | | | | | |

Liquid Weight Reference: Water (gal) = (8.3 lbs/3.8 kgs) Fuel (gal) = (7.1 lbs/3.2 kgs) Propane (gal) = (4.2 lbs/1.9 kgs) **Metric Conversion:** Multiply pounds x 0.453 to obtain kilograms. Multiply gallons x 3.785 to obtain liters. Multiply liters x 61 to obtain cubic inches.

- 1. GVWR (Gross Vehicle Weight Rating) is the maximum permissible weight of this fully loaded motor home. The GVWR is equal to or greater than the sum of the (UVW) unloaded vehicle weight plus the (OCCC) occupant cargo carrying capacity*.
- GAWR (Gross Axle Weight Rating) is the maximum permissible loaded weight a specific axle is designed to carry.
- 3. GCWR (Gross Combined Weight Rating) is the value specified by the motor home manufacturer as the maximum allowable loaded weight of this motor home with its towed vehicle. Towing and braking capacities may be different. Refer to American Coach and chassis manufacturer's manuals for complete information.
- Length measured from front bumper to rear bumper (excludes accessories).
- 5. Excludes safety equipment and awnings.
- Motor homes feature a body-width over 96" which will restrict your access to certain roads. Before purchasing, you should research any state and/or province road laws which may affect your usage.
- 7. Tank manufacturer's listed water capacity (WC). Actual propane capacity is 80% of water listing as required by the safety code.

N/A = Not Applicable

- * UVW and OCCC are found on the label containing the federal certification tag in each RV.
- † The chassis manufacturer recommends the installation of a supplemental brake control system to activate the brakes on the vehicle or trailer you are towing. Hitch receiver ratings expressed are maximum for the hitch receiver installed and may require the purchase of additional equipment that is dependant on the weight of the towed load. Consult with hitch receiver manufacturer for further information.

IMPORTANT — PLEASE READ: Product information, photography and illustrations included in this publication were as accurate as possible at the time of printing. For further product information and changes, please visit our website at www.AmericanCoach.com or contact your local American Coach dealer. Prices, materials, design and specifications are subject to change without notice. All weights, fuel, liquid capacities and dimensions are approximate. American Coach has designed its recreational vehicles to provide a variety of uses for its customers. Each vehicle features optimal seating, sleeping, storage and fluid capacities. The user is responsible for selecting the proper combination of loads (i.e. occupants, equipment, fluids, cargo, etc.) to ensure that the vehicle's capacities are not exceeded.

CHASSIS - CUMMINS® 425

Frame: Liberty Chassis
Engine: ISL 425 HP, 8.8L
Torque: 1200 lb-ft @ 1300 RPM

Transmission: Allison® 3000 MH, 6 Speed w/Electronic Shifter

Alternator Amps: 200 Amp, Leece Neville Tires: 315/80R 22.5 Michelin® Radial

©2008. Fleetwood Enterprises, Inc. Printed in the USA. Inventory Control Number AE09F1, 7/08. Model Year 2009, First Edition.

CHASSIS - CUMMINS® 500

Frame: Liberty Chassis
Engine: ISM 500 HP, 10.8L
Torque: 1550 lb-ft @ 1200 RPM

Transmission: Allison® "Gen-4"4000 MH, 6 Speed w/Electronic Shifter

Alternator Amps: 200 Amp, Leece Neville
Tires: 315/80R 22.5 Michelin® Radial



THE OFFICIAL LUXURY COACH OF THE AMERICAN ROAD

For more information, visit us at www.AmericanCoach.com or call us toll free at 800.854.1344