

motorcoach

ADMIRAL SE 03

Proven Excellence





36PED in Bahama Beach with Autumn Haze Oak cabinetry.

Kick back and feel the difference.

It's true — there's just something different inside a Holiday Rambler. In the Admiral SE, it all starts with the stunning raised panel wood cabinetry, in your choice of four beautiful finishes. And from there, your eyes land on the plush furnishings, cozy carpeting, and of course, the convenience of the flat-floor slide-out. An arched-back booth dinette with drawers comes standard, or you may choose the optional freestanding dinette with two chairs and two folding chairs, shown at left. (Freestanding dinette standard on 36PED.)

FABRIC CHOICES







GREEN TAPESTRY

WOOD CHOICES



FORD CHASSIS

| TOTAL CITATIONS | | | | | | | | | | |
|---|-----------------------|--------------------|-------------------|----------------------|--------------------|---------------|--------|--------|--------|--------|
| Weight | 29W | 30PDD | 30PBD | 32PBD | 34SBD | 34PBD | 36WDD | 36PBD | 36PED | 36DBD |
| Gross Vehicle Weight Rating (Lbs.) | 18,000 | 20,500 | 20,500 | 20,500 | 22,000 | 22,000 | 22,000 | 22,000 | 22,000 | 22,000 |
| Gross Combined Weight Rating (Lbs.) | 23,000 | 25,500 | 25,500 | 25,500 | 26,000 | 26,000 | 26,000 | 26,000 | 26,000 | 26,000 |
| Front Gross Axle Weight Rating (Lbs.) | 7,000 | 7,000 | 7,000 | 7,000 | 7,500 | 7,500 | 7,500 | 7,500 | 7,500 | 7,500 |
| Rear Gross Axle Weight Rating (Lbs.) | 11,000 | 13,500 | 13,500 | 13,500 | 14,500 | 14,500 | 14,500 | 14,500 | 14,500 | 14,500 |
| WORKHORSE CHASSIS | | | | | | | | | | |
| Weight | | | | | | | | | | |
| Gross Vehicle Weight Rating (Lbs.) | 20,700 | 20,700 | 20,700 | 20,700 | 22,000 | 22,000 | 22,000 | 22,000 | 22,000 | 22,000 |
| Gross Combined Weight Rating (Lbs.) | 25,700 | 25,700 | 25,700 | 25,700 | 26,000 | 26,000 | 26,000 | 26,000 | 26,000 | 26,000 |
| Front Gross Axle Weight Rating (Lbs.) | 7,500 | 7,500 | 7,500 | 7,500 | 8,000 | 8,000 | 8,000 | 8,000 | 8,000 | 8,000 |
| Rear Gross Axle Weight Rating (Lbs.) | 13,500 | 13,500 | 13,500 | 13,500 | 14,500 | 14,500 | 14,500 | 14,500 | 14,500 | 14,500 |
| | | | | | | | | | | |
| Measurements | | | | | | | | | | |
| Wheelbase | 190″ | 190″ | 190″ | 208″ | 228″ | 228" | 238″ | 238″ | 238" | 238″ |
| Overall Length | 29′ 10″ | 30′ 9″ | 30′ 9″ | 33′ 4″ | 34′ 10″ | 34′ 10″ | 36′ 6″ | 36′ 6″ | 36′ 6″ | 36′ 6″ |
| Overall Height | 11′ 8″ | 11′ 8″ | 11′ 8″ | 11′ 8″ | 11′ 8″ | 11′ 8″ | 11′ 8″ | 11′ 8″ | 11′ 8″ | 11′ 8″ |
| Overall Height Workhorse | 11′ 8″ | 11′ 8″ | 11′ 8″ | 11′ 8″ | 12′ 0″ | 12′ 0″ | 12′ 0″ | 12′ 0″ | 12′ 0″ | 12′ 0″ |
| Interior Height | 6′ 6″ | 6′ 6″ | 6′ 6″ | 6′ 6″ | 6′ 6″ | 6′ 6″ | 6′ 6″ | 6′ 6″ | 6′ 6″ | 6′ 6″ |
| Interior Width | 94.5" | 94.5″ | 94.5″ | 94.5″ | 94.5" | 94.5" | 94.5″ | 94.5″ | 94.5" | 94.5" |
| Exterior Width | 100.5" | 100.5″ | 100.5″ | 100.5″ | 100.5″ | 100.5" | 100.5″ | 100.5″ | 100.5″ | 100.5″ |
| | | | | | | | | | | |
| Tank Capacity All Tank Capacities are Approximate | e. Actual "Usable Cap | acity" May Vary as | a Result of Varia | nces in Installation | and Fabrication of | of the Tanks. | | | | |
| Water Heater (Gal.) | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| Gray Tank (Gal.) | 42 | 42 | 42 | 42 | 40 | 42 | 42 | 42 | 42 | 42/39 |
| Black Tank (Gal.) | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42 | 42/39 |
| Fresh Tank (Gal.) | 70 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 55 |
| LP Tank (Gal.)* | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 |
| Fuel Tank (Gal.) | 60 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 |
| | | | | | | | | | | |

 $^{^{\}star}$ Actual Filled LP Capacity is 80% of Listing Due to Safety Shut Off Required on Tank.

Due to the large variety of options and floorplan arrangements available to our customers, actual weights for each unit can differ significantly. Holiday Rambler provides a weight sticker on each unit we produce which includes that unit's tank capacities and approximate weight. Consult your local Holiday Rambler dealer for unit availability and further information.

The information printed in this brochure reflects product design, fabrication, and component parts at the date of printing. The manufacturer reserves the right, at any time, to make changes in product design or material or component specifications as its sole option, without notice. This includes the substitution of components of a different brand or trade name, which will result in comparable performance. All information printed in this brochure is subject to change after the date of printing. Some features shown or mentioned in this brochure are optional and may only be available in selected floorplans. Photographs may show props or decorations that are not standard equipment on Holiday Rambler models. Holiday Rambler, the HR logo and its design, are registered trademarks. All other products and company names are trademarks and/or registered trademarks of their respective holders.

While the color of the motorhome's exterior and the interior fabrics depicted in this sales brochure are fair and reasonable depictions, the colors depicted may not be an exact match of the actual colors because of the variances in photoprocessing and variances caused by inserting the photographs within the sales brochure. Due to product improvements, changes during the model year and/or transcription errors that may occur, information represented within this brochure may not be accurate at the time of your purchase. If certain information is significant to your purchasing decision, please confirm the information with your dealer prior to submitting your order.

Your towed vehicle should be equipped with auxiliary brakes if the weight of the towed vehicle exceeds 1,000 lbs.

BODY CONSTRUCTION

Standard Features

Alumaframe® Superstructure Steel Cage Cockpit Construction Peaked Aluminum Roof with Fiberglass and Foam Insulation Smooth Aluminum Exterior Walls

Front & Rear Molded Fiberglass Cap Aluminum Front Bumper Steel Framed Floor Laminated Structurwood™ Flooring Interior Paneling with 3/4" Insulation Foam Insulation Underbelly with Luaun Backer

One-Piece Engine Cover Power Heated Remote Mirrors Headlamps with Turn Signals Baggage Doors with Integrated Single Handle Latches One-Piece Polyethylene Storage Compartments

Mud Flaps Painted Mask and Skirt with Vinyl Exterior Graphics Rear Ladder

COCKPIT

Standard Features

Fiberglass Automotive Dash CD Player/Radio with Four Speakers Multi-Positioned Sunvisors Rear Vision System Prep

Intermittent Windshield Wipers Tilt Steering Wheel Cruise Control Power Steering Plastic Center Console for Engine Cover with Cup Holder & Snack Tray

Side Cup Holder for Co-Pilot Seat Fabric Pilot & Co-Pilot Recliner Seats Carpet Driver and Passenger Floor Mats Computer Laptop Workstation on Dash

Soft Touch Vinyl Pilot and Co-Pilot Seats Six-Way Power Pilot Seat Six-Way Power Co-Pilot Seat Rear Vision System

CB Prep

Options

AM/FM Cassette (Deletes CD Player)

APPLIANCES AND ACCESSORIES

Range Hood with 12V Fan

Standard Features

Large Double-Door Refrigerator with Black ABS Doors High-Output Three-Burner Cooktop with Flush Mount Range Cover Bi-Fold Range Cover Microwave with Touch Control (N/A: 30PBD, 36PBD) Spacesaver Microwave with Touch Control (30PBD, 36PBD)

(N/A: 30PBD, 36PED) 25" Stereo Color TV with Remote Control in Living Area TV Antenna with Booster with TV Jacks Video Control Box with Dual Hook-Up for DSS and Cable

Cable TV Hook-Up and Telephone Jacks

Large Double-Door Refrigerator with Ice Maker Large Four-Door Refrigerator with Ice Maker (34SBD, 34PBD, 36WDD,

Linoleum Flooring in Kitchen

36PBD, 36PED, 36DBD) Three-Burner Range with Oven ILO Three-Burner Cooktop Convection Microwave with Touch Control (N/A: 30PBD, 36PBD) Spacesaver Convection Microwave with Touch Control (30PBD, 36PBD) Stereo TV Wired Through Ceiling Speakers 13" Color TV with Remote Control in Bedroom

Washer/Dryer Prep with 10 Gal. Water Heater (N/A: 29W, 30PBD, 34SBD) (Requires 50 Amp Service) Vented Combination Washer/Drver (N/A: 29W, 30PBD, 34SBD) (Requires Washer/Dryer Prep with 50 Amp Service) Digital Satellite System Prep Exterior Entertainment Center

INTERIOR

Standard Features

Autumn Haze Oak Cabinetry Raised Panel Cabinet Doors on Overhead Cabinets. Flat Panel Cabinet Doors on Base Cabinet and Wardrobes Telestrut Overhead Storage Doors and Positive Catches on All Other Doors Low-Friction Roller Drawer Guides Wood Interior Grab Handle on Dash Brass Finished Cabinet Hardware Laminated Kitchen Countertop with Fiberglass Sink, White Faucet and Sink Cover Kitchen Countertop Extension (29W, 34PBD, 36WDD, 36PBD, 36PED, 36DBD) Arched Back Booth Dinette with Drawer(s) (N/A: 36PED) Freestanding Dinette with Two Freestanding Chairs and Two

Folding Chairs (36PED)

(N/A: 30PBD, 36PBD) Nylon Carpeting in Kitchen (30PBD, 36PED) Linoleum Flooring in Bathroom Nylon Carpeting and Pad in Living Area and Bedroom Padded Vinyl Ceiling Large Overhead Cabinets in Kitchen and Bedroom Slide-Outs Laminate Bathroom Countertop Bath and a Half (36DBD Only) (Plank Floor Std. in Rear Bath) One-Piece Fiberglass Shower Glass Shower Door with Brass Frame Medicine Cabinet with Shelves Bathroom Mirror Towel Bars in Bathroom Decorative Mirror on Rear Wall (N/A: 29W, 36WDD, 36PBD, 36DBD) Queen Bed Bedspread with Pillows Mini Blinds in Kitchen and Bathroom

Valance at Entry Door with Clock Party Table between Co-Pilot Seat and Barrel Chair (34SBD, 34PBD, 36WDD 36DBD) Fabric Barrel Chair (32PBD, 34SBD, 34PBD, 36WDD, 36PBD, 36DBD) Jackknife Sofa Shelf Behind Sofa (N/A: 36PED) Integrated Cup Holder in Main Slide-Out House Next to Sofa (N/A: 29W)

Options

VCR

DVD Player

Woods: Regal Cherry, Maple or Walnut New Decors: Bahama Beach (Taupe), Pewter Blue (Blue), Green Tapestry (Green) Plank Flooring Kitchen & Bath

Freestanding Dinette with Two Freestanding Chairs and Two Folding Chairs (N/A: 36PED)

34SBD, 36WDD, 36PBD, 36PED, 36DBD) Day/Night Pleated Shades in Living Area and Blackout Shades in Bedroom Twin Beds (29W) Fabric Jackknife Sofa with Table (ILO Dinette) (29W, 30PBD) Easy Bed Sofa (29W, 32PBD, 36PBD, 36PFD) Fabric Electric Sofa (N/A: 36PED) Fabric Recliner Chair (N/A: 29W, 30PDD, 30PBD, 36PED) Hide-A-Bed Sofa (N/A: 29W, 30PBD, 36PBD, 36PED)

Bedroom Desk (Foot of Bed) (32PBD,

Hide-A-Bed Sofa with Footrest (36PED) L-Sofa with Drawer (36PED)

ELECTRICAL SYSTEMS AND LIGHTS

Standard Features

30 Amp 120V Distribution Panel and Power Cord55 Amp Electronic 12V Power Converter

Onan® 4.0 KW Generator (29W, 30PBD, 30PDD) When the option of Dual Roof Airs is selected, this will require

the 5.5 KW Generator option
Onan® 5.5 KW Gas Gold Generator

(32'-36' units)
Two 6V Batteries
Battery Disconnect Switch
12V and 110V Outlets in Cockpit Area
Porch Light
Power Entry Step with Light
Water Pump Switch in Service Area
Lights in Outside Storage Compartment
120V Receptacles in Outside Storage

Computer Hook-Up with Phone Jack in Dinette Area
Systems Control Center
Fluorescent Ceiling Light Under Kitchen Overhead and Bathroom Ceiling
Decorative Dining Light
Cosmetic Vanity Lights in Bathroom
Halogen Lights Under
Living Room Cabinets
Decorative Wall Lights in Bedroom
Decorative Wall Lights in Living Area

Options

with 50 Amp Service 50 Amp Service Onan® 5.5 KW Gas Gold Advantage Generator (Required with Dual Air

Selection) (29W, 30PDD, 30PBD)

Energy Management System

PLUMBING AND LP SYSTEMS

Standard Features

Demand Water System and Water Pump 6-Gallon LP Gas/Electric Water Heater with Electronic Ignition (DSI) Winterization Valving System Toilet with Sprayer

Compartment

Underhood Utility Light

No-Fuss Flush Black Holding Tank Rinsing System

Insulated Systems Compartment with Easy Access to Hook-Up

Gravity and Pressurized Water Fill Separate Faucet for Filtered Water

Options

Neo-Angled Bath Tub (34PBD, 36WDD, 36PBD, 36PED, 36DBD)

10-Gallon LP Gas/Electric Water Heater with Electronic Ignition (DSI) (N/A: 30PBD)

HEATING, VENTS AND AIR CONDITIONING

Standard Features

One 13.5M BTU Air Conditioner with Ducted Air and Wall Thermostat (N/A: 36' Models)

One 13.5M BTU and One 11.0M BTU Air Conditioner and Wall Thermostat (Std: 36' Models) 35M BTU Electronic Ignition Furnace (31M BTU Furnace on 29W)

Electronic AC/Heat Climate
Control System

In-Floor Ducting Heating System 12V Roof Vent in Bath

Ontions

Dual 13.5M BTU Air Conditioner (Requires 50 Amp Service Option) (36' Models Only)

One 13.5M BTU and One 11.0M BTU
Air Conditioner and Wall Thermostat
(30PDD, 30PBD, 32PBD, 34SBD,
34PBD) (Requires Onan® 5.5 KW Gas
Gold Generator Option)

12V Wet Bay Heater 12V Attic Fan

WINDOWS, DOORS AND AWNINGS

Standard Features

Radius Flush Mount Single Pane Safety Glass Dark Tinted Slider Window Radius Entrance Door with Screen Entry Assist Handle
Carefree® Topper Slide-Out Awning

(N/A: 29W) Awning Rail

Smoke Detector

Tinted Skylight in Bathroom with Protecta Glaze

Options

Radius Flush Mount Dual Pane Safety Glass Dark Tinted Slider Windows Carefree® Patio Awning Carefree® Automatic Patio Awning Carefree® Omega Slide-Out Awning (N/A: 29W)

SAFETY

Standard Features

Fire Extinguisher

Deadbolt Lock on Entrance Door

120V GFI Protected Circuit (Kitchen, Bathroom, Exterior) LP Gas Detector Carbon Monoxide Detector
Pilot and Co-Pilot Three-Point Seat Belts
(Lap and Shoulder)

Third Brake Safety Light Egress Window

Window Awning

FORD CHASSIS/ENGINE/ SUSPENSION

Standard Features

Electronic Fuel Injected Gas Engine 6.8L/V10

Cubic Inch Displacement: 415"/6.8L

4-Speed Automatic Transmission with Overdrive

130 Amp Alternator Rear Axle Ratio: 5.38:1 Radial Tires: 245/70/19.5F Leaf Spring Suspension

ABS Brake

Undercoating

Hitch Receiver with Six-Point Connector (4,000 lb. on 22,000 GVW Chassis) (5,000 lb. on 18,000 lb. and 20,500 lb. GVW Chassis)
Undercoating

Options

Manual Hydraulic Leveling System Stainless Steel Wheel Simulators

WORKHORSE CHASSIS/ ENGINE/SUSPENSION

Standard Features

Electronic Fuel Injected Gas Engine 8.1L/V8 Cubic Inch Displacement: 496"/8.1L

5-Speed Automatic Transmission with Overdrive (34' and 36' Floorplans Only)

145 Amp Alternator
Rear Axle Ratio: 5.38:1
Radial Tires: 235/80R/22.5G on
34SBD, 34PBD, 36WDD, 36DBD;
245/70R/19.5F on 29W, 30PDD, 30PBD
Stainless Steel Wheel Simulators

Leaf Spring Suspension
ABS Brakes
Hitch Receiver with Six-Point Connector
(4,000 lb. on 22,000 lb. and 5,000 lb. on
20,700 lb. GVW Chassis)

Options


Manual Hydraulic Leveling System



NIGHT-STAND







MODEL 29W

29W Options Include: Easy Bed Sofa Electric Sofa Freestanding Dinette with 4 Chairs Jackknife Sofa with Table (ILO Dinette) Twin Beds

MODEL 30PDD

30PDD Options Include: Electric Sofa Freestanding Dinette with 4 Chairs Hide-A-Bed Sofa

MODEL 30PBD

30PBD Options Include: Electric Sofa Freestanding Dinette with 4 Chairs Jackknife Sofa with Table (ILO Dinette)

MODEL 32PBD

32PBD Options Include: Bedroom Desk Easy Bed Sofa Electric Sofa Freestanding Dinette with 4 Chairs Hide-A-Bed Sofa Recliner

MODEL 34SBD

34SBD Options Include: Bedroom Desk Electric Sofa Freestanding Dinette with 4 Chairs Hide-A-Bed Sofa Recliner

Bedroom Desk Easy Bed Sofa Electric Sofa Freestanding Dinette with 4 Chairs Hide-A-Bed Sofa yacknife Sofa with Table L-Sofa Neo-Angled Tub Recliner Twin Beds



MODEL 34PBD

34PBD Options Include: Electric Sofa Freestanding Dinette with 4 Chairs Hide-A-Bed Sofa Neo-Angled Bath Tub Recliner



MODEL 36WDD

36WDD Options Include: Bedroom Desk Electric Sofa Freestanding Dinette with 4 Chairs Hide-A-Bed Sofa Neo-Angled Bath Tub Recliner



MODEL 36PBD

36PBD Options Include: Bedroom Desk Easy Bed Sofa Electric Sofa Neo-Angled Bath Tub Recliner



MODEL | 36PED

36PED Options Include: Bedroom Desk Easy Bed Sofa Freestanding Dinette with 4 Chairs Hide-A-Bed Sofa with Footrest L-Sofa with Drawer Neo-Angled Bath Tub



MODEL 36DBD

36DBD Options Include: Bedroom Desk Electric Sofa Freestanding Dinette with 4 Chairs Hide-A-Bed Sofa Neo-Angled Bath Tub Recliner

