NEXT LEVEL®



HOLIDAY RAMBLER®



Next Level

























6-LAYER FLOORING

- (top to bottom)Carpet with pad or laminate tile floor
- Seamless one-piece Sturdi-Wood floor
 1-1/2" x 1-1/2" steel framed
- floor
- Darco under liner vapor barrier10" I-Beam Z frame design
- Composite under belly material



5-LAYER LAMINATED GEL COAT FIBERGLASS SIDEWALLS

- (left to right)
 High-gloss gel coat fiberglass
 1-1/2" thick insulation
 1-1/2" x 1-1/2" square tubular aluminum frame
 • 1/8" luaun
- Wallpaper



9-LAYER MOLDED FIBERGLASS ALL-SEASON FOAM INSULATED ROOF

- (top to bottom) Peaked roof with BriteTek™ roof material
- Luaun backer
- Thick, tapered bead foam insulation
- Aluminum double I-beam superstructure filled with fiberglass insulation
- Vapor barrier
- Structure foam: thermal insulated barrier
- Vapor barrier
- Luaun backer
- Vinyl ceiling





Due to continuous product improvement, please see the website for the latest in standards and options, specifications, and technical data. Go to www.holidayrambler.com.

Weights*	30 S K	34SKS	35SKS	38SKS	38FKD	38SKT	40SKT	
Gross Vehicle Weight Rating	16,950	16,950	16,950	16,950	18,000	18,000	21,000	
Hitch Weight	2,060	2,700	2,640	2,800	2,750	2,630	3,000	
Axle(s) Weight	5,200	5,200	5,200	5,200	5,200	5,200	6,000	
Unloaded Vehicle Weight	9,360	10,800	10,400	11,215	12,500	12,830	13,620	
Net carrying Capacity (NCC)	7,590	6,150	6,550	5,735	5,500	5,170	7,380	
Tire Size and Load Range	15″ D	15″ D	15″ D	15″ D	15″ D	15″ D	16″E	
Measurements								
Overall Length	32′6″	37′10″	37′10″	39′10″	39′10″	39′ 10″	42′11″	
Overall Height (Including A/C)	12′5″	12′9″	12′7″	13′	13′	13′	13′3″	
Exterior Width	102″	102″	102″	102″	102″	102″	102″	
Awning Length	17′	17′	19′	17′	19′	16′	16′	
Tank Capacities								
Water Heater	10	10	10	10	10	10	10	
Grey Tank	50	50	50	50	50/50	50/50	50/50	
Black Tank	50	50	50	50	50	50	50	
Fresh Tank (2 - 65 gallon)	130	130	130	130	130	130	130	
L.P. Tank**	30 (2)	30 (2)	30 (2)	30 (2)	30 (2)	30(2)	30(2)	

^{*} Towing capacity is limited by GCWR; your vehicle's towing capacity is the difference between the GCWR and the actual vehicle weight, including all water, fuel, passengers and cargo. Your towed vehicle should be equipped with auxiliary brakes if the weight of the towed vehicle exceeds 1,000 lbs. Consult your owner's manual for further towing information.

The actual overall length of the recreational vehicle may differ from that indicated in the brochure due to variances in the manufacturing process and/or installed components. The actual length may be greater or less than that indicated. Due to the large variety of options and floorplan arrangements available to our customers, actual weights for each unit can differ significantly. Holiday Rambler provides a weight sticker on each unit we produce which includes that unit's tank capacities and approximate weight. Consult variety and the product design or material or component parts at the date of printing. The manufacturer reserves the right, at any time, to make changes in product design or material or component specifications as its sole option, without notice. This includes the substitution of components of a different brand or trade name which will result in comparable performance. All information printed in this brochure is subject to change after the date of printing. Some features shown or mentioned in this brochure are optional and may only be available in selected floorplans. Photographs may show props or decorations that are not standard equipment on Holiday Rambler long and its design, are registered trademarks. All part redemarks and/or registered trademarks of their respective holders. While the color of the motorhome's exterior and the interior fabrics depicted in this sales brochure are fair and reasonable depictions, the colors depicted may not be an exact match of the actual colors because of the variances in photo-processing and variances caused by inserting the photographs within the sales brochure. Due to product improvements, changes during the model year and/or transcription errors that may occur, information represented within this brochure may not be accurate at the time of your purchase. If certain information is significant to your purchasing decision, please confirm the information with your dealer prior to submitting your order. Component part and appliance manufacturers issuel mind wa

HOLIDAYRAMBLER.COM

Log on to our website anytime, night or day. It's your link to everything Holiday Rambler, including product news and updates, club events, dealer and service center info and much more. Take it for a test drive today.



^{**} All tank capacities are estimated based upon calculations provided by the tank manufacturers and represent approximate capacities. The actual "usable capacity" may be greater or less than the estimated capacities based upon fabrication and installation of the tanks.

^{***} Actual filled LP capacity is 80% of listing due to safety shut-off required on tank.





THULE SMART RV ACCESSORIES

Create the ultimate cargo living space in just minutes with the exclusive Thule SMART RV™ POD system.

A) The Thule smart RV accessories create the ultimate usage of the cargo area in just minutes with the Thule SMART RV POD system.

- Quick set up
- Easy on/o
- Low profile anchor PODs
- Direct application onto the sidewal for stability
- Innovative design
- Lifetime warranty

A number of anchor PODs are mounted around the cargo area, this allows you to easily mount and remove the optional Thule SMART RV camping convenience pack which includes one countertop with the countertop organizer, and trash bin.

B & C) The optional Bedroom TV can be mounted to another anchor POD which is located in the basement storage area allowing you to view the TV while sitting under your awning.

D) Thule SMART POD one with cover and one without.

ENDLESS POSSIBILITIES...

Go to www.thulerv.com to learn more.







BODY CONSTRUCTION: FEATURES

- 102" Wide Body
- 10" I-Beam Z-frame design
- 140 cu. ft. of Basement Storage (38FKD, 38SKT)
- High Gloss Gelcoat Fiberglass Exterior Walls
- Vacuum Bonded Laminated Construction
- 1-1/2" Block Foam Insulation
- Front Molded Fiberglass Cap
- Spare Tire Prep with Carrier Frame Recessed into Underbelly
- 1-1/2" Steel Framed Sub-Floor
- Steel Framed and Insulated Bathroom Floor
- 6 Flush Mounted Tie-Downs 2500 lb Capacity
- Polished Anodized Diamond Plate Cargo Wall Protector

- Aluminum Roof Structure with Double I-Beam Roof Rafter 16" On-Center
- 9-Layer Roof and 6-Layer Sidewall Construction
- Brite TEK™ Exterior Roof Material
- Shock Absorbers
- 15" Radial Tires (16" 40SKT)
- Stylized Aluminum Wheels with Chrome Center Hub
- Enclosed and Heated Underbelly
- PVC Floor in Alcove Storage Area (38FKD, 38SKT)
- Linoleum Flooring in Alcove Storage Area (30SK, 34SKS, 35SKS, 38SKS, 40SKT)
- Gel Coat, Insulated Oversized Exterior

Storage Door with Gas Struts (N/A: 30SK, 34SKS, 35SKS, 38SKS, 40SKT)

- Beaver Tail Floor
- 3000 lb. Rated Ramp Door

OPTIONS

- Recessed Spare Tire with Sport Wheel (40SKT)
- Flip Over Transition Ramp
- Electric Winch With Tether Remote (30SK, 34SKS, 35SKS, 38SKS)

APPLIANCES AND ACCESSORIES: FEATURES

- 8 cu.ft. 2-Way Refrigerator
- High Output 3-Burner Range with Oven
- Microwave with Touch Control

OPTIONS

- 10 cu. ft. 2 way Refrigerator
- Roll-Out Pantry with Cabinet with 3 Baskets (N/A: 30SK, 34SKS, 35SKS)

- Convection Microwave
- 26" LCD Color TV with Remote and Mounting Brackets Living Area (N/A: 40SKT)
- 42" LCD Color TV with Remote and Mounting Brackets Living Area (40SKT)
- 15" LCD Color TV with Remote Control in Bedroom, Thule Pod and Bracket (N/A: 40SKT)
- 20"LCD Color TV with Remote Control, Thule Pod and Bracket in Bedroom (40SKT)

- Satellite Radio
- Cargo Electric Queen Bed with 2-24" Flush Mount Clothes Hangers (N/A: 38FKD, 38SKT)
- Cargo Double Electric Queen Bunk Bed with Fold-Over Sofa with 2-24" Flush Mount Clothes Hangers (N/A: 38FKD, 38SKT)
- Built in Vacuum with Deluxe Tools

FURNITURE: FEATURES

- Queen Bed in Slide-Out with Front Wardrobe and Chest of Drawers (N/A: 30SK)
- Queen Bed with Shirt Closet and Nightstand (30SK)
- King Bed in Slide-Out with Front Wardrobe and Chest of Drawers (40SKT)
- Polyethylene Indoor/Outdoor Table (N/A: 38FKD, 38SKT, 40SKT)
- One (1) 76" Flip-Over Jackknife Sofa with Quick Release and Embroidered Logo -Road Side (30SK, 34SKS, 35SKS, 38SKS)
- One (1) Jackknife Sofa Roadside (38FKD, 38SKD, 40SKT)
- Two (2) 24" Flush Mount Clothes Hangers
- One (1) Booth Dinette (38FKD, 38SKT, 40SKT)
- 40" x 60" Flip-Over Jackknife Dinette with Quick Release and Embroidered Logo -Curbside (30SK, 34SKS, 35SKS, 38SKS)

OPTIONS

Second Flip-Over Jackknife Sofa with Quick

Release and Embroidered Logo - Road Side (38SKS)

- Cargo Electric Beds (40SKT)
- Queen Bed in Slide-Out with Front Wardrobe and Chest of Drawers (40SKT)
- Flip-Over Jackknife Sofa in Cargo Area with Quick Release and Embroidered Logo -Road Side (38FKD, 38SKT, 40SKT)
- Two (2) Additional Barrel Chairs in Cargo Area
- U-Shaped Dinette/Lounge with Stow Away Tables (38SKT, 38FKD, 40SKT)

WINDOWS / DOORS AND AWNINGS: FEATURES

- Checkered Flag Texturized Fabric Awning
- Tinted Skylight in Bathroom
- Window in Stool Room (38FKD, 38SKT)

OPTIONS

- Dual Pane Windows
- Rear Entry Door Cargo Area (38SKS, 38FKD, 38SKT, 40SKT)
- Electric Patio Awning with Metal Cover
- Slide-out Awning (38FKD, 38SKT, 40SKT)
- Kitchen Slide-out Cover (38SKT)
- Bedroom Slide-out Cover (N/A: 30SK)
- Rear Door Awning
- Swing-out Entry Door Handle

ELECTRICAL SYSTEMS AND LIGHTS: FEATURES

- 12V Sirius Ready AM/FM Weather Band Receiver with CD/DVD Player with 4 Interior 3-Way Speakers, 2 Exterior Polypropylene Waterproof Marine Speakers, 600 watt Amplifier, 10" Subwoofer and Interior/Exterior RF Remote Capability
- Electrical Management System (50AMP/12V With 55 AMP Conv.)
- Four (4) Exterior Recessed Docking Lights
- · LED Tail Lights

- · Disconnect and Battery Box
- Cable TV, Telephone and Electrical Outlet Hook-up in Basement Storage
- Emergency Pump Station Shut-Off Switch (with Optional Pump Station)
- Dual Exterior Cable/Satellite Receptacle

OPTIONS

- · Cable TV/DVD, Satellite Ready with Video Box
- Solar Prep

- TV Antenna with Cable Box
- One 12v Deep Cycle Battery with Disconnect
- Two 12v Deep Cycle Battery with Disconnect
- Inverter 600 watt (Requires Two Batteries)
- Generator Prep 5.5KW-20 gal** Fuel Tank,
 Remote Switch with Hour Meter, Fuel Gauge
- 5.5 kw Marquis Gold Gas Onan Generator with 20 gallon** Tank (Prep Required)
- Door Side Pump Station with 40 Gallon Tank, Timer Switch and Fuel Gauges in Utility Center

INTERIORS: FEATURES

- Newport Cherry II Cabinets
- Laminate Kitchen Countertop -Galley and Lavatory
- · Linoleum in Kitchen, Bath and Entry
- Utility Center by Entrance Door (Systems Monitor Panel, Water Pump, Water Heater, S/O Switches, Fuel Pump Timer, Gauges and Lighted Exterior Light Switches)

OPTIONS

- Champagne Select Cabinets
- Decors: Cactus, Coffee
- Kitchen Countertop Extension (N/A: 30SKS, 35SKS)
- Surged Carpet for Cargo Area
- Cargo Privacy Screen (Standard on 38SKT)
- Utility Center Folding Table with Shelves (Available with Divider Wall) (34SKS)

PLUMBING AND L.P. SYSTEMS: FEATURES

- Large Stainless Steel Kitchen Sink with Brushed Nickel Single Handle Pull-out Faucet
- 10-Gallon L.P. Gas/Electric Water Heater with Electronic Ignition (DSI)
- Stainless Steel Bathroom Sink with Brushed Nickel Faucet
- Brushed Nickel Shower Hose and Head
- ABS Tub/Shower with Curtain (34SKS, 38SKS)
- · ABS Shower with One-Piece Surround and

- Curtain (38SKT, 30SKS, 35SKS, 38FKD)
- Lighted Water management System with Drain, Spray-Port Water Sprayer with 15´
 Polyurethane Hose, Outside Shower with Hot and Cold, Soap Dispenser, Paper Towel Holder
- Water Heater By-pass Kit
- Fiberglass One-Piece Radius Shower with Obscure Glass Door (40SKT)
- No-Fuss Flush Holding Tank Rinsing System
- Two 30 lb. L.P. Tanks with Automatic Changeover and Cover

OPTIONS

- Shower with Sliding Glass Door (34SKS, 38SKS)
- ABS Shower with One-Piece Surround with Glass Door (30 SKS, 35SKS, 38SKT, 38FKD)

HEATING, VENTS AND AIR CONDITIONING: FEATURES

- One Carrier 13,500 BTU Rooftop Air Conditioner with Remote Control
- 35M BTU Hydroflame Electronic Ignition Furnace (30SK)
- 40M BTU Hydroflame Electronic Ignition Furnace (N/A: 30SK)
- Ducted Heating System

 Wire Prep and Ducting for 2nd A/C with Optional 50 amp Service

OPTIONS

- One Carrier 15,000 BTU Rooftop A/C ILO 13,500 BTU with Remote Control
- Second Carrier 13,500 BTU Rooftop A/C with Remote Control in Cargo Area (Requires 50 amp Service Opt.)

WINDOW TREATMENTS: FEATURES

• Pleated Day/Blackout Shades in Living Area and Bedroom (38FKD, 38SKT, 40SKT)

ADVANTAGE PACKAGE

- 5 Year Structural Warranty
- Z-Frame Construction (38FKD, 38SKT)
- · Steel Framed Floor
- Recessed Spare Tire Carrier
- Alaskan Package (Enclosed and Heated
- Underbelly, Heated Alcove Storage Area, Insulated Bathroom Floor and 9-Layer Roof
- Independent Front Power Landing Jacks (38FKD, 38SKT)
- Polished Anodized Diamond Plate Cargo
- Wall Protector
- Heavy Duty Protective PVC Flooring in Cargo Area





BEING DIFFERENT MAKES ALL THE DIFFERENCE.

Take a closer look, and you'll discover that Holiday Rambler, a brand of Monaco Coach Corporation, gives you more industry "bests" than any other RV manufacturer. The convenience of our 350 service centers. The peace of mind of 24/7 roadside assistance. The value of Monaco Financial Services. And the online support of holidayrambler.com. At Holiday Rambler, we've built our reputation by listening to you — and answering to you. And that's the difference that's made us the best.

WARRANTIES

12 Момтн basic limited warranty

5 Year limited warranty on aluminum frame structure of sidewall, roof

Applies to certain models. See owner's manual for complete details

PRESIDENTIAL SUITE

PRESIDENTIAL

ALUMASCAPE SUITE

ALUMASCAPE

next levei

SAVOY LE/LX

MINTARO

BLACK DIAMOND