

TRUCK CAMPERS







Message from the President:

Bigfoot Industries is pleased to be entering its twenty-ninth year of building excellence in recreational vehicles.

Our promise to you, our Valued Customers, is our assurance that we pay attention to your comments and ideas as we design our products with you in mind.

In your Bigfoot RV you will travel with all the classic as well as Contemporary comforts of home. Bigfoot is legendary in expressing quality. Peace of mind and relaxation reign supreme as you take part in many spectacular Bigfoot excursions and adventures.

Being a Bigfoot Owner provides a special kind of freedom. We being a project owner produces a special kind of freedom. vve believe that all the memories you make in your Bigfoot will be exceptional ones.

Our Bigfoot Family sincerely appreciates your ongoing loyalty and

With your approval, Bigfoot Industries pays for your first year membershin in the Biofoot Owner's Club after the nurchase of o membership in the Bigfoot Owner's Club after the purchase of one of our Bigfoot products. For owners, past, present, and future, all it takes is to log onto www.bigfootowners.com to participate in the activities and forums offered. Sincerely yours,

Sharon Mayall President and CEO





Bigfoot Quality



A Lean Certified manufacturing process assures a buyer that their unit has been inspected at every step of production, and even the slightest flaws are corrected before the unit moves to the next step of the assembly process.

In 2005 Bigfoot Industries was awarded Lean Certification as a world-class manufacturer of guality Motorhome, Truck Camper and Travel Trailer recreational products.

Our commitment to produce products at the highest standard of quality begins long before a unit enters the assembly line. With the end user in mind, Bigfoot Industries designs, selects materials and approaches production with the mindset of delivering the best quality to our customers.

To produce quality, each production line craftsman contributes to an efficient assembly process that eliminates waste of materials, inconsistencies in finishing and unnecessary requirements on the production line resources.




Take off easily with the lightest and most aerodynamic of the Bigfoot Campers. The Bigfoot 1500 Series Truck Campers are constructed out of two molded gelcoat fibreglass shells which are insulated with one inch high density polystyrene foam. Whether you are climbing up to a secluded cranny high on a mountain, or discovering new country for the first time on wide open roads, your 1500 Series camper gets you there in comfort. The 1500 Series Truck Camper, available in both long and short-box floorplans, comes equipped with an impressive list of standard features, high quality appliances, and three stylish interior decors to choose from.







1500 Series Floorplans & Specifications




15C8.2 Shortbox



15C9.3 Shortbox



15C9.5FR



15C9.5FS

| 1500 Series Truck Ca | . Unit | | 15C8.2 S | hortbox | 15C9.3 S | hortbox | 15C9.5 F | S & FR |
|----------------------|-----------|--------|----------|---------|----------|---------|----------|--------|
| Overall Length | ft-in | mtr | 15'-1" | 4.59 | 16'-6" | 5.03 | 16'-6" | 5.03 |
| Overall Height* | ft-in | mtr | 7'-3" | 2.21 | 7'-5" | 2.26 | 7'-5" | 2.26 |
| Overall Width | ft-in | mtr | 7'-11" | 2.41 | 7'-11" | 2.41 | 7'-11" | 2.41 |
| Interior Headroom | ft-in | mtr | 6'-5" | 1.95 | 6'-7" | 2.03 | 6'-7" | 2.03 |
| Base Dry Weight | lbs | kg | 1790 | 812 | 2100 | 953 | 1970 | 894 |
| Fresh Water | US Gallon | litres | 32 | 122 | 32 | 122 | 32 | 122 |
| Grey Water | US Gallon | litres | 11 | 42 | 11 | 42 | 11 | 42 |
| Black Water | US Gallon | litres | 14 | 53 | 14 | 53 | 14 | 53 |
| LPG Capacity | lbs | litres | 20 | 9 | 20 | 9 | 20 | 9 |
| Water Heater | US Gallon | litres | 6 | 23 | 6 | 23 | 6 | 23 |
| Furnace | BTU | | 16,000 | | 16,000 | | 16,000 | |
| Refrigerator (2 Way) | cu. ft. | litres | 4 | 113 | 4 | 113 | 4 | 113 |



Features

| | TOO, TO | , , , , , , , , , , , , , , , , , , , | 750 | |
|---|---------|---------------------------------------|--------|--------|
| | 36.5% (| چي م | رکی رخ | 5000 C |
| EXTERIOR: | P | ۍ. | P | ~~ |
| Lightweight Two Piece Fiberglass Exterior Shell | Std. | Std. | Std. | Std. |
| 1" High Density EPS Insulation (R6) | Std. | Std. | Std. | Std. |
| Radius Corner Safety Glass Windows (c/w Screens) | Std. | Std. | Std. | Std. |
| Folding Assist Handle | Std. | Std. | Std. | Std. |
| Molded Propane Tank Storage Compartment | Std. | Std. | Std. | Std. |
| Sewer Hose Storage Compartment | Std. | Std. | Std. | Std. |
| Aluminum Rear Bumper | N/A | Std. | N/A | N/A |
| Radius Corner Compartment Doors | Std. | Std. | Std. | Std. |
| Cab Thru Window | Std. | Std. | Std. | Std. |
| Radius Corner Entry Door (c/w Deadbolt Lock and Gas Strut) | Std. | Std. | Std. | Std. |
| Blocking for Rear Awning | Std. | Std. | Std. | Std. |
| Step Bracket | Std. | Std. | Std. | Std. |
| Rack & Ladder | Std. | Std. | Std. | Std. |
| INTERIOR: | | | | |
| Washable Vinyl Wall Paneling | Std. | Std. | Std. | Std. |
| Marine Quality Fabric Headliner | Std. | Std. | Std. | Std. |
| Face Framed Double Screwed Oak Styled Cabinets | Std. | Std. | Std. | Std. |
| Foam Mattress (60" x 74") | Std. | Std. | Std. | Std. |
| 36" Headroom in Bunk | Std. | Std. | Std. | Std. |
| Shirt Closet in Bunk Area | Std. | Std. | Std. | Std. |
| Bedside Storage Boxes | Std. | Std. | Std. | Std. |
| TV Shelf | Std. | Std. | Std. | Std. |
| Venetian Blind in Galley | Std. | Std. | Std. | Std. |
| KITCHEN AND APPLIANCES: | | | | |
| 3 Burner Cooktop | Std. | Std. | Std. | Std. |
| Electronic Ignition 16,000 BTU Ducted Forced Air Furnace | Std. | Std. | Std. | Std. |
| Fluorescent Light in Galley | Std. | Std. | Std. | Std. |
| 12-Volt Rangehood | Std. | Std. | Std. | Std. |
| Monitor Panel | Std. | Std. | Std. | Std. |
| Stainless Steel Sink | Single | | Double | Double |
| Cutting Board | Std. | Std. | Std. | Std. |
| Single Lever Faucet | Std. | Std. | Std. | Std. |
| 20 lb. Propane Tank (c/w OPD Valve) | Std. | Std. | Std. | Std. |
| 2-Way 4 cu. ft. Refrigerator | Std. | Std. | Std. | Std. |
| ELECTRICAL: | | | | |
| Electrical 120-VAC/30-Amp Service | Std. | Std. | Std. | Std. |
| 45-Amp DC Power Converter (c/w Battery Charger) | Std. | Std. | Std. | Std. |
| Pre-Wire for Roof Air and Microwave | Std. | Std. | Std. | Std. |
| Power Fan in Bathroom | Std. | Std. | Std. | Std. |
| Stereo Pre-Wire (c/w 2 Speakers & Antenna) | Std. | Std. | Std. | Std. |
| Battery Ready (c/w Battery Box) | Std. | Std. | Std. | Std. |
| Exterior Light | Std. | Std. | Std. | Std. |
| PLUMBING: | | | | |
| City Water Hookup | Std. | Std. | Std. | Std. |
| 12-Volt Demand Water Pump System | Std. | Std. | Std. | Std. |
| Molded Fiberglass Shower Enclosure | Std. | Std. | Std. | Std. |
| Water Heater By-Pass System | Std. | Std. | Std. | Std. |
| RV Anti-Freeze Pickup System | Std. | Std. | Std. | Std. |
| Footflush RV Toilet | Std. | Std. | Std. | Std. |
| Hot Water Heater (6 Gallon) | Std. | Std. | Std. | Std. |
| Enclosed Holding Tanks | Std. | Std. | Std. | Std. |
| SAFETY: | | | | |
| MVSS 302 Fire Rated Automotive Fabric | Std. | Std. | Std. | Std. |
| Smoke Detector | Std. | Std. | Std. | Std. |
| Propane Detector | Std. | Std. | Std. | Std. |
| Fire Extinguisher | Std. | Std. | Std. | Std. |
| Carbon Monoxide Detector | Std. | Std. | Std. | Std. |
| Escape Hatch | Std. | Std. | Std. | Std. |
| "Std." = Standard. " Opt." = Optional. "Incl." = Included in Package. "POP" = Preferred Optic | | | | |



Options

| | 75C | 750 | 3 | 'n | |
|---|--------------|----------------------|--|----------------|--|
| | To Co. Rep. | 75°C _{9',3} | S. S | -9.0% -9.0% | |
| A & E Box Awning (8') | Opt. | Opt. | Opt. | Opt | |
| AC Roof - 11,000 BTU | Opt. | Opt. | Opt. | Opt | |
| Aluminum Rear Bumper Step | Opt. | Opt. | Opt. | Opt | |
| Auto Changeover (Propane Regulator) | Opt. | Opt. | Opt. | Opt | |
| Awning Rail | Opt. | Opt. | Opt. | Opt | |
| Battery Disconnect (Electronic) | Opt. | Opt. | Opt. | Opt | |
| Black Tank Rinse System | Opt. | Opt. | Opt. | Opt | |
| Camper 4 Step | Opt. | Opt. | Opt. | Opt | |
| Camper 5 Step | Opt. | Opt. | Opt. | Opt | |
| Day/Night Shades (Pleated) | Opt. | Opt. | Opt. | Opt | |
| Electronic Ignition Hot Water Heater (DSI) | Opt. | Opt. | Opt. | Opt | |
| Electric Jacks, Motors & Remote | Opt. | Opt. | Opt. | Opt | |
| Exterior Shower (c/w Winterizing Valves) | Opt. | Opt. | Opt. | Opt | |
| Fantastic Fan, Bathroom (Exhaust) | Opt. | Opt. | Opt. | Opt | |
| Fantastic Fan, Galley (Exhaust) | Opt. | Opt. | Opt. | Opt | |
| LCD TV Prep. Package (c/w Swing Arm) | Opt. | Opt. | Opt. | Opt | |
| LCD TV (Includes LCD TV Prep. Package) | Opt. | Opt. | Opt. | Opt | |
| Lift Kit Assembly (Ford/Dodge Trucks) | Opt. | N/A | N/A | N/A | |
| Microwave Oven (.7 cu. ft.) | Opt. | Opt. | Opt. | Opt | |
| Optical Rear Vision Door | Opt. | Opt. | Opt. | Opt | |
| Oven (c/w 3 Burner Cooktop) | Opt. | Opt. | Opt. | Opt | |
| Porcelain Toilet Upgrade | Opt. | Opt. | | Opt | |
| Privacy Curtain | Opt. | Opt. | Opt. Opt. | Opt | |
| Rear Door Awning (54") | | • | Opt. | Opt | |
| Rear View Camera System | Opt. Opt. | Opt. Opt. | Opt. | Opt | |
| Rear Window (Single Pane) | • | • | | | |
| | Opt. | Opt. | Opt. | Opt | |
| Rear Window (Thermal Pane) | Opt. | Opt. | Opt. | Opt | |
| Skylight (c/w Pleated Shade) | Opt. | Opt. | Opt. | Opt | |
| Solar Energy System (RV50 - c/w Solar Panel Pre-Wire) | Opt. | Opt. | Opt. | Opt | |
| Solar Panel Pre-Wire | Opt. | Opt. | Opt. | Opt | |
| Spring Filled Foam Mattress (60' x 74") | Opt. | Opt. | Opt. | Opt | |
| Stereo AM/FM - CD/DVD Player | Opt. | Opt. | Opt. | Opt | |
| Stereo AM/FM - CD Player | Opt. | Opt. | Opt. | Opt | |
| Twin Beds (30" x 74") | Opt. | Opt. | Opt. | Opt | |
| Wheel Well Access Door | Opt. | N/A | N/A | N/A | |
| WINTER PACKAGE: | la al | lu al | la al | 1 | |
| Solar Reflective Thermal Pane Windows | Incl. | Incl. | Incl. | Incl | |
| Heated & Insulated Holding Tanks | Incl. | Incl. | Incl. | Incl. | |
| Fantastic Fan (Exhaust) | Incl. | Incl. | Incl. | Incl | |
| PREFERRED OPTION PACKAGE: | 11 | La el | la d | 1 | |
| Bifold Range Cover | Incl. | Incl. | Incl. | Incl | |
| Dual Propane Tanks (20lb. ea.) | Incl. | Incl. | Incl. | Incl | |
| Electric Jack, Pre-Wire | Incl. | Incl. | Incl. | Incl | |
| Refrigerator Upgrade (2-Way 6 cu. ft.) | Incl. | Incl. | Incl. | Incl | |
| Hidden TV Antenna (c/w TV Booster) | Incl. | Incl. | Incl. | Incl | |
| Mechanical Jacks (Powder Coated) | Incl. | Incl. | Incl. | Incl | |





You are always ready for any adventure when you own a Bigfoot 2500 Series Truck Camper. These basement model Truck Campers are designed with unique and extensive amounts of interior and exterior storage compartments, which make these particular models perfect to just pick up and go, leaving nothing behind. Bigfoot 2500 Series Truck Campers, available in both long and short-box model floorplans, are constructed out of two molded gelcoat fibreglass shells, which are insulated with one and one half inches of high density polystyrene foam, making these campers extremely durable and weatherproof.





...designed with purpose and comfort...









2500 Series Floorplans

25C9.4 Shortbox




25C9.4Longbox





25C9.6E



OHC CLOSET STORAGE CLOSET

SHOWER

DINETTE

BASEMENT
| ACCESS

OHC

WARD.

REFRIGERATOR

TV
SHELF

STORAGE

CLOSET

CLOSET

25C10.5E 25C10.6E



Features

| | PG PG | 53 | 35 | 35 | |
|--|--------------|---------------------|------|--------|------|
| | Toron Toron | 47. ₂₀ . | 6. | | .64 |
| EXTERIOR: | | | | | |
| Lightweight Two Piece Fiberglass Exterior Shell | Std. | Std. | Std. | Std. | Std. |
| 1 1/2" High Density EPS Insulation (R8) | Std. | Std. | Std. | Std. | Std. |
| Radius Corner Safety Glass Windows (c/w Screens) | Std. | Std. | Std. | Std. | Std. |
| Folding Assist Handle | Std. | Std. | Std. | Std. | Std. |
| Molded Propane Tank Storage Compartment | Std. | Std. | Std. | Std. | Std. |
| Molded Fiberglass Basement Storage Compartment | Std. | Std. | Std. | Std. | Std. |
| Sewer Hose Storage Compartment | Std. | Std. | Std. | Std. | Std. |
| Aluminum Rear Bumper | Std. | N/A | N/A | Std. | Std. |
| Radius Corner Compartment Doors | Std. | Std. | Std. | Std. | Std. |
| Cab Thru Window | Std. | Std. | Std. | Std. | Std. |
| Radius Corner Entry Door (c/w Deadbolt Lock and Gas Strut) | Std. | Std. | Std. | Std. | Std. |
| Blocking for Rear Awning | Std. | Std. | Std. | Std. | Std. |
| Blocking for Roof Rack & Ladder | Std. | Std. | Std. | Std. | Std. |
| Mechanical Jacks (Powder Coated) | Std. | Std. | Std. | Std. | Std. |
| Step Bracket | Std. | Std. | Std. | Std. | Std. |
| INTERIOR: | Old. | Olu. | Olu. | Olu. | Old. |
| Washable Vinyl Wall Panelling | Std. | Std. | Std. | Std. | Std. |
| | Std. | Std. | Std. | Std. | Std. |
| Marine Quality Fabric Headliner | | | | | |
| Face Framed Double Screwed Oak Styled Cabinets | Std. | Std. | Std. | Std. | Std. |
| Foam Mattress (60" x 74") | Std. | Std. | Std. | Std. | Std. |
| 42" Headroom in Bunk | Std. | Std. | Std. | Std. | Std. |
| Shirt Closet in Bunk Area | Std. | Std. | Std. | Std. | Std. |
| Day/Night Shades | Std. | Std. | Std. | Std. | Std. |
| Bedside Storage Boxes | Std. | Std. | Std. | Std. | Std. |
| TV Shelf | Std. | Std. | Std. | Std. | Std. |
| Venetian Blind in Galley | Std. | Std. | Std. | Std. | Std. |
| KITCHEN AND APPLIANCES: | | | | | |
| 3 Burner Cooktop | Std. | Std. | Std. | Std. | Std. |
| Electronic Ignition 30,000 BTU Ducted Forced Air Furnace | Std. | Std. | Std. | Std. | Std. |
| Fluorescent Light in Galley | Std. | Std. | Std. | Std. | Std. |
| 12-Volt Rangehood | Std. | Std. | Std. | Std. | Std. |
| | Std. | Std. | Std. | Std. | |
| Monitor Panel | | | | | Std. |
| Stainless Steel Sink | | | | Double | |
| Cutting Board | Std. | Std. | Std. | Std. | Std. |
| Single Lever Faucet | Std. | Std. | Std. | Std. | Std. |
| 20 lb. Propane Tank (c/w OPD Valve) | Std. | Std. | Std. | Std. | Std. |
| 2-Way 6 cu. ft. Refrigerator | Std. | Std. | Std. | Std. | Std. |
| ELECTRICAL: | | | | | |
| Electrical 120-VAC/30-Amp Service | Std. | Std. | Std. | Std. | Std. |
| 45-Amp DC Power Converter (c/w Battery Charger) | Std. | Std. | Std. | Std. | Std. |
| Pre-Wire for Roof Air and Microwave | Std. | Std. | Std. | Std. | Std. |
| Power Fan in Bathroom | Std. | Std. | Std. | Std. | Std. |
| Stereo Pre-Wire (c/w 2 Speakers & Antenna) | Std. | Std. | Std. | Std. | Std. |
| Battery Compartment | Std. | Std. | Std. | Std. | Std. |
| Exterior Lights (3) | Std. | Std. | Std. | Std. | Std. |
| PLUMBING: | Ota. | Ota. | Ota. | Olu. | Ota. |
| City Water Hookup | Std. | Std. | Std. | Std. | Std. |
| | | | | | |
| 12-Volt Demand Water Pump System | Std. | Std. | Std. | Std. | Std. |
| Molded Fiberglass Shower Enclosure | Std. | Std. | Std. | Std. | Std. |
| Water Heater By-Pass System | Std. | Std. | Std. | Std. | Std. |
| RV Anti-Freeze Pickup System | Std. | Std. | Std. | Std. | Std. |
| Footflush RV Toilet | Std. | Std. | Std. | Std. | Std. |
| Electronic Ignition Hot Water Heater (6 Gallon) | Std. | Std. | Std. | Std. | Std. |
| Enclosed Heated & Insulated Holding Tanks | Std. | Std. | Std. | Std. | Std. |
| SAFETY: | | | | | |
| MVSS 302 Fire Rated Automotive Fabric | Std. | Std. | Std. | Std. | Std. |
| Smoke Detector | Std. | Std. | Std. | Std. | Std. |
| Propane Detector | Std. | Std. | Std. | Std. | Std. |
| Fire Extinguisher | Std. | Std. | | Std. | Std. |
| Carbon Monoxide Detector | Std. Std. | Std. | Std. | | |
| Cardon wonoxide Detector | Sta. | olu. | Std. | Std. | Std. |
| Egress Window | Std. | Std. | Std. | Std. | Std. |

2500 Series Specifications

₹,

₹,

| | 50° 20° | ુ જે | ~ 50° | J 50 |) |
|---|------------|--------|--------|-----------|--------|
| | To To | P. P. | 9.6k | TO SK STO | 70.6K |
| A 9 E Day Avening | - V | 8' | 8' | 10' | 10' |
| A & E Box Awning | 8' | | | | |
| AC Roof - 11,000 BTU | Opt. | Opt. | Opt. | Opt. | Opt. |
| Aluminum Rear Bumper Step | Opt. | Opt. | Opt. | Opt. | Opt. |
| Awning Rail | Opt. | Opt. | Opt. | Opt. | Opt. |
| Battery Disconnect (Electronic) | Opt. | Opt. | Opt. | Opt. | Opt. |
| Black Tank Rinse System | Opt. | Opt. | Opt. | Opt. | Opt. |
| Camper 5 Step | Opt. | Opt. | Opt. | Opt. | Opt. |
| Camper 6 Step | Opt. | Opt. | Opt. | Opt. | Opt. |
| Electric Jacks, Motors & Remote | Opt. | Opt. | Opt. | Opt. | Opt. |
| Exterior Shower (c/w Winterizing Valves) | Opt. | Opt. | Opt. | Opt. | Opt. |
| Fantastic Fan, Bathroom (Exhaust) | Opt. | Opt. | Opt. | Opt. | Opt. |
| Fantastic Fan, Bunk (Exhaust) | Opt. | Opt. | Opt. | Opt. | Opt. |
| Fantastic Fan, Galley (Exhaust) | Opt. | Opt. | Opt. | Opt. | Opt. |
| Generator, Onan (2.5kw. Propane - Requires Gen. Ready Pkg.) | Opt. | N/A | N/A | Opt. | Opt. |
| Generator Ready Package | Opt. | N/A | N/A | Opt. | Opt. |
| Jack Brackets (Dually) | Opt. | Opt. | Opt. | Opt. | Opt. |
| LCD TV Prep. Package (c/w Swing Arm) | Opt. | Opt. | Opt. | Opt. | Opt. |
| LCD TV (Includes LCD TV Prep. Package) | Opt. | Opt. | Opt. | Opt. | Opt. |
| Microwave Oven (.7 cu ft.) | Opt. | Opt. | Opt. | Opt. | Opt. |
| Optical Rear Vision Door | Opt. | Opt. | Opt. | Opt. | Opt. |
| Porcelain Toilet Upgrade | Opt. | Opt. | Opt. | Opt. | Opt. |
| Privacy Curtain | Opt. | Opt. | Opt. | Opt. | Opt. |
| Rear Door Awning (54") | Opt. | Opt. | Opt. | Opt. | Opt. |
| Rear View Camera System | Opt. | Opt. | Opt. | Opt. | Opt. |
| Roll Away Shower Door | N/A | N/A | N/A | N/A | Opt. |
| Skylight (c/w Pleated Shade) | Opt. | Opt. | Opt. | Opt. | Opt. |
| Skylight in Shower | N/A | N/A | N/A | N/A | Opt. |
| Solar Energy System (RV50 - c/w Solar Panel Pre-Wire) | Opt. | Opt. | Opt. | Opt. | Opt. |
| Solar Panel Pre-Wire | Opt. | Opt. | Opt. | Opt. | Opt. |
| Stereo AM/FM - Cassette/CD Changer | Opt. | Opt. | Opt. | Opt. | Opt. |
| Stereo AM/FM - CD/DVD Player | Opt. | Opt. | Opt. | Opt. | Opt. |
| Stereo AM/FM - CD Player | Opt. | Opt. | Opt. | Opt. | Opt. |
| Solar Reflective Thermal Pane Windows | Opt. | Opt. | Opt. | Opt. | Opt. |
| Twin Beds (30" x 74") | Opt. | Opt. | Opt. | Opt. | Opt. |
| PREFERRED OPTION PACKAGE: | - 1 | - 1 | - 1 | - 1 | |
| Auto Changeover (Propane Regulator) | Incl. | Incl. | Incl. | Incl. | Incl. |
| Bifold Range Cover | Incl. | Incl. | Incl. | Incl. | Incl. |
| Dual Propane Tanks (20lb. ea.) | Incl. | Incl. | Incl. | Incl. | Incl. |
| Electric Jack, Pre-Wire | Incl. | Incl. | Incl. | Incl. | Incl. |
| Hidden TV Antenna (c/w TV Booster) | Incl. | Incl. | Incl. | Incl. | Incl. |
| Oven (c/w 3 Burner Cooktop) | Incl. | Incl. | Incl. | Incl. | Incl. |
| Rack & Ladder | Incl. | Incl. | Incl. | Incl. | Incl. |
| Spring Filled Foam Mattress (60" x 74") | Incl. | Incl. | Incl. | Incl. | Incl. |
| cpg ·cc · can matrices (co x · · ·) | 11101. | 11101. | 11101. | 11101. | 11101. |

| 2500 Series True | ck Cam | per Spe | cification | IS | | | | | | | | |
|----------------------|---------|---------|------------|------|--------|------|--------|------|---------|------|---------|------|
| | - | nits | 25C9. | | 25C9 | .4LB | 25C9 | 9.6E | 25C1 | 0.5E | 25C10 |).6E |
| Overall Length | ft-in | mtr | 16'-6" | 5.03 | 16'-6" | 5.03 | 16'-6" | 5.03 | 17'-11" | 5.46 | 17'-11" | 5.46 |
| Overall Height* | ft-in | mtr | 8'-3" | 2.51 | 8'-3" | 2.51 | 8'-3" | 2.51 | 8'-3" | 2.51 | 8'-3" | 2.51 |
| Overall Width | ft-in | mtr | 7'-11" | 2.41 | 7'-11" | 2.41 | 7'-11" | 2.41 | 7'-11" | 2.41 | 7'-11" | 2.41 |
| Interior Headroom | ft-in | mtr | 6'-4" | 1.93 | 6'-4" | 1.93 | 6'-4" | 1.93 | 6'-4" | 1.93 | 6'-4" | 1.93 |
| Base Dry Weight | lbs | kg | 2435 | 1104 | 2435 | 1104 | 2400 | 1089 | 2600 | 1179 | 2600 | 1179 |
| Fresh Water | US Gal. | litres | 38 | 144 | 38 | 144 | 50 | 190 | 50 | 190 | 50 | 190 |
| Grey Water | US Gal. | litres | 32 | 121 | 32 | 121 | 24 | 91 | 24 | 91 | 24 | 91 |
| Black Water | US Gal. | litres | 22 | 84 | 22 | 84 | 14 | 53 | 19 | 72 | 19 | 72 |
| LPG Capacity | lbs | litres | 20 | 9 | 20 | 9 | 20 | 9 | 20 | 9 | 20 | 9 |
| Water Heater | US Gal. | litres | 6 | 23 | 6 | 23 | 6 | 23 | 6 | 23 | 6 | 23 |
| Furnace | BT | U | 30,0 | 000 | 30,00 | 00 | 30,00 |)0 | 30,0 | 000 | 30,00 | 0 |
| Refrigerator (2 Way) | cu. ft. | litres | 6 | 169 | 6 | 169 | 6 | 169 | 6 | 169 | 6 | 169 |

^{*}Truck Bed to top of Refrigerator Vent

Because you deserve the best, you will want to own a Bigfoot 3000 Series Truck Camper. Being the elite and most luxurious camper of the Bigfoot Truck Camper line-up, the wide-body, basement model 3000 Series, will take you anywhere you want to go. Spacious floorplans, made even more functional with slide-out rooms, offer extraordinary comfort. Hidden beneath its elaborate interior finishing are superior insulation values provided by the durable patented **Fibercore Wallsystem®** construction. The 3000 Series Truck Campers comes with an extensive list of standard features. On the job or getting away from it all, the 3000 Series Bigfoot Truck Camper delivers performance.





Floorplans & Specifications



30C1001

shown with std. dinette, and std. bunk



30C1002

shown with std. dinette, and std. bunk



30C1001

shown with opt. U-shape dinette, opt. bunk wardrobe



30C1002

shown with opt. U-shape dinette, opt. bunk wardrobe

| | Unit | s | 300 | 1001 | 30C | 1002 |
|----------------------|-----------|--------|--------|------|---------|------|
| Overall Length | ft-in | mtr | 18'-4" | 5.59 | 18'-10" | 5.74 |
| Overall Height* | ft-in | mtr | 8'-1" | 2.46 | 8'-1" | 2.46 |
| Overall Width | ft-in | mtr | 8'-4" | 2.54 | 8'-4" | 2.54 |
| Interior Headroom | ft-in | mtr | 6'-4" | 1.93 | 6'-4" | 1.93 |
| Base Dry Weight | lbs | kg | 3006 | 1363 | TBA | TBA |
| Fresh Water | US Gallon | litres | 32 | 122 | 31 | 117 |
| Grey Water | US Gallon | litres | 32 | 122 | 32 | 121 |
| Black Water | US Gallon | litres | 32 | 122 | 21 | 79 |
| LPG Capacity | lbs | litres | 20 | 9 | 20 | 9 |
| Water Heater | US Gallon | litres | 6 | 23 | 6 | 23 |
| Furnace | BTU | J | 30.0 | 000 | 30, | 000 |
| Refrigerator (2 Way) | cu. ft. | litres | 6 | 169 | 6 | 169 |

*Truck Bed to top of Refrigerator Vent





3000 Series Features

| | 30 _{C7007} | 30C7002 |
|---|---------------------|--------------|
| EVTERIOR | 700, | 7005 |
| EXTERIOR: Aluminum Framed Fibercore® Bonded Fiberglass Sidewalls c/w 1 1/2" Polyurethane Insulation (R12) | Std. | Std. |
| Fibercore® Bonded Ceiling c/w 2" Polyurethane Insulation (R14) | Std. | Std. |
| Slide Out Room with Fibercore® Bonded Fiberglass Sidewall c/w 1 1/2" Polyurethane Insulation (R12) | N/A | Std. |
| Fiberglass Roof | Std. | Std. |
| Radius Corner Safety Glass Windows (c/w Screens) | Std. | Std. |
| Folding Assist Handle | Std. | Std. |
| Molded Fiberglass Front Cap | Std. Std. | Std. |
| Molded Fiberglass Rear Cap (c/w Bumper and Built-in Step) Molded Propane Tank Stora ge Compartment | Std. | Std. Std. |
| Molded Fiberglass Basement Storage Compartment (c/w Plastic Storage Tray) | Std. | Std. |
| Sewer Hose Storage Compartment | Std. | Std. |
| Radius Corner Compartment Doors | Std. | Std. |
| Cab Thru Window | Std. | Std. |
| Radius Corner Entry Door (c/w Deadbolt Lock and Gas Strut) | Std. | Std. |
| Blocking for Rear Awning | Std. | Std. |
| Blocking for Roof Rack & Ladder Mechanical Jacks (Powder Coated) | Std. Std. | Std. Std. |
| Step Bracket | Std. | Std. |
| INTERIOR: | Ota. | Old. |
| Washable Vinyl Wall Paneling | Std. | Std. |
| Marine Quality Fabric Headliner | Std. | Std. |
| Face Framed Double Screwed Oak Styled Cabinets | Std. | Std. |
| Foam Mattress (60" x 80") | Std. | Std. |
| 42" Headroom in Bunk Area | Std. | Std. |
| Day/Night Shades Bedside Storage Boxes | Std. Std. | Std. Std. |
| TV Shelf | Std. | Std. |
| Venetian Blind in Galley | Std. | Std. |
| KITCHEN AND APPLIANCES: | | |
| 3 Burner Cooktop | Std. | Std. |
| Electronic Ignition 30,000 BTU Ducted Forced Air Furnace | Std. | Std. |
| Fluorescent Light in Galley | Std. | Std. |
| 12 Volt Rangehood Monitor Panel | Std. Std. | Std. Std. |
| Stainless Steel Sink | Double | Double |
| Cutting Board | Std. | Std. |
| Single Lever Faucet | Std. | Std. |
| 20LB Propane Tank (c/w OPD Valve) | Std. | Std. |
| 2-Way 6 cu. ft. Refrigerator | Std. | Std. |
| ELECTRICAL: | Ctd | Ctd |
| Electrical 120VAC/30Amp Service 45-Amp DC Power Converter (c/w Battery Charger) | Std. Std. | Std. Std. |
| Pre-Wire for Roof Air and Microwave | Std. | Std. |
| Power Fan in Bathroom | Std. | Std. |
| Stereo Pre-Wire (c/w 4 Speakers & Antenna) | Std. | Std. |
| Molded Exterior Battery Compartment (c/w Pull Out Tray) | Std. | Std. |
| Exterior Lights (3) | Std. | Std. |
| Electric Jack, Pre-Wire PLUMBING: | Std. | Std. |
| City Water Hookup | Std. | Std. |
| 12-Volt Demand Water Pump System | Std. | Std. |
| Molded Fiberglass Shower Enclosure | Std. | Std. |
| Water Heater By-Pass System | Std. | Std. |
| RV Anti-Freeze Pickup System | Std. | Std. |
| Porcelain Toilet | Std. | Std. |
| Electronic Ignition Hot Water Heater (6 Gallon) | Std. | Std. |
| Enclosed Heated & Insulated Holding Tanks SAFETY: | Std. | Std. |
| MVSS 302 Fire Rated Automotive Fabric | Std. | Std. |
| Smoke Detector | Std. | Std. |
| Propane Detector | Std. | Std. |
| Fire Extinguisher | Std. | Std. |
| Carbon Monoxide Detector Egress Window | Std. Std. | Std. Std. |
| Lyicoo vviiluovv | Siu. | Siu. |



3000 Series Options


| | *C7007 | TOOS |
|---|-----------|-----------|
| Side Awning | Opt. | Opt. |
| AC Roof - 11,00 BTU | Opt. | Opt. |
| Battery Disconnect (Electronic) | Opt. | Opt. |
| Black Tank Rinse System | Opt. | Opt. |
| Camper 5 Step | Opt. | Opt. |
| Camper 6 Step | Opt. | Opt. |
| Electric Jacks, Motors & Remote | Opt. | Opt. |
| Exterior Shower (c/w Winterizing Valves) | Opt. | Opt. |
| Fantastic Fan, Bathroom (Exhaust) | Opt. | Opt. |
| Fantastic Fan, Bunk (Exhaust) | Opt. | Opt. |
| Fantastic Fan, Galley (Exhaust) | Opt. | Opt. |
| Generator, Onan Camp Power (2.5kw. Propane - Requires Gen. Ready Pkg.) | Opt. | Opt. |
| Generator Ready Package | Opt. | Opt. |
| Jack Brackets (Dually) | Opt. | Opt. |
| LCD TV Prep. Package (c/w Swing Arm) | Opt. | Opt. |
| LCD TV (Includes LCD TV Prep. Package) | Opt. | Opt. |
| Microwave Oven (1.0 cu ft.) | Opt. | Opt. |
| Optical Rear Vision Door | Opt. | Opt. |
| Privacy Curtain | Opt. | Opt. |
| Rear Ďoor Awning (90") | Opt. | Opt. |
| Rear View Camera System (Color) | Opt. | Opt. |
| Roll Away Shower Door | Opt. | Opt. |
| Skylight (c/w Pleated Shade) | Opt. | Opt. |
| Slide Topper Awning | N/A | Opt. |
| U-Shaped Dinette (c/w Round Oak Table) | Opt. | Opt. |
| Bedside Wardrobe with Sliding Mirrored Doors (In lieu of Bedside Cabinet) | Opt. | Opt. |
| Solar Energy System (RV50) | Opt. | Opt. |
| Solar Panel Pre-Wire | Opt. | Opt. |
| Stereo AM/FM - Cassette/CD Changer | Opt. | Opt. |
| Stereo AM/FM - CD/DVD Player | Opt. | Opt. |
| Stereo AM/FM - CD Player | Opt. | Opt. |
| Solar Reflective Thermal Pane Windows | Opt. | Opt. |
| Twin Beds (N/A with Bedside Wardrobe Option) | 30" x 74" | 30" x 74' |
| PREFERRED OPTION PACKAGE: | | |
| Auto Changeover (Propane Regulator) | Incl. | Incl. |
| Bifold Range Cover | Incl. | Incl. |
| Dual Propane Tanks (20lb. ea.) | Incl. | Incl. |
| Oven (c/w 3 Burner Cooktop) | Incl. | Incl. |
| Hidden TV Antenna (c/w TV Booster) | Incl. | Incl. |
| Rack & Ladder | Incl. | Incl. |
| Spring Filled Mattress (60" x 80") | Incl. | Incl. |
| Skylight in Shower | Incl. | Incl. |

"Std." = Standard, "Opt." = Optional, "Incl." = Included in Package, "POP" = Preferred Option Package, "N/A" = NotAvailable

Patented Sidewall Construction Technology

Fibercore Wall System TM is a design feature that is unique to Bigfoot 3000 Series models of Truck Campers, and cannot be found anywhere else in the RV industry.

The wall, roof and floor of the RV are framed with an insulated tubular aluminium structure, and are then injected with a polyurethane insulation material that provides superior insulation values when compared to conventionally bonded sidewalls.





Interior Decors











Choose Your Decor



Cognac

Landscape

Nordic





Bigfoot Industries
4114 Crozier Road, Armstrong,
British Columbia, Canada V0E 1B6
Phone: 250-546-2177

Please visit our website at www.bigfootrv.com or www.BigfootOwners.com

BIGFOOTRV. COM

BIGFOOT WARRANTY


Bigfoot Industries provides a one-year limited warranty on all Bigfoot Products. In addition, Bigfoot Industries offers a three-year limited structural integrity warranty on all 1500 and 2500 Series models and a five-year limited structural integrity warranty on all 3000 and 4000 Series models.


Appliance warranties vary and are set by the respective manufacturer.

Please contact your dealer for complete details regarding warranty policies.

The information contained herein is as accurate as possible at the time of publication. Subsequent refinements and improvements may be evident in the actual products. All liquid capacities are approximate and dimensions are nominal. Some equipment and features illustrated may be optional, or for presentation purposes only.

This brochure may not be used for contractual purposes. Bigfoot Industires reserves the right to improve or modify its products without prior written notice.













Go RVing.