

2006 BUYERS GUIDE

"NEW" Fifth Wheel Line
By Glendale RV



EasyRider

GOLDEN FALCON

GLENDAL RV

www.glendalerv.com



EasyRider

GOLDEN FALCON



EASYSRIDER FIFTH WHEEL SPECIFICATIONS

MODEL	28RK	29RK2S	29RL2S	31B	31RD
Overall Length	34'	32'-9"	32'-9"	34'	34'
Overall Height	12'-5"	12'-6"	12'-6"	12'-8"	12'-5"
Main Body Width	96"	96"	96"	96"	96"
Dry Weight	TBA*	8,974 lbs	8,711 lbs	8,878 lbs	9,260 lbs
Dry Pin Weight	TBA*	1,594 lbs	1,869 lbs	1,585 lbs	1,881 lbs
Carrying Capacity	TBA*	1,888 lbs	2,151 lbs	3,111 lbs	2,652 lbs

*TBA=To Be Advised: Weight specifications were not available at time of publication and will be posted on the web site when this data becomes available.

EasyRider

GOLDEN FALCON


28RK

FIFTH WHEEL
2006 MODEL YEAR
By Glendale RV

OVERALL LENGTH
34'

OVERALL HEIGHT
12'-5"

MAIN BODY WIDTH
96"



DRY WEIGHT
TBA*

DRY PIN WEIGHT
TBA*

CARRYING CAPACITY
TBA*

CONSTRUCTION

SIDEWALLS: Vacuum bonded ultra smooth fiberglass siding. Perimeter welded 1½" aluminum sidewall framing and 1½" rigid foam insulation.

ROOF: Seamless rubber roof membrane is bonded to ¾" plywood sheeting. Full 4½" tapered metal truss framing. Thick fiberglass batt insulation.

FLOOR: Laminated beam floor structure includes 3" foam insulation panel bonded between plywood panels and perimeter framing. **Darco** polyethylene moisture barrier between chassis underbelly. Seam guard under vinyl floor coverings. **R16 INSULATION VALUE.**

CHASSIS: 8" steel "I Beam" frame construction, ST235/80R16 "D" radial tires, 16" painted white rims (mandatory), 12"x2" electric brakes, spare tire and rim, snap release pins on powered front landing gear, 2 stabilizer scissor jacks.

SLIDEOUT SPECIFICATIONS: Low maintenance, powerful rack and gear direct drive motor systems, manual system override.

INTERIOR CABINET DOORS: Raised panel cathedral style oak cabinet doors. "Easy-Glide" metal roller system on all drawers.

WINDOWS: Radius corner tinted safety glass.

ENTRANCE DOOR: 30" wide radius corner combination entrance door with screen and deadbolt lock, easy fold-away triple rise entry steps, fold-away assist handle on entry door, porch light.

APPLIANCES

REFRIGERATOR: **Dometic** 8 cu. ft. double door, 2-way gas/110V.

RANGE: **Wedgewood** H/O 21", 3 burner, piezo ignitor.

FURNACE: **Hydro-Flame** 31,000 BTU ducted heat system.

MICROWAVE OVEN: **Dometic** 24", 1.3 cu. ft. with turntable and rangehood.

AIR CONDITIONER: **Dometic Briskair** 13,500 BTU thermal insulated ducted in-ceiling cool air system.

ENTERTAINMENT

STEREO: DVD/CD tuner 5 speaker surround sound.

TV ANTENNA: **Winegard** RV antenna with booster.

TV HOOKUP: Coax cable hookup in bedroom and living area.

A&E 18' AWNING - PEWTER/WHITE

Awning features patented rugged steel roller tube and heavy duty torsion spring 8' extension.

PLUMBING

High profile **Aqua Magic V** toilet with foot flush, tub surround, glass shower door, deep double sinks in kitchen, with single lever brushed nickel faucet and hand rinse attachment, single lever brushed nickel tap in bathroom, water heater by-pass kit.

WATER HEATER: **Atwood** fast recovery 6 gallon gas/electric (Direct Spark Ignition).

HOLDING TANKS: HOLDING TANKS ARE ENCLOSED, INSULATED AND HEATED. Garden style drain tap on fresh water tank.

HOLDING TANK CAPACITIES:
Fresh: 48 gal Grey: 49 gal Sewage: 49 gal

ELECTRICAL

CONVERTOR: **Progressive Dynamics** 9100 series converter.

HOOKUP: 30 amp.

OTHER STANDARD FEATURES


One piece fiberglass front cap, 60"x80" orthopedic inner coil spring queen bed, ladder, loveseat sofa bed, day and night shades, exterior rinse shower, systems monitor panel, colour coordinated lower ABS sidewall skirting, 2x30lb. propane bottles with auto changeover regulator, fire extinguisher, smoke detector, free standing dinette.

OPTIONAL EQUIPMENT

Booth dinette, 16" aluminum rims, axle shocks.

Weight specifications were not available at time of publication and will be posted on the web site when this data becomes available.

Easyrider makes owning a Fifth Wheel very "Easy"



EasyRider

GOLDEN FALCON

29RK2S

FIFTH WHEEL
2006 MODEL YEAR
By Glendale RV



OVERALL LENGTH
32'-9"

OVERALL HEIGHT
12'-6"

MAIN BODY WIDTH
96"

DRY WEIGHT
8,974 lbs

DRY PIN WEIGHT
1,594 lbs

CARRYING CAPACITY
1,888 lbs

CONSTRUCTION

SIDEWALLS: Vacuum bonded ultra smooth fiberglass siding. Perimeter welded 1½" aluminum sidewall framing and 1½" rigid foam insulation.
ROOF: Seamless rubber roof membrane is bonded to ¾" plywood sheeting. Full 4½" tapered metal truss framing. Thick fiberglass batt insulation.
FLOOR: Laminated beam floor structure includes 3" foam insulation panel bonded between plywood panels and perimeter framing. **Darco** polyethylene moisture barrier between chassis underbelly. Seam guard under vinyl floor coverings. **R16 INSULATION VALUE.**
CHASSIS: 8" steel "I Beam" frame construction, ST235/80R16 "D" radial tires, 16" painted white rims (mandatory), 12"x2" electric brakes, spare tire and rim, snap release pins on powered front landing gear, 2 stabilizer scissor jacks.
SLIDEOUT SPECIFICATIONS: Low maintenance, powerful rack and gear direct drive motor systems, manual system override.
INTERIOR CABINET DOORS: Raised panel cathedral style oak cabinet doors. "Easy-Glide" metal roller system on all drawers.
WINDOWS: Radius corner tinted safety glass.
ENTRANCE DOOR: 30" wide radius corner combination entrance door with screen and deadbolt lock, easy fold-away triple rise entry steps, fold-away assist handle on entry door, porch light.

APPLIANCES

REFRIGERATOR: **Dometic** 8 cu. ft. double door, 2-way gas/110V.
RANGE: **Wedgewood** H/O 21", 3 burner, piezo ignitor.

FURNACE: **Hydro-Flame** 31,000 BTU ducted heat system.
MICROWAVE OVEN: **Dometic** 24", 1.3 cu. ft. with turntable and rangehood.
AIR CONDITIONER: **Dometic Briskair** 13,500 BTU thermal insulated ducted in-ceiling cool air system.

ENTERTAINMENT

STEREO: DVD/CD tuner 5 speaker surround sound.
TV ANTENNA: **Winegard** RV antenna with booster.
TV HOOKUP: Coax cable hookup in bedroom and living area.

A&E 19' AWNING - PEWTER/WHITE

Awning features patented rugged steel roller tube and heavy duty torsion spring 8' extension.

PLUMBING

High profile **Aqua Magic V** toilet with foot flush, neo-angle corner shower and surround, glass shower door, deep double sinks in kitchen, with single lever brushed nickel faucet and hand rinse attachment, single lever brushed nickel tap in bathroom, water heater by-pass kit.
WATER HEATER: **Atwood** fast recovery 6 gallon gas/electric (Direct Spark Ignition).
HOLDING TANKS: HOLDING TANKS ARE ENCLOSED, INSULATED AND HEATED. Garden style drain tap on fresh water tank.
HOLDING TANK CAPACITIES:
 Fresh: 48 gal Grey: (2) 49 gal Sewage: 49 gal

ELECTRICAL

CONVERTOR: **Progressive Dynamics** 9100 series converter.
HOOKUP: 30 amp.

OTHER STANDARD FEATURES

One piece fiberglass front cap, 60"x80" orthopedic inner coil spring queen bed, swivel rockers, ladder, sofa bed, day and night shades, exterior rinse shower, systems monitor panel, colour coordinated lower ABS sidewall skirting, 2x30lb. propane bottles with auto changeover regulator, fire extinguisher, smoke detector.

OPTIONAL EQUIPMENT

27" stereo TV, free standing dinette, 16" aluminum rims, axle shocks, area rug.



All specifications are subject to change without notice or obligation.

EasyRider

GOLDEN FALCON

29RL2S

FIFTH WHEEL
2006 MODEL YEAR
By Glendale RV



OVERALL LENGTH
32'-9"

OVERALL HEIGHT
12'-6"

MAIN BODY WIDTH
96"

DRY WEIGHT
8,711 lbs

DRY PIN WEIGHT
1,869 lbs

CARRYING CAPACITY
2,151 lbs

CONSTRUCTION

SIDEWALLS: Vacuum bonded ultra smooth fiberglass siding. Perimeter welded 1½" aluminum sidewall framing and 1½" rigid foam insulation.
ROOF: Seamless rubber roof membrane is bonded to ¾" plywood sheeting. Full 4½" tapered metal truss framing. Thick fiberglass batt insulation.
FLOOR: Laminated beam floor structure includes 3" foam insulation panel bonded between plywood panels and perimeter framing. **Darco** polyethylene moisture barrier between chassis underbelly. Seam guard under vinyl floor coverings. **R16 INSULATION VALUE.**
CHASSIS: 8" steel "I Beam" frame construction, ST235/80R16 "D" radial tires, 16" painted white rims (mandatory), 12"x2" electric brakes, spare tire and rim, snap release pins on powered front landing gear, 2 stabilizer scissor jacks.
SLIDEOUT SPECIFICATIONS: Low maintenance, powerful rack and gear direct drive motor systems, manual system override.
INTERIOR CABINET DOORS: Raised panel cathedral style oak cabinet doors. "Easy-Glide" metal roller system on all drawers.
WINDOWS: Radius corner tinted safety glass.
ENTRANCE DOOR: 28" wide radius corner combination entrance door with screen and deadbolt lock, easy fold-away triple rise entry steps, fold-away assist handle on entry door, porch light.

APPLIANCES

REFRIGERATOR: **Dometic** 8 cu. ft. double door, 2-way gas/110V.
RANGE: **Wedgewood** H/O 21", 3 burner, piezo ignitor.
FURNACE: **Hydro-Flame** 31,000 BTU ducted heat system.
MICROWAVE OVEN: **Dometic** 24", 1.3 cu. ft. with turntable and rangehood.
AIR CONDITIONER: **Dometic Briskair** 13,500 BTU thermal insulated ducted in-ceiling cool air system.

ENTERTAINMENT

STEREO: DVD/CD tuner 5 speaker surround sound.
TV ANTENNA: **Winegard** RV antenna with booster.
TV HOOKUP: Coax cable hookup in bedroom and living area.

A&E 17' AWNING - PEWTER/WHITE

Awning features patented rugged steel roller tube and heavy duty torsion spring 8' extension.

PLUMBING

High profile **Aqua Magic V** toilet with foot flush, neo-angle corner shower and surround, glass shower door, deep double sinks in kitchen, with single lever brushed nickel faucet and hand rinse attachment, single lever brushed nickel tap in bathroom, water heater by-pass kit.

WATER HEATER: **Atwood** fast recovery 6 gallon gas/electric (Direct Spark Ignition).
HOLDING TANKS: HOLDING TANKS ARE ENCLOSED, INSULATED AND HEATED. Garden style drain tap on fresh water tank.
HOLDING TANK CAPACITIES:
 Fresh: 48 gal Grey: 49 gal Sewage: 49 gal

ELECTRICAL

CONVERTOR: **Progressive Dynamics** 9100 series converter.
HOOKUP: 30 amp.

OTHER STANDARD FEATURES

One piece fiberglass front cap, 60"x80" orthopedic inner coil spring queen bed, swivel rocker, ladder, loveseat sofa bed, day and night shades, exterior rinse shower, systems monitor panel, colour coordinated lower ABS sidewall skirting, 2x30lb. propane bottles with auto changeover regulator, fire extinguisher, smoke detector.

OPTIONAL EQUIPMENT

27" stereo TV, free standing dinette, 16" aluminum rims, axle shocks.

Relax in the unique rear lounge area




All specifications are subject to change without notice or obligation.

EasyRider

GOLDEN FALCON

31B

FIFTH WHEEL
2006 MODEL YEAR
By Glendale RV



OVERALL LENGTH
34'

OVERALL HEIGHT
12'-8"

MAIN BODY WIDTH
96"

DRY WEIGHT
8,878 lbs

DRY PIN WEIGHT
1,585 lbs

CARRYING CAPACITY
3,111 lbs

CONSTRUCTION

SIDEWALLS: Vacuum bonded ultra smooth fiberglass siding. Perimeter welded 1½" aluminum sidewall framing and 1½" rigid foam insulation.
ROOF: Seamless rubber roof membrane is bonded to ¾" plywood sheeting. Full 4½" tapered metal truss framing. Thick fiberglass batt insulation.
FLOOR: Laminated beam floor structure includes 3" foam insulation panel bonded between plywood panels and perimeter framing. **Darco** polyethylene moisture barrier between chassis underbelly. Seam guard under vinyl floor coverings. **R16 INSULATION VALUE.**
CHASSIS: 10" steel "I Beam" frame construction, ST235/80R16 "D" radial tires, 16" painted white rims (mandatory), 12"x2" electric brakes, spare tire and rim, snap release pins on powered front landing gear, 2 stabilizer scissor jacks.
SLIDEOUT SPECIFICATIONS: Low maintenance, powerful rack and gear direct drive motor systems, manual system override.
INTERIOR CABINET DOORS: Raised panel cathedral style oak cabinet doors. "Easy-Glide" metal roller system on all drawers.
WINDOWS: Radius corner tinted safety glass.
ENTRANCE DOOR: 30" wide radius corner combination entrance door with screen and deadbolt lock, easy fold-away triple rise entry steps, fold-away assist handle on entry door, porch light.

APPLIANCES

REFRIGERATOR: **Dometic** 8 cu. ft. double door, 2-way gas/110V.
RANGE: **Wedgewood** H/O 21", 3 burner, piezo ignitor.
FURNACE: **Hydro-Flame** 31,000 BTU ducted in-floor heat system.
MICROWAVE OVEN: **Dometic** 24", 1.3 cu. ft. with turntable and rangehood.
AIR CONDITIONER: **Dometic Briskair** 13,500 BTU thermal insulated ducted in-ceiling cool air system.

ENTERTAINMENT

STEREO: DVD/CD tuner 5 speaker surround sound.
TV ANTENNA: **Winegard** RV antenna with booster.
TV HOOKUP: Coax cable hookup in bedroom and living area.

A&E 18' AWNING - PEWTER/WHITE

Awning features patented rugged steel roller tube and heavy duty torsion spring 8' extension.

PLUMBING

High profile **Aqua Magic V** toilet with foot flush, tub surround, glass shower door, deep double sinks in kitchen, with single lever brushed nickel faucet and hand rinse attachment, single lever brushed nickel tap in bathroom, water heater by-pass kit.
WATER HEATER: **Atwood** fast recovery 6 gallon gas/electric (Direct Spark Ignition).
HOLDING TANKS: HOLDING TANKS ARE ENCLOSED, INSULATED AND HEATED. Garden style drain tap on fresh water tank.
HOLDING TANK CAPACITIES:
 Fresh: 48 gal Grey: 49 gal Sewage: 49 gal

ELECTRICAL

CONVERTOR: **Progressive Dynamics** 9100 series converter.
HOOKUP: 30 amp.

OTHER STANDARD FEATURES

One piece fiberglass front cap, 60"x74" orthopedic inner coil spring queen bed, ladder, sofa bed, day and night shades, exterior rinse shower, systems monitor panel, colour coordinated lower ABS sidewall skirting, 2x30lb. propane bottles with auto changeover regulator, fire extinguisher, smoke detector.

OPTIONAL EQUIPMENT

27" stereo TV, free standing dinette, 16" aluminum rims, axle shocks.

*Incredible Exterior/Interior
Storage Space*

Sleeps 9!



EasyRider

GOLDEN FALCON

31RD

FIFTH WHEEL
2006 MODEL YEAR
By Glendale RV



OVERALL LENGTH
34'

OVERALL HEIGHT
12'-5"

MAIN BODY WIDTH
96"

DRY WEIGHT
9,260 lbs

DRY PIN WEIGHT
1,881 lbs

CARRYING CAPACITY
2,652 lbs

CONSTRUCTION

SIDEWALLS: Vacuum bonded ultra smooth fiberglass siding. Perimeter welded 1½" aluminum sidewall framing and 1½" rigid foam insulation.
ROOF: Seamless rubber roof membrane is bonded to ¾" plywood sheeting. Full 4½" tapered metal truss framing. Thick fiberglass batt insulation.
FLOOR: Laminated beam floor structure includes 3" foam insulation panel bonded between plywood panels and perimeter framing. **Darco** polyethylene moisture barrier between chassis underbelly. Seam guard under vinyl floor coverings. **R16 INSULATION VALUE.**
CHASSIS: 10" steel "I Beam" frame construction, ST235/80R16 "D" radial tires, 16" painted white rims (mandatory), 12"x2" electric brakes, spare tire and rim, snap release pins on powered front landing gear, 2 stabilizer scissor jacks.
SLIDEOUT SPECIFICATIONS: Low maintenance, powerful rack and gear direct drive motor systems, manual system override.
INTERIOR CABINET DOORS: Raised panel cathedral style oak cabinet doors. "Easy-Glide" metal roller system on all drawers.
WINDOWS: Radius corner tinted safety glass.
ENTRANCE DOOR: 30" wide radius corner combination entrance door with screen and deadbolt lock, easy fold-away triple rise entry steps, fold-away assist handle on entry door, porch light.

APPLIANCES

REFRIGERATOR: **Dometic** 8 cu. ft. double door, 2-way gas/110V.
RANGE: **Wedgewood** H/O 21", 3 burner, piezo ignitor.
FURNACE: **Hydro-Flame** 31,000 BTU ducted in-floor heat system.
MICROWAVE OVEN: **Dometic** 24", 1.3 cu. ft. with turntable and rangehood.
AIR CONDITIONER: **Dometic Briskair** 13,500 BTU thermal insulated ducted in-ceiling cool air system.

ENTERTAINMENT

STEREO: DVD/CD tuner 5 speaker surround sound.
TV ANTENNA: **Winegard** RV antenna with booster.
TV HOOKUP: Coax cable hookup in bedroom and living area.

A&E 18' AWNING - PEWTER/WHITE

Awning features patented rugged steel roller tube and heavy duty torsion spring 8' extension.

PLUMBING

High profile **Aqua Magic V** toilet with foot flush, neo-angle corner shower and surround, glass shower door, deep double sinks in kitchen, with single lever brushed nickel faucet and hand rinse attachment, single lever brushed nickel tap in bathroom, water heater by-pass kit.

WATER HEATER: **Atwood** fast recovery 6 gallon gas/electric (Direct Spark Ignition).
HOLDING TANKS: HOLDING TANKS ARE ENCLOSED, INSULATED AND HEATED. Garden style drain tap on fresh water tank.
HOLDING TANK CAPACITIES:
 Fresh: 48 gal Grey: 49 gal Sewage: 49 gal

ELECTRICAL

CONVERTOR: **Progressive Dynamics** 9100 series converter.
HOOKUP: 30 amp.

OTHER STANDARD FEATURES

One piece fiberglass front cap, 60"x74" orthopedic inner coil spring queen bed, swivel rockers, ladder, sofa bed, day and night shades, exterior rinse shower, systems monitor panel, colour coordinated lower ABS sidewall skirting, 2x30lb. propane bottles with auto changeover regulator, fire extinguisher, smoke detector, 2 bar stools.

OPTIONAL EQUIPMENT

27" stereo TV, free standing dinette, 16" aluminum rims, axle shocks.

Insulation Values for EasyRider

R9 - SIDEWALLS R14 - CEILING R16 - FLOOR



EasyRider

GOLDEN FALCON

Glendale provides specific structural coverage for a period of 3 years. All of our warranty commitments are valid in both Canada and the United States. All appliances are "Name Brand" highly regarded products. See dealer for complete warranty details.

3 YEAR LIMITED
**STRUCTURE
WARRANTY**

*The Golden Falcon
Tradition Continues...*



Please be sure to visit our web site and view the virtual tours on our new EASYRIDER models.

www.glendalerv.com

DEALER: